

1.11.5-4120-222-241/990

# TM 5-4120-222-2

DEPARTMENT OF THE ARMY TECHNICAL M

---

RETURN TO GOV. BOOK CENTER

**ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT  
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST**

**AIR CONDITIONER: COMPACT VERTICAL 208 V,  
3 PHASE, 18,000 BTUH COOLING, 12,000 BTUH  
HEATING (TRANE MODELS)**

**50/60 CYCLE MODEL CE20VAL6 FSN 4120-973-4589**

**400 CYCLE MODEL CE20VAL4 FSN 4120-858-5795**

Changes in force: C1 and C2

TM 5-4120-222-  
C2

CHANGE

HEADQUARTERS

NO. 2

DEPARTMENT OF THE ARMY  
Washington, DC, 14 June 1969

Organizational, Direct and General Support  
Maintenance Repair Parts and Special Tools List

AIR CONDITIONER: COMPACT VERTICAL 208 V,  
3 PHASE, 18,000 BTUH COOLING, 12,000 BTUH  
HEATING (TRANE MODELS)  
50/60 CYCLE MODEL CE20VAL6 NSN 4120-00-973-4589  
400 CYCLE MODEL CE20VAL4 NSN 4120-00-858-5795

Current as of 30 April 1976

TM 5-4120-222-24P, 22 May 1969, is changed as shown on the reverse  
of this page.

By Order of the Secretary of the Army:

Official:

FRED C. WEYAND  
General, United States Army  
Chief of Staff

PAUL T. SMITH  
Major General, United States Army  
The Adjutant General

# INSTRUCTIONS

SHOWN BELOW ARE THE LATEST CHANGES TO NATIONAL STOCKNUMBERS (NSN) WHICH AFFECT ITEMS IN THE DATA IS ORGANIZED AS FOLLOWS: THE "FROM" COLUMN WILL SHOW THE OLD NSN, IF ONE WERE ASSIGNED MANUFACTURERS PART NUMBER AND MANUFACTURERS CODE APPEAR IN "FROM" COLUMN REFER TO INDEX FOR LOGICAL MANUAL. THE "TO" COLUMN SHOWS THE NEW NSN. IN THE "FIG" COLUMN, THE NUMBER OF THE FIGURE WHICH THE ITEM IDENTIFIED BY THE NSN IS SHOWN. THE "ITEM" COLUMN PIN-POINTS THE ITEM NUMBER OF THE WHICH IS IDENTIFIED BY THE NSN. IF FIGURE AND ITEM NUMBER ARE BLANK REFER TO THE INDEX FOR LOGICAL MANUAL. THE LAST COLUMN, "TM", IDENTIFIES THE TECHNICAL MANUAL IN WHICH THESE CHANGES SHOULD AND-INK CHANGES MAY BE MADE BY POSTING THE NEW DATA TO THE PARTS LISTINGS AND TO THE INDEX.

| FROM  | TO    | FIG           | ITEM | TM |        |
|-------|-------|---------------|------|----|--------|
| COB3S | 78462 | 4130006038696 | 9    | 12 | TM5-41 |



THEN... JOT DOWN THE  
DOPE ABOUT IT ON THIS  
FORM, TEAR IT OUT, FOLD  
IT AND DROP IT IN THE  
MAIL!

# SOMETHING WRONG WITH THE

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

DATE

TITLE Air Conditioner

Vertical, 208 V, 3 PH

BTUH Cooling, 12,000

TM 5-4120-222-24P C2

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG  
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE  
NO.

PARA-  
GRAPH

FIGURE  
NO.

TABLE  
NO.

1. Do you feel the information contained in this publication will assist you in the performance of your duties?

☐ Yes

☐ No

2. Is the information in this change publication displayed for ready reference to the basic publication?

☐ Yes

☐ No (Please give your recommendation for improvement.)

3. Please give us your job title and level of maintenance at which you are working.


\_\_\_\_\_  
(job title)

\_\_\_\_\_  
Maintenance level (org, DS, etc.)

OTHER COMMENTS

TEAR ALONG DOTTED LINE

FILL IN YOUR  
UNIT'S ADDRESS



FOLD BACK

DEPARTMENT OF THE ARMY

POST  
DEPT

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

Commander  
U.S. Army Troop Support Co  
ATTN: DRSTS-MPP  
4300 Goodfellow Boulevard  
St. Louis, Missouri 63120

FOLD BACK

**CHANGE** }**No. 1****HEADQUARTERS  
DEPARTMENT OF THE ARMY  
Washington, D.C.**

**Organizational, Direct and General Support  
Maintenance Repair Parts and Special Tools List**

**AIR CONDITIONER: COMPACT VERTICAL, 208 V, 3 PHASE,  
18,000 BTUH COOLING, 12,000 BTUH HEATING (TRANE MODEL  
50/60 CYCLE, CE20VAL6, FSN 4120-973-4589  
400 CYCLE, CE20VAL4, FSN 4120-858-5795**

*Current as of 30 March 1971*

**TM 5-4120-222-24P, 22 May 1969, is changed as follows:**

***Page 1.* Section IV is changed as follows:**

***Page 13.* Section V is changed as follows:**

| (1)<br>NAF code              | (2)<br>Federal stock No        | (3)<br>Description<br><br>Reference No. & Mfr. code   | (4)<br>Unit of issue | (5)<br>Qty inc in unit | (6)<br>15-day organizational maint allowances |             |              |               | (7)<br>Illustrations |                           |
|------------------------------|--------------------------------|---|----------------------|------------------------|---|-------------|--------------|---------------|----------------------|---------------------------|
|                              |                                |   |                      |                        | (a)<br>1-3                                    | (b)<br>6-20 | (c)<br>21-80 | (d)<br>81-100 | (a)<br>Figure No.    | (b)<br>Item or symbol No. |
|                              |                                | Section IV — REPAIR PARTS FOR<br>ORGANIZATIONAL MAINTENANCE<br>ATTENUATOR, SOUND: ***<br>GRILLE, METAL: ***<br>CONNECTOR, RECEPTACLE POWER:<br>(96806) MS3106R22S<br>BUSHING, SLEEVE, RUBBER: ***<br>SPACER, SLEEVE: ***<br>WASHER, FLAT, RUBBER: *** | ea.                  | 1                      |   |             |              |               |                      |                           |
| PO<br>00080<br>X20<br>00225A | 4130-456-9801<br>4130-436-1407 |   |                      |                        |   |             |              |               |                      |                           |
| PO<br>00257<br>PO<br>00276   | 5340-178-1364<br>5365-410-9516 |   |                      |                        |   |             |              |               |                      |                           |
| PO<br>00279                  | 5330-834-8653                  |   |                      |                        |   |             |              |               |                      |                           |





All changes, additions, or deletions of Federal Stock Numbers, or Manufacturer's Part Numbers, shall be properly reflected in the index.

By Order of the Secretary of the Army:

Official:

W. C. WESLEY  
*General, United States Army*  
*Chief of Staff*

VERNE L. BOWERS,  
*Major General, United States Army,*  
*The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Section III, (qty rqr block No. 542) organizational maintenance items.  
Air Conditioners, 18,000 BTU, Compact.

TECHNICAL MANUAL

No. 5-4120-222-24P

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D. C.ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT MAINTENANCE  
REPAIR PARTS AND SPECIAL TOOLS LISTAIR CONDITIONER: COMPACT VERTICAL 208 V, 3 PHASE  
18,000 BTUH COOLING, 12,000 BTUH HEATING (TRANSFORMER  
MODELS) 50/60 CYCLE MODEL CE20VAL6 FSN 4120-  
973-4589 400 CYCLE MODEL CE20VAL4 FSN 4120-  
858-5795

Current as of 10 March 1969

## SECTION I. INTRODUCTION

Scope -----  
 General -----  
 Explanation of columns -----  
 Special information -----  
 How to locate repair parts -----  
 Abbreviations -----  
 Federal supply codes for manufacturers -----  
 Recommendations for maintenance manual improvements -----

## SECTION II. PRESCRIBED LOAD ALLOWANCE

SECTION III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR  
ORGANIZATIONAL MAINTENANCE (NOT APPLICABLE)

## SECTION IV. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

## Group 15. Frame

1501 Frame assembly -----

## 18. Body, Cab, Hood and Hull

1801 Panels -----

## 22. Body, Chassis or Hull, and Accessory Items

2202 Accessory items -----

2210 Data plates -----

## 40. Electric Motors

4000 Motor assembly -----

4009 Control panels, housing, cubicles -----

4010 Master or auxiliary control assembly -----

## 42. Electrical Equipment

4203 Fuse -----

18. Body, Cab, Hood and Hull

1801 Panels

22. Body, Chassis or Hull, and Accessory Items

2202 Accessory items

2210 Data plates

40. Electric motors

4000 Motor assembly

4001 Rotor assemblies

4002 Stator assemblies

4005 Frame, supports and housing

4006 Starting and protective devices

4009 Control panels, housing, cubicles

4010 Master or auxiliary control assembly

4011 Circuit breakers

4012 Switches

4018 Terminal blocks

42. Electrical Equipment

4203 Fuse

4213 Rectifier

47. Gages

4702 Gages

52. Refrigeration and Air Conditioning Components

5200 Gas compressor assembly

5217 Refrigerant piping

5230 Condenser

5235 Hydrating equipment

5241 Evaporator

5243 Blower assembly

5244 Thermostatic controls

5245 Air filters

5247 Heating units

95. General Use Standardized Parts

9501 Bulk material

SECTION VI. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS, GS  
MAINTENANCE (NOT APPLICABLE)

SECTION VII. FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX

# SECTION I

## INTRODUCTION

### 1. Scope

This manual lists repair parts required for the performance of organizational, direct support, general support maintenance of the air conditioner.

### 2. General

a. The repair parts list is arranged as follows:

(1) Individual parts and major assemblies are listed alphabetically by item name within the numbered functional groups.

(2) Assembly components and subassemblies are indented and listed alphabetically by item name under major assemblies.

b. This Repair Parts and Special Tools List is divided into the following sections:

(1) *Prescribed Load Allowance (PLA)*—Section II. A consolidated listing of repair parts quantitatively allocated for initial stockage at the organizational level. *This is a mandatory minimum stockage allowance.*

(2) *Special Tools, Test and Support Equipment*—Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level (Not Applicable).

(3) *Repair Parts*—Section IV. A list of repair parts authorized for the performance of maintenance at the organizational level.

(4) *Repair Parts*—Section V. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

(5) *Special Tools, Test and Support Equip-*

### 3. Explanation of Columns

The following provides an explanation of the columns in the tabular lists in Section VI.

a. *Source, Maintenance, and Allowance Codes (SMR).*

*Note.* Common hardware items are available in Army supply channels and are assigned maintenance codes only. Source codes, and Maintenance Allowances are not applicable to this category.

(1) *Source Code.* Indicates the status and source for the listed item. The codes used are:

| Code | Explanation   |
|------|---|
| P    | Applied to repair parts procured or supplied from DSA supply system, and authorized for use in indicated categories.  |
| M    | Applied to repair parts procured or stocked but authorized for use at indicated maintenance levels.   |
| A    | Applied to assemblies which are procured or stocked as such but which require more units, each of which is procured or stocked and used in the units at indicated maintenance levels. |
| X    | Applied to parts and assemblies which are not procured or stocked but which are normally below the minimum cable end item, and which should result in retirement.                     |

| Code | Explanation   |
|------|---|
|      | parts will be requisitioned with supporting justification through normal supply channels.   |
| C    | Applied to repair parts authorized for local procurements. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of nonavailability from local procurement.  |
| G    | Applied to major assemblies that are procured with PEMA (Procurement Equipment Missile Army) funds for initial issue only to be used as exchange assemblies at DSU and GSU maintenance level. These assemblies will not be stocked above DSU and GSU level or returned to depot supply level. |

(2) *Maintenance Code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

| Code | Explanation                 |
|------|-----------------------------|
| O    | Organizational maintenance  |
| F    | Direct support maintenance  |
| H    | General support maintenance |
| D    | Depot maintenance           |

(3) *Recoverability Code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

| Code | Explanation   |
|------|---|
| R    | Applied to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.   |
| T    | Applied to high dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities. |
| U    | Applied to repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value reusable casings or castings.                                   |

required. A part number or other number is preceded by the applicable general supply code for manufacturers. Repair parts quantities in sets, and assemblies are shown with pair part name.

d. *Unit of Issue.* Indicates the basis for issue, e.g., ea, pr, ft, y.

e. *Quantity Incorporated in Pack.* Indicates the actual quantity contained in the pack.

f. *Quantity Incorporated in Group.* Indicates the quantity of the item used in the group.

g. *Fifteen-Day Organizational Allowances.*

(1) The allowance column is divided into four subcolumns. Indicated in the first appearance of the item, opposite the first appearance of the total quantity of items authorized for support of equipments supported. Subsequent appearances of the same item will have allowance columns but will have in the first column a reference to the first appearance of the item. Items authorized for use but not for initial stockage are indicated by an asterisk in the allowance column.

(2) The quantitative allowance column indicates the organizational level of maintenance required for a 15-day prescribed load for a 15-day number of equipments supported. The organizational levels authorized additional loads will multiply the number of loads authorized by the quantity reflected in the appropriate column to obtain the total quantity authorized.

(3) Organizational units authorized for more than 100 of the item shall determine the total quantity required by converting the equipment number to a decimal point before the next to the number to indicate hundredths of the decimal factor by the parts

list. Revisions to the range of items authorized will be made by this Command based upon engineering experience, demand data, or TAERS information.

*h. Thirty-Day DS/GS Maintenance Allowances.*

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance column, but will have in the description column a reference to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51—100 allowance column. Example, authorized allowance for 51—100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

*i. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

*j. Depot Maintenance Allowance Per 100 Equipments.* Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have

## 4. Special Information

a. Identification of the usable publications are:

| Code | Used on  |
|------|--|
| A    | Applies to air conditioner serial numbers 25990259827 through 25988264189; 280747 through  |
| B    | Applies to air conditioner serial numbers 283755 through 292437; 2924292447; 303326 through 303337; 3033303344; 315122; 3151378706; 379343 through 401988; 3786481380 through 431385.          |
| C    | Applies to air conditioner serial numbers 259827 through 264189; 2807280765; 2924298409; 298410; 2984298439 through 29846298480; 303133 through 307701; 3082308232; 339943; 3394410724; 413831 |
| D    | Applies to air conditioner serial numbers 413868 through 482027; 482033  |
| E    | Applies to air conditioner serial numbers 45044485647; 485648; 502516  |
| F    | Applies to air conditioner serial numbers 43247450516 through 45066481962; 491990; 4919507543; 516957 through  |

Uncoded items are applicable in this manual.

b. Repair parts mortality 7200 hours of operation per year

c. Parts which require manually at a category higher than the installation will indicate in the higher category.

d. The following publications air conditioner and its components

(2) *Second.* The illustration column of the page refers to a figure number.

(3) *Third.* Locate the figure and identify the repair parts, noting the item number.

(4) *Fourth.* Refer back to the page of the parts listing. Find the item number in the illustration column that corresponds with the figure number.

b. When Federal Stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending alpha-numeric sequence cross-referenced to an index number.

(2) *Second.* Using the Repair Part Listing, find the index number referenced in the Index of Federal Stock Numbers and Reference Numbers.

## 6. Abbreviations

|     |                        |
|-----|------------------------|
| ar  | as required            |
| dc  | direct current         |
| deg | degree (s)             |
| dia | diameter               |
| ft  | foot (feet)            |
| hp  | horsepower             |
| id  | inside diameter        |
| in. | inch (es)              |
| lg  | long (length)          |
| lh  | left hand              |
| mtg | mounting (s)           |
| No. | number (s)             |
| NPT | National Pipe Thread   |
| od  | outside diameter       |
| rh  | right hand             |
| rpm | revolutions per minute |
| rl  | roll (s)               |
| sh  | sheet                  |
| thd | thread (ed)            |
| thk | thick (ness)           |
| v   | volt (s)               |
| w   | wide (width)           |

## 7. Federal Supply Codes for Manufacturers

| Code  | Manufacturer          |
|-------|-----------------------|
| 00000 | Ordnance Corps        |
| 00644 | National Lock Co.     |
| 01422 | McIntire Co           |
| 01479 | Whirlpool Corporation |

| Code  | Manufacturer   |
|-------|--|
| 09519 | Buffalo Forge Co.  |
| 14859 | Metals and Controls Inc. Co Group  |
| 15605 | Cutler-Hammer Inc.   |
| 16764 | Delco-Remy Division of Gen Corp.   |
| 21335 | Fafnir Bearing Co.   |
| 21585 | Farr Co.   |
| 25472 | Goodrich B F Co. The   |
| 28520 | Heyman Mfg. Co.  |
| 30327 | Imperial-Eastman Corp.   |
| 41947 | Mueller Brass Co.  |
| 42689 | National Lock Co.  |
| 46175 | Peerless Electric Div of H I   |
| 49367 | Pyle-National Co.  |
| 56878 | Standard Pressed Steel Co.   |
| 57711 | Stewart F W Corp.  |
| 58553 | Superior Valve and Fittings  |
| 58849 | Syntron Co.  |
| 59730 | Thomas and Betts Co.   |
| 60532 | Trane Co. The  |
| 61311 | U S Electric Motors Inc.   |
| 61864 | United-Carr Fastener Corp  |
| 61957 | United Shoe Machinery Cor  |
| 64731 | Welco Industries Inc.  |
| 66295 | Witteck Mfg. Co  |
| 70255 | Alco Valve Co.   |
| 70485 | Atlantic India Rubber Worl   |
| 70892 | Bead Chain Mfg. Co. The  |
| 71286 | Camlock Fastener Corp.   |
| 71400 | Bussman Mfg. Division of   |
| 71785 | Cinch Mfg. Co. and Howard  |
| 72962 | Elastic Stop Nut Corp of A   |
| 73646 | Gardner Wire Company   |
| 73597 | Groov-Pin Corp.  |
| 74193 | Heinemann Electric Co.   |
| 75165 | Johns-Manville Corp.   |
| 75382 | Kulka Electric Corp.   |
| 75543 | Lavelle Rubber Co.   |
| 76381 | Minnesota Mining and Mfg   |
| 77820 | Bendix Corp. The Scintilla   |
| 78189 | Shakeproof Division of Illir Inc   |
| 78462 | Sporlan Valve Co.  |
| 78553 | Tinnerman Products Inc.  |
| 79136 | Waldes Kohinoor Inc.   |
| 79500 | Westinghouse Electric Corp   |
| 81343 | Society of Automotive Engi   |
| 81346 | American Society for Testi   |
| 81349 | Military Specifications Pro Standardization Div Dire Logistic Services DSA |

| Code       | Manufacturer   |
|------------|--|
| 96160 ---- | Blackhawk Industries   |
| 96214 ---- | Texas Instruments Inc. Apparatus Division  |
| 96906 ---- | Military Standards Promulgated by<br>Standardization Div Directorate of<br>Logistic Services DSA |
| 97403 ---- | Engineer Research and Development<br>Laboratories  |

## 8. Recommendations for Main Improvements

Report of errors, omissions, and suggestions for improving this publication from individual users is encouraged. Reports should be submitted on a DA Form 202 (Changes to DA Publications) and forwarded to the Commanding General, Mobility Equipment Command, AMSME-MPP, 4300 Goodfellow Road, St. Louis, Mo. 63120.





# SECTION II

## PRESCRIBED LOAD ALLOWANCE

| (1)<br>Federal<br>stock<br>number | (2)<br>Description<br><br>useable on code  | (3)<br>Qty<br>inc in<br>unit<br>pack | (4)<br>15-day org |             |
|-----------------------------------|--|--------------------------------------|-------------------|-------------|
|                                   |  |                                      | (A)<br>1-5        | (B)<br>6-20 |
| 4130-302-1811                     | 4000—MOTOR ASSEMBLY<br>MOTOR ASSEMBLY, FAN: blower, ac,<br>1.62 hp, 208 V, 3800 rpm, 400 cycle<br>405835 (61311) A C D |                                      | *                 | *           |
| 6105-955-5338                     | MOTOR, ELECTRIC: blower, ac, 1.42 hp,<br>208 V, 3450 rpm, 60 cycle<br>405832 (61311) B                                 |                                      | *                 | *           |
| 5920-939-5442                     | 4208—FUSE<br>FUSE, CARTRIDGE<br>KAW5 (71400) D E F   |                                      | 2                 | 2           |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                   | (4)<br>UNIT<br>OF<br>MEAS<br><br>USABLE<br>ON<br>CODE | (5)<br>QTY<br>INC<br>IN<br>UNIT | 15-DAY OR<br>MAINTENANCE |           |
|--------------------|-----------------------------------|---|---|---------------------------------|--------------------------|-----------|
|                    |                                   |   |   |                                 | (a)                      | (b)       |
|                    |                                   |   |   |                                 | 1-5                      | 6-20      |
| 00001              |                                   | SECTION IV - REPAIR PARTS FOR<br>ORGANIZATIONAL<br>MAINTENANCE    |   |                                 |                          |           |
| 00001A             |                                   | GROUP 15 - FRAME  |   |                                 |                          |           |
| 00001B             |                                   | 1501 - FRAME ASSEMBLY   |   |                                 |                          |           |
| X20<br>00003       | 4130-981-6620                     | GUARD, FAN: CONDENSER<br>(60532) GRD65                            | AB  | EA                              | 1                        |           |
| 0<br>00006         | 5310-188-7972                     | NUT, BLIND RIVET: CABING TO<br>BASE MTG<br>(25472) A8K160         | C   | EA                              | 4                        |           |
| 0<br>00009         |                                   | PLUG, PIPE: BASE, FRONT<br>(60532) PLU118                         | CDEF  | EA                              | 1                        |           |
| 0<br>00010         | 4730-289-5176                     | PLUG, PIPE: BASE, FRONT<br>(60532) PLU90                          | AB  | EA                              | 3                        |           |
| 0<br>00011         |                                   | PLUG, PIPE: BASE, LH AND RH<br>(60532) PLU118                     | CDEF  | EA                              | 2                        |           |
| 0<br>00014         | 5305-984-6194                     | SCREW, MACHINE: CONDENSER<br>GUARD MTG<br>(96906) MS35206-246     | AB  | EA                              | 8                        |           |
| 0<br>00017         | 5310-809-8544                     | WASHER, FLAT: CONDENSER GUARD MTG<br>(96906) MS27183-7            | AB  | EA                              | 8                        |           |
| 0<br>00019         | 5310-209-5309                     | WASHER, LOCK: CONDENSER GUARD MTG<br>(96906) MS35338-23           | AB  | EA                              | 16                       |           |
| 00020              |                                   | GROUP 18 - BODY, CAB, HOOD AND HULL                               |   |                                 |                          |           |
| 00020A             |                                   | 1801 - PANELS   |   |                                 |                          |           |
| X20<br>00022       |                                   | ATTENUATOR, SOUND: AIR NOISE<br>SUPPRESSOR<br>(97403) 13211E3798  |   | EA                              | 1                        |           |
| X20<br>00042       |                                   | CLIP, TUBE: TEMPERATURE CONTROL<br>TUBE MTG<br>(61864) 49444      | ABCDEF  | EA                              | 1                        |           |
| X20<br>00044       |                                   | COVER ASSEMBLY, CARBURETOR: FILTER<br>(60532) COV255              | ABCDEF  | EA                              | 1                        |           |
| X20<br>00045       |                                   | COVER, CARBURETOR: FILTER<br>(60532) COV237                       | ABCDEF  | EA                              | 1                        |           |
| X20<br>00056       | 4130-981-6622                     | CHAIN ASSEMBLY: DOOR CLOSING<br>(60532) CHN2                      | CDEF  | EA                              | 1                        |           |
| X20<br>00057       | 5340-835-1853                     | SPRING, HELICAL, EXTENSION:<br>DAMPER DOOR CLOSING<br>(73646) E7C | CDEF  | EA                              | 1                        |           |
| M O<br>00069       |                                   | GASKET: CARBURETOR COVER<br>(60532) GKT371<br>MANUFACTURE FROM:   | ABCDEF  | EA                              | 1                        |           |
| P O<br>00070       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(5/16 IN. x 10 1/4 IN.             | ABCDEF  | FT                              |                          | S.F.E GRP |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>15-DAY ORGA<br>MAINTEN |        |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------|--------|
|                    |                                   |   |                             |                           |                                 | (a)                           | (b)    |
|                    |                                   |   |                             |                           |                                 | 1-5                           | 6-20   |
| X20<br>00073       |                                   | GRILLE, DISCHARGE: TOP, FRONT<br>(60532) GRL16  | AB                          | EA                        | 1                               |                               |        |
| X20<br>00074       |                                   | GRILLE, DISCHARGE: TOP, FRONT<br>(60532) GRL27  | CDEF                        | EA                        | 1                               |                               |        |
| X20<br>00075       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL17   | AB                          | EA                        | 1                               |                               |        |
| X20<br>00076       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL22   | D                           | EA                        | 1                               |                               |        |
| X20<br>00077       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL33   | CDEF                        | EA                        | 1                               |                               |        |
| X20<br>00078       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL29   | CDEF                        | EA                        | 1                               |                               |        |
| X20<br>00080       |                                   | GRILLE, METAL: CONDENSER COIL<br>GUARD<br>(60532) GRL32   | CDEF                        | EA                        | 1                               |                               |        |
| X20<br>00081       |                                   | GROMMET: TOP PARTITION PANEL,<br>EXPANSION VALVE TUBE<br>(75543) L4449-196                      | ABCDEF                      | EA                        | 1                               |                               |        |
| M O<br>00111       |                                   | INSULATION, RUBBER: TOP PANEL<br>(60532) INS42<br>MANUFACTURE FROM:                             | CDEF                        | EA                        | 1                               |                               |        |
| P O<br>00112       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(12 IN. X 17 IN. REQUIRED)                                       | CDEF                        | FT                        |                                 | SEE                           | GRP 95 |
| O<br>00125         | 5310-188-7969                     | NUT, BLIND RIVET: CONDENSER<br>COIL GUARD TO PANEL MTG<br>(96906) MS27130-14K                   | CDEF                        | EA                        | 4                               |                               |        |
| O<br>00127         |                                   | NUT, BLIND RIVET: INTAKE GRILLE<br>MTG, No. 8-32 THD SIZE<br>(61957) A8K160                     | AB                          | EA                        | 8                               |                               |        |
| O<br>00128         |                                   | NUT, BLIND RIVET: PANEL AND<br>GUARD MTG<br>(25472) A8K75                                       | AB                          | EA                        | 19                              |                               |        |
| O<br>00129         | 5310-188-7969                     | NUT, BLIND RIVET: PANEL, GRILLE<br>AND GUARD MTG, No. 8-32 THD SIZE,<br>(96906) MS27130-14K     | CDEF                        | EA                        | 54                              |                               |        |
| O<br>00130         |                                   | NUT, BLIND RIVET: SUPPORT AND<br>CONE ASSEMBLY MTG, No. 8-32<br>THD SIZE<br>(25472) A8K120      | A                           | EA                        | 8                               |                               |        |
| O<br>00131         | 5310-188-7969                     | NUT, BLIND RIVET: SUPPORT AND<br>CONE ASSEMBLY MTG, No. 8-32<br>THD SIZE<br>(96906) MS27130-14K | CDEF                        | EA                        | 8                               |                               |        |
| O<br>00133         | 5310-089-6304                     | NUT, SHEET, SPRING: HOLE COVER<br>MOUNTING<br>(94222) 12-11020-13                               | ABCDEF                      | EA                        | 6                               |                               |        |
| O<br>00134         | 5310-089-6304                     | NUT, SHEET, SPRING: LOWER FRONT<br>PANEL MTG<br>(94222) 12-11020-13                             |                             | EA                        | 6                               |                               |        |
| X20                |                                   | PANEL ASSEMBLY, ACCESS  | CDEF                        | EA                        | 1                               |                               |        |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                                  | (4)<br>UNIT<br>OF<br>MEAS<br><br>USABLE<br>ON<br>CODE | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>15-DAY ORGA<br>MAINTENANCE |             |
|--------------------|-----------------------------------|--|---|---------------------------------|-----------------------------------|-------------|
|                    |                                   |  |   |                                 | (a)                               | (b)         |
|                    |                                   |  |   |                                 | 1-5                               | 6-20        |
| M O<br>00138       |                                   | GASKET: FRONT PANEL<br>(60532) GKT373<br>MANUFACTURE FROM:                       | AB  | EA                              | 2                                 |             |
| P O<br>00139       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 16 IN.<br>REQUIRED FOR EACH<br>GASKET) | AB  | FT                              |                                   | SEE GRP 950 |
| X1<br>00140        |                                   | PANEL, FRONT<br>(60532) PNL1117  | AB  | EA                              | 1                                 |             |
| O<br>00141         | 5305-984-7441                     | SCREW, PANEL FASTENER: FRONT<br>PANEL MTG<br>(94222) 12-11-613-12                | AB  | EA                              | 2                                 |             |
| O<br>00142         | 5310-836-9578                     | WASHER, FLAT: FRONT PANEL MTG SCREW<br>(94222) 12-11014-11                       | AB  | EA                              | 2                                 |             |
| X20<br>00152       |                                   | PANEL, TOP<br>(60532) PNL1309  | B   | EA                              | 1                                 |             |
| X20<br>00155       |                                   | PAULIN: UNIT COVER<br>(60532) COV312<br>(As required)                            | ABCDEF  | EA                              |                                   |             |
| X20<br>00156       |                                   | PENDANT, BEAD CHAIN<br>(60532) CHN3  | CDEF  | EA                              | 1                                 |             |
| X20<br>00157       |                                   | PLUG, BUTTON: CENTER PARTITION<br>(60532) PLU83                                  | ABCDEF  | EA                              | 1                                 |             |
| X20<br>00158       |                                   | RETAINER ASSEMBLY, FILTER: BLOWER<br>(60532) RTR18                               | ABCDEF  | EA                              | 1                                 |             |
| X20<br>00159       |                                   | RETAINER, FILTER: BLOWER<br>(60532) RTR15  | ABCDEF  | EA                              | 1                                 |             |
| X20<br>00160       | 5325-724-7655                     | STUD ASSEMBLY, TURNLOCK FASTENER:<br>RETAINER ASSEMBLY MTG<br>(71286) 12S1-9-1AA | ABCDEF  | EA                              | 2                                 |             |
| O<br>00161         | 5310-530-9963                     | WASHER, SPLIT: STUD TO RETAINER MTG<br>(71286) 5S3-1                             | ABCDEF  | EA                              | 2                                 |             |
| X20<br>00162       | 4130-983-2335                     | RETAINING RING ASSEMBLY: HOLE<br>COVER MTG<br>(78553) C6974-22-41                | ABCDEF  | EA                              | 4                                 |             |
| X20<br>00163       |                                   | RING, INLET: BLOWER INTAKE FAN<br>(60532) RNG177                                 | ABCDEF  | EA                              | 1                                 |             |
| X20<br>00175       | 4130-981-6621                     | SCREEN ASSEMBLY: FRESH AIR INLET<br>(60532) SRN23                                | ABCDEF  | EA                              | 1                                 |             |
| O<br>00178         | 5305-984-6194                     | SCREW, MACHINE: FRESH AIR INLET<br>SCREEN MTG                                    |   | EA                              | 19                                |             |
| O<br>00179         | 5305-043-6642                     | SCREW, MACHINE: HOLE COVER MTG   | AB  | EA                              | 10                                |             |
| O<br>00180         | 5305-043-6642                     | SCREW, MACHINE: HOLE COVER MTG   | ABCDEF  | EA                              | 10                                |             |
| O<br>00181         |                                   | SCREW, MACHINE: INLET RING MTG<br>(88044) AN515-8-10                             | AB  | EA                              | 8                                 |             |
| O<br>00182         | 5305-984-6194                     | SCREW, MACHINE: INLET RING MTG   | CDEF  | EA                              | 16                                |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>15-DAY ORGANIZATION<br>MAINTENANCE |         |  |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|---|---------|--|
|                    |                                   |  |                             |                           |                                 | (a)                                       | (b)     |  |
|                    |                                   |  |                             |                           |                                 | 1-5                                       | 6-20    |  |
| O<br>00185         | 5305-151-1564                     | SCREW, MACHINE: PAULIN MTG   | ABCDEF                      | EA                        | 14                              |   |         |  |
| O<br>00186         | 5305-984-6194                     | SCREW, MACHINE: TOP PANEL MTG<br>(96906) MS35206-246   |                             | EA                        | 36                              |   |         |  |
| O<br>00187         | 5305-984-7441                     | SCREW, PANEL, FASTENER: ACCESS<br>PANEL MTG<br>(94222) 12-11-613-12  | CDEF                        | EA                        | 2                               |   |         |  |
| O<br>00188         | 5305-053-1114                     | SCREW, TAPPING, THREAD FORMING:<br>HOLE COVER MTG<br>(96906) MS24621-11  | CDEF                        | EA                        | 22                              |   |         |  |
| O<br>00189         | 5305-053-1114                     | SCREW, TAPPING, THREAD FORMING:<br>HOLE COVER MTG<br>(96906) MS24621-11  | CDEF                        | EA                        | 14                              |   |         |  |
| X20<br>00190       |                                   | SEALER<br>(76381) EC800  | AB                          | EA                        | 1                               |   |         |  |
| X20<br>00191       |                                   | SEALER, ADHESIVE<br>(76381) M6244  | AB                          | EA                        | 1                               |   |         |  |
| X20<br>00192       |                                   | SEALER, ADHESIVE<br>(76381) EC1126   | AB                          | EA                        | 1                               |   |         |  |
| M O<br>00193       |                                   | SPONGE STRIP: FRONT PANEL<br>(60532) GKT373<br>MANUFACTURE FROM:   | CDEF                        | EA                        | 1                               |   |         |  |
| P O<br>00194       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 16 IN. REQUIRED)   | CDEF                        | FT                        |                                 | SEE                                       | GRP 950 |  |
| M O<br>00195       |                                   | SPONGE STRIP, PANEL: LEFT AND<br>RIGHT SIDE<br>(60532) GKT410<br>MANUFACTURE FROM:   | DEF                         | EA                        | 2                               |   |         |  |
| P O<br>00196       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(4 IN. REQUIRED FOR EACH<br>SPONGE)   | DEF                         | FT                        |                                 | SEE                                       | GRP 950 |  |
| M O<br>00197       |                                   | SPONGE STRIP, PANEL: TOP AND<br>BOTTOM<br>(60532) GKT409<br>MANUFACTURE FROM:  | DEF                         | EA                        | 2                               |   |         |  |
| P O<br>00198       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(16 IN. REQUIRED FOR EACH<br>SPONGE)  | DEF                         | FT                        |                                 | SEE                                       | GRP 950 |  |
| X20<br>00199       |                                   | STUD, TURN BUTTON FASTENER:<br>PAULIN MTG<br>(61864) 408   | ABCDEF                      | EA                        | 2                               |   |         |  |
| O<br>00211         | 5310-836-9578                     | WASHER, FLAT: ACCESS PANEL MTG<br>SCREW<br>(94222) 12-11014-11   | CDEF                        | EA                        | 2                               |   |         |  |
| O<br>00213         | 5310-809-8544                     | WASHER, FLAT: DISCHARGE GRILLE,<br>FRESH AIR INLET SCREEN, INTAKE<br>COVER, INTAKE GRILLE AND<br>CONDENSER GRILLE MTG<br>(96906) MS27183-7 |                             | EA                        | 52                              |   |         |  |

| (1)<br>MFR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>UNIT<br>OF<br>MEAS<br><br>USABLE<br>ON<br>CODE | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>15-DAY ORGANIZATIONAL<br>MAINTENANCE ALW |      |       |        |
|--------------------|-----------------------------------|--|---|---------------------------------|---|------|-------|--------|
|                    |                                   |  |   |                                 | (a)   | (b)  | (c)   | (d)    |
|                    |                                   |  |   |                                 | 1-5   | 6-20 | 21-50 | 51-100 |
| 0<br>219           | 5310-209-5309                     | WASHER, LOCK: DISCHARGE GRILLE,<br>CONDENSER GRILLE, FRESH AIR<br>INLET SCREEN, INTAKE COVER,<br>INTAKE GRILLE AND CBR COVER MTS<br>(96906) MS35338-23 |   | EA                              | 52  |      |       |        |
| 0<br>220           |                                   | WASHER, LOCK: INLET RING MTS<br>(96906) MS35338-12   | AB  | EA                              | 8   |      |       |        |
| 0<br>221           | 5310-209-5309                     | WASHER, LOCK: INLET RING MTS<br>(96906) MS35338-23   | CDEF  | EA                              | 16  |      |       |        |
| 0<br>222           | 5310-045-3299                     | WASHER, LOCK: PAULIN MTS   | ABCDEF  | EA                              | 14  |      |       |        |
| 0<br>223           | 5310-045-3299                     | WASHER, LOCK: TOP PANEL MTS<br>(96906) MS35338-12  | ABCDEF  | EA                              | 18  |      |       |        |
| 224                |                                   | GROUP 22 - BODY CHASSIS OR HULL,<br>AND ACCESSORY ITEMS  |   |                                 |   |      |       |        |
| 224A               |                                   | 2202 - ACCESSORY ITEMS   |   |                                 |   |      |       |        |
| 0<br>225           |                                   | BLOCKOFF PANEL ASSEMBLY: CONTROL<br>BOX TO REMOTE CONTROL<br>(97403) 13211E8392  |   | EA                              | 1   |      |       |        |
| 0<br>226           | 4130-967-5979                     | CABLE ASSEMBLY, SPECIAL: CONTROL<br>BOX TO REMOTE CONTROL<br>(60532) CON25   |   | EA                              | 1   | *    | *     | *      |
| 227                |                                   | 2210 - DATA PLATES   |   |                                 |   |      |       |        |
| 0<br>232           |                                   | PLATE, DATA: ELECTRIC MOTOR<br>(61311) 405860  | B   | EA                              | 1   |      |       |        |
| 0<br>233           |                                   | PLATE, DATA: ELECTRIC MOTOR<br>(61311) X36945  | A   | EA                              | 1   |      |       |        |
| 0<br>234           |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(60532) PLT170  | BCDEF   | EA                              | 1   |      |       |        |
| 0<br>235           |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474881  | EF  | EA                              | 1   |      |       |        |
| 0<br>236           |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474993  | EF  | EA                              | 1   |      |       |        |
| 0<br>237           |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474941<br>(CE20VAL6 ONLY)   | F   | EA                              | 1   |      |       |        |
| 0<br>238           |                                   | PLATE, IDENTIFICATION: MODEL AND<br>SERIAL NUMBER<br>(60532) PLT196  | CDEF  | EA                              | 1   |      |       |        |
| 0<br>239           |                                   | PLATE, IDENTIFICATION: TEMPERATURE<br>(60532) PLT152   | ABCDEF  | EA                              | 1   |      |       |        |
| 0<br>240           |                                   | PLATE, IDENTIFICATION: WIRING<br>DIAGRAM, FRONT LOWER PANEL<br>(60532) PLT238  | CDEF  | EA                              | 1   |      |       |        |
| 0<br>241           |                                   | PLATE, INDICATING: COLOR TAG<br>(60532) PLT222   | CDEF  | EA                              | 1   |      |       |        |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>15-DAY ORG<br>MAINTEN |      |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|------------------------------|------|
|                    |                                   |  |                      |                           |                                 | (a)                          | (b)  |
|                    |                                   |  |                      |                           |                                 | 1-5                          | 6-20 |
| X20<br>00246       |                                   | PLATE, NAME: CENTER PARTITION,<br>COMPRESSOR CIRCUIT BREAKER<br>(60532) PLT157   | B                    | EA                        | 1                               |                              |      |
| 0<br>00247         | 5305-175-3230                     | SCREW, DRIVE: ELECTRIC MOTOR<br>PLATE<br>(96906) MS21318-14  | AB                   | EA                        | 2                               |                              |      |
| 0<br>00248         | 5305-175-3230                     | SCREW, DRIVE: MOTOR ROTATION<br>PLATE MTO<br>(96906) MS21318-14  | CD                   | EA                        | 2                               |                              |      |
| 0<br>00250         | 5320-582-3304                     | RIVET, BLIND: TEMPERATURE PLATE<br>MOUNTING<br>(96906) MS20600AD4W2  | CDEF                 | EA                        | 6                               |                              |      |
| 0<br>00251         | 5320-582-3494                     | RIVET, BLIND: PLATES MTO<br>(96906) MS20600AD4W4   | CDEF                 | EA                        | 14                              |                              |      |
| 0<br>00252         | 5320-899-0981                     | RIVET, BLIND: WIRING DIAGRAM<br>PLATE MTO<br>(61957) AD42BS  | AB                   | EA                        | 8                               |                              |      |
| 00253              |                                   | GROUP 40 - ELECTRIC MOTORS   |                      |                           |                                 |                              |      |
| 00254              |                                   | 4000 - MOTOR ASSEMBLY  |                      |                           |                                 |                              |      |
| 0<br>00255         |                                   | BOLT, SHOULDER: BLOWER MOTOR<br>MTO, BOTTOM<br>(60532) BLT72   | ABCDEF               | EA                        | 2                               |                              |      |
| X20<br>00256       |                                   | BUSHING, RUBBER: BLOWER MOTOR<br>MTO, BOTTOM<br>(60532) BUS53  | ABCDEF               | EA                        | 2                               |                              |      |
| X20<br>00257       |                                   | BUSHING, SLEEVE, RUBBER: BLOWER<br>MOTOR MTO, REAR<br>(60532) BUS54  | BCDEF                | EA                        | 4                               |                              |      |
| X20<br>00258       |                                   | GASKET, FAN MOTOR: BLOWER MOTOR<br>MTO, REAR<br>(60532) GKT485   | ABCDEF               | EA                        | 1                               |                              |      |
| P O R<br>00259     | 4130-302-1811                     | MOTOR ASSEMBLY, FAN: BLOWER, AC,<br>1.62 HP, 208v, 3800 RPM, 400<br>CYCLE<br>(61311) 405835<br>(ELECTRIC MOTORS AND REPAIR PARTS<br>ARE TO BE REQUISITIONED BY COMPLETE<br>IDENTIFYING NOMENCLATURE. COMPLETE<br>MOTOR AND FRAME NAME PLATE DATA<br>MUST BE SHOWN ON THE REQUISITION<br>TO INSURE SUPPLY OF THE PROPER<br>REPAIR PARTS OF THE MOTOR)<br>(THIS MOTOR IS INTERCHANGEABLE<br>WITH MOTOR, FSN 6105-949-8629)<br>(INCLUDES COMPONENTS OF PARTS<br>KIT, STOCK No. 4130-961-8326) | ACD                  | EA                        | 1                               | *                            | *    |
| P O R<br>00260     | 6105-955-5338                     | MOTOR, ELECTRIC: BLOWER, AC,<br>1.42 HP, 208v, 3450 RPM, 60<br>CYCLE<br>(61311) 405832<br>(ELECTRIC MOTORS AND REPAIR PARTS<br>ARE TO BE REQUISITIONED BY<br>COMPLETE IDENTIFYING NOMENCLATURE.<br>COMPLETE MOTOR AND FRAME NAME PLATE   | B                    | EA                        | 1                               | *                            | *    |

| (1)          | (2)                        | (3)   | (4)                  | (5)                | (6)                      |  |             |              |               |
|--------------|----------------------------|---|----------------------|--------------------|--------------------------|--|-------------|--------------|---------------|
| SMR<br>CODE  | FEDERAL<br>STOCK<br>NUMBER | DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | UNIT<br>OF<br>MEAS | QTY<br>INC<br>IN<br>UNIT | 15-DAY ORGANIZATIONAL<br>MAINTENANCE ALW |             |              |               |
|              |                            |   |                      |                    |                          | (a)<br>1-5                               | (b)<br>6-20 | (c)<br>21-50 | (d)<br>51-100 |
| O R<br>00261 | 6105-949-8629              | MOTOR, FAN: BLOWER, AC, 208v,<br>400 CYCLE, 3700 RPM<br>(ELECTRIC MOTORS AND REPAIR<br>PARTS ARE TO BE REQUISITIONED<br>BY COMPLETE IDENTIFYING NOMENCLATURE.<br>COMPLETE MOTOR AND FRAME NAME<br>PLATE DATA MUST BE SHOWN ON THE<br>REQUISITION TO INSURE SUPPLY<br>OF THE PROPER PARTS OF THE MOTOR)<br>(THIS MOTOR AS A COMPLETE UNIT<br>IS INTERCHANGEABLE WITH MOTOR<br>ASSEMBLY, FSN 4130-302-1811)                                       | E                    | EA                 | 1                        | *  | *           | \ *          | *             |
| O R<br>00262 | 6105-949-8627              | MOTOR, FAN: BLOWER, 208v, 3<br>PHASE, 50/60 CYCLE, 3450 RPM<br>(64731) 4725-8<br>(ELECTRIC MOTORS AND REPAIR<br>PARTS ARE TO BE REQUISITIONED<br>BY COMPLETE IDENTIFYING<br>NOMENCLATURE. COMPLETE MOTOR<br>AND FRAME NAME PLATE DATA MUST<br>BE SHOWN ON THE REQUISITION TO<br>INSURE SUPPLY OF THE PROPER<br>REPAIR PARTS) (THIS MOTOR<br>AS A COMPLETE UNIT IS<br>INTERCHANGEABLE WITH MOTOR,<br>FSN 6105-932-0793 AND FSN<br>6105-955-5338) | F                    | EA                 | 1                        | *  | *           | *            | *             |
| O<br>00263   | 5310-208-1919              | NUT, SELF-LOCKING, HEXAGON:<br>BLOWER MOTOR MTG, REAR<br>(72962) 42NE040  | ABCDEF               | EA                 | 4                        |  |             |              |               |
| O<br>00275   |                            | SCREW, MACHINE: BLOWER MOTOR MTG,<br>REAR<br>(60532) SCR338   | ABCDEF               | EA                 | 4                        |  |             |              |               |
| K20<br>00276 |                            | SPACER, SLEEVE: BLOWER MOTOR MTG,<br>BOTTOM<br>(60532) SPC18  | BCDEF                | EA                 | 2                        |  |             |              |               |
| O<br>00277   |                            | WASHER, FLAT: BLOWER MOTOR MTG,<br>BOTTOM<br>(60532) WAS170   | BCDEF                | EA                 | 2                        |  |             |              |               |
| O<br>00278   |                            | WASHER, FLAT: BLOWER MOTOR MTG,<br>REAR<br>(60532) WAS172   | BCDEF                | EA                 | 4                        |  |             |              |               |
| K20<br>00279 |                            | WASHER, FLAT, RUBBER: BLOWER<br>MOTOR MTG, BOTTOM<br>(60532) WAS171   | BCDEF                | EA                 | 2                        |  |             |              |               |
| O<br>00280   | 5310-013-1099              | WASHER, LOCK: BLOWER MOTOR MTG,<br>BOTTOM<br>(96906) MS35339-27   | CDEF                 | EA                 | 2                        |  |             |              |               |
| 00359        |                            | 4009 - CONTROL PANELS, HOUSING,<br>CUBICLES   |                      |                    |                          |  |             |              |               |
| M O<br>00366 |                            | LEAD, ELECTRICAL: CIRCUIT<br>BREAKER TO MOTOR CONTACTOR<br>(60532) LED65<br>MANUFACTURE FROM:   | CDEF                 | EA                 | 2                        |  |             |              |               |
| O<br>00367   | 5940-705-6702              | TERMINAL, LUG<br>(60532) 19040016   | CDEF                 | EA                 | 2                        |  |             |              |               |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | 15-DAY OR<br>MAINT |             |
|--------------------|-----------------------------------|--|---|---------------------------------|--------------------|-------------|
|                    |                                   |  |   |                                 | (a)<br>1-5         | (b)<br>6-20 |
|                    |                                   |  |   |                                 |                    |             |
| M O<br>00369       |                                   | LEAD, ELECTRICAL: HEATER<br>CONTACTOR TO MOTOR CONTACTOR<br>(60532) LED61<br>MANUFACTURE FROM: | CDEF  | EA                              | 1                  |             |
| O<br>00370         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF  | EA                              | 2                  |             |
| P O<br>00371       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(6 1/4 IN. REQUIRED)   | CDEF  | FT                              |                    | SEE GRP     |
| M O<br>00372       |                                   | LEAD, ELECTRICAL: HEATER<br>CONTACTOR TO TERMINAL BOARD<br>(60532) LED57<br>MANUFACTURE FROM:  | CDEF  | EA                              | 1                  |             |
| O<br>00373         | 5940-050-6207                     | TERMINAL, LUG  | CDEF  | EA                              | 2                  |             |
| P O<br>00374       | 6145-313-9429                     | WIRE, ELECTRICAL<br><br>(12 IN. REQUIRED)  | CDEF  | FT                              |                    | SEE GRP     |
| M O<br>00375       |                                   | LEAD, ELECTRICAL: HEATER No. 1<br>TO HEATER No. 6<br>(60532) LED62<br>MANUFACTURE FROM:        | CDEF  | EA                              | 1                  |             |
| O<br>00376         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF  | EA                              | 2                  |             |
| P O<br>00377       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(14 5/8 IN. REQUIRED)  | CDEF  | FT                              |                    | SEE GRP     |
| M O<br>00378       |                                   | LEAD, ELECTRICAL: HEATER No. 2<br>TO HEATER No. 5<br>(60532) LED67<br>MANUFACTURE FROM:        | CDEF  | EA                              | 1                  |             |
| O<br>00379         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF  | EA                              | 2                  |             |
| P O<br>00380       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(8 5/8 IN. REQUIRED)   | CDEF  | FT                              |                    | SEE GRP     |
| M O<br>00381       |                                   | LEAD, ELECTRICAL: HEATER No. 3<br>TO HEATER No. 4<br>(60532) LED69<br>MANUFACTURE FROM:        | CDEF  | EA                              | 1                  |             |
| O<br>00382         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF  | EA                              | 2                  |             |
| P O<br>00383       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(3 5/8 IN. REQUIRED)   | CDEF  | FT                              |                    | SEE GRP     |
| M O<br>00384       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO CIRCUIT BREAKER<br>(60532) LED60<br>MANUFACTURE FROM:  | CDEF  | EA                              | 1                  |             |
| O<br>00385         | 5940-316-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF  | EA                              | 2                  |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>UNIT<br>OF<br>MEAS<br><br>USABLE<br>ON<br>CODE | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>15-DAY ORGAN<br>MAINTENAN |      |         |
|--------------------|-----------------------------------|---|---|---------------------------------|----------------------------------|------|---------|
|                    |                                   |   |   |                                 | (a)                              | (b)  |         |
|                    |                                   |   |   |                                 | 1-5                              | 6-20 | 21      |
| M O<br>00387       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO HEATER CONTACTOR<br>(60532) LED58<br>MANUFACTURE FROM:          | CDEF  | EA                              | 1                                |      |         |
| O<br>00388         | 5940-705-6702                     | TERMINAL, LUG<br>(78553) 19040016   | CDEF  | EA                              | 2                                |      |         |
| P O<br>00389       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(5 1/4 IN. REQUIRED)  | CDEF  | FT                              |                                  | SEE  | GRP 950 |
| M O<br>00390       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO HEATER CONTACTOR<br>(60532) LED59<br>MANUFACTURE FROM:          | CDEF  | EA                              | 1                                |      |         |
| O<br>00391         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF  | EA                              | 2                                |      |         |
| P O<br>00392       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 1/4 IN. REQUIRED)  | CDEF  | FT                              |                                  | SEE  | GRP 950 |
| M O<br>00393       |                                   | LEAD, ELECTRICAL: TERMINAL<br>BOARD, No. 1 TO HEATER<br>CONTACTOR<br>(60532) LED56<br>MANUFACTURE FROM: | CDEF  | EA                              | 1                                |      |         |
| O<br>00394         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF  | EA                              | 1                                |      |         |
| O<br>00395         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF  | EA                              | 1                                |      |         |
| P O<br>00396       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF  | FT                              |                                  | SEE  | GRP 950 |
| M O<br>00397       |                                   | LEAD, ELECTRICAL: TERMINAL<br>BOARD TO HEATER CONTACTOR<br>(60532) LED65<br>MANUFACTURE FROM:           | CDEF  | EA                              | 1                                |      |         |
| O<br>00398         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF  | EA                              | 1                                |      |         |
| O<br>00399         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF  | EA                              | 1                                |      |         |
| P O<br>00399A      | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF  | FT                              |                                  | SEE  | GRP 950 |
| X20<br>00404       |                                   | PANEL ASSEMBLY: CONTROL BOX<br>(60532) PNL1534  | CDEF  | EA                              | 1                                |      |         |
| M O<br>00405       |                                   | GASKET: PANEL BOTTOM<br>(60532) GKT528<br>MANUFACTURE FROM:   | ABCDEF  | EA                              | 2                                |      |         |
| P O<br>00406       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 13 IN.<br>REQUIRED FOR EACH<br>GASKET)                        | ABCDEF  | FT                              |                                  | SEE  | GRP 950 |
| M O                |                                   | GASKET: PANEL TOP   |   |                                 |                                  |      |         |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   |        | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>15-DAY ORGAN<br>MAINTENANCE |             |  |
|--------------------|-----------------------------------|---|--------|---------------------------|---------------------------------|------------------------------------|-------------|--|
|                    |                                   |   |        |                           |                                 | (a)<br>1-5                         | (b)<br>6-20 |  |
|                    |                                   |   |        |                           |                                 |                                    |             |  |
| X1<br>00409        |                                   | PANEL, CONTROL BOX: FRONT<br>(60532) COV306   | ABCDEF | EA                        | 1                               |                                    |             |  |
| O<br>00410         | 5305-959-5237                     | SCREW, PANEL FASTENER: PANEL<br>TO BOX MTG<br>(94222) 12-11-203-12                                      | ABCDEF | EA                        | 4                               |                                    |             |  |
| O<br>00411         | 5310-836-9538                     | WASHER, PANEL FASTENER: PANEL<br>SCREW RETAINING<br>(94222) 12-110104-11                                | ABCDEF | EA                        | 4                               |                                    |             |  |
| X20<br>00415       |                                   | PLATE, IDENTIFICATION: TEMPERATURE<br>(60532) PLT152  | ABCDEF | EA                        | 1                               |                                    |             |  |
| O<br>00418         | 5320-582-3304                     | RIVET, BLIND: TEMPERATURE PLATE<br>MOUNTING<br>(96906) MS20600ADW2                                      | CDEF   | EA                        | 6                               | SEE                                | GRP 22      |  |
| M O<br>00426       |                                   | WIRE, ELECTRICAL: TERMINAL<br>BOARD, No. 1 TO HEATER<br>CONTACTOR<br>(60532) LED54<br>MANUFACTURE FROM: | CDEF   | EA                        | 1                               |                                    |             |  |
| O<br>00427         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF   | EA                        | 1                               |                                    |             |  |
| O<br>00428         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF   | EA                        | 1                               |                                    |             |  |
| P O<br>00429       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF   | FT                        |                                 | SEE                                | GRP 95      |  |
| X20<br>00434       | 5935-577-8589                     | CAP, DUST: POWER SUPPLY<br>RECEPTACLE<br>(96906) MS25043-226  | DEF    | EA                        | 1                               |                                    |             |  |
| X20<br>00451       |                                   | CONNECTOR, WIRE: COMPRESSOR<br>HEATER THERMOSTAT LEAD TO<br>HEATER LEAD<br>(04594) BY10561              | ABC    | EA                        | 1                               |                                    |             |  |
| 00453              |                                   | 4010 - MASTER OR AUXILIARY<br>CONTROL ASSEMBLY  |        |                           |                                 |                                    |             |  |
| X20<br>00462       |                                   | GUARD, MOISTURE: CIRCUIT BREAKER<br>(60532) COV328  | DEF    | EA                        | 1                               |                                    |             |  |
| M O<br>00464       |                                   | LEAD, ELECTRICAL: CIRCUIT<br>BREAKER TO FUSE BLOCK<br>(60532) LED64<br>MANUFACTURE FROM:                | DEF    | EA                        | 1                               |                                    |             |  |
| O<br>00465         | 5940-504-5871                     | TERMINAL, LUG   | DEF    | EA                        | 2                               |                                    |             |  |
| P O<br>00466       | 6145-238-3407                     | WIRE, ELECTRICAL<br><br>(5 IN. REQUIRED)  | DEF    | FT                        |                                 | SEE                                | GRP 95      |  |
| M O<br>00473       |                                   | LEAD, ELECTRICAL: CONTROL BOX<br>GROUND TO FRAME GROUND<br>(60532) LED66<br>MANUFACTURE FROM:           | DEF    | EA                        | 1                               |                                    |             |  |
| O<br>00474         | 5040-504-5874                     | TERMINAL, LUG   |        |                           |                                 |                                    |             |  |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE<br><br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | 15-DAY ORG<br>MAINTEN |       |
|--------------------|-----------------------------------|---|---|---------------------------------|-----------------------|-------|
|                    |                                   |   |   |                                 | (a)                   | (b)   |
|                    |                                   |   |   |                                 | 1-5                   | 6-20  |
| M O<br>00476       |                                   | LEAD, ELECTRICAL: EVAPORATOR<br>HEATER THERMOSTAT TO HEATERS,<br>RED STRIPE<br>(60532) LED68<br>MANUFACTURE FROM: | CDEF  | EA                              | 1                     |       |
| O<br>00477         | 5940-617-2896                     | TERMINAL, LUG   | CDEF  | EA                              | 3                     |       |
| P O<br>00478       | 6145-170-6869                     | WIRE, ELECTRICAL<br><br>(7 IN. REQUIRED FOR EACH<br>LEAD)   | CDEF  | FT                              | SEE                   | GRP 9 |
| M O<br>00480       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO FUSE BLOCK<br>(60532) LED63<br>MANUFACTURE FROM:                          | DEF   | EA                              | 2                     |       |
| O<br>00481         | 5940-504-5874                     | TERMINAL, LUG   | DEF   | EA                              | 4                     |       |
| P O<br>00482       | 6145-160-4774                     | WIRE, ELECTRICAL<br><br>(7 IN. REQUIRED FOR EACH<br>LEAD)   | DEF   | FT                              | SEE                   | GRP 9 |
| O<br>00494         |                                   | SCREW, CAP, HEXAGON HEAD:<br>FRAME GROUND LEAD MTG<br>(60532) SCR265  | DEF   | EA                              | 1                     |       |
| O<br>00507         | 5310-809-4058                     | WASHER, FLAT: FRAME GROUND LEAD<br>MOUNTING<br>(96906) MS27183-10   | DEF   | EA                              | 2                     |       |
| O<br>00510         |                                   | WASHER, LOCK: FRAME GROUND LEAD<br>MOUNTING<br>(60532) WAS112   | DEF   | EA                              | 1                     |       |
| 00573              |                                   | GROUP 42 - ELECTRICAL EQUIPMENT   |   |                                 |                       |       |
| 00574              |                                   | 4203 - FUSE   |   |                                 |                       |       |
| P O<br>00575       | 5920-939-5442                     | FUSE, CARTRIDGE<br>(71400) KAW5   | DEF   | EA                              | 2                     | 2     |
| X20<br>00576       | 5920-142-7448                     | FUSEHOLDER<br>(71400) 4525  | DEF   | EA                              | 1                     |       |
| X20<br>00577       |                                   | INSULATOR PLATE: FUSE BOARD<br>(60532) INS79  | DEF   | EA                              | 1                     |       |
| O<br>00578         | 5310-889-2544                     | NUT, SELF-LOCKING: FUSE BOARD<br>MOUNTING<br>(96906) MS21045-06   | DEF   | EA                              | 2                     |       |
| O<br>00579         |                                   | SCREW, MACHINE: FUSE BOARD MTG<br>(96906) MS24693-28  | DEF   | EA                              | 2                     |       |
| 00597              |                                   | GROUP 52 - REFRIGERATION AND AIR<br>CONDITIONING COMPONENTS   |   |                                 |                       |       |
| 00786              |                                   | 5241 - EVAPORATOR   |   |                                 |                       |       |
| P O                | 4130-940-7868                     | ELIMINATOR, MIST: EVAPORATOR COIL   | EA  | 1                               | *                     | *     |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION  |                      | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | 15-DAY OR<br>MAINTENANCE |      |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|--------------------------|------|
|                    |                                   |   |                      |                           |                                 | (a)                      | (b)  |
|                    |                                   | REF NUMBER & MFR CODE   | USABLE<br>ON<br>CODE |                           |                                 | 1-5                      | 6-20 |
| 00832              |                                   | 5243 - BLOWER ASSEMBLY  |                      |                           |                                 |                          |      |
| P O<br>00833       | 6150-929-5561                     | FAN ASSEMBLY, CONDENSER<br>(60532) FAN291   | DEF                  | EA                        | 1                               | *                        | *    |
| P O<br>00834       | 4130-981-6617                     | FAN ASSEMBLY, CONDENSER<br>(60532) FAN184   | ABC                  | EA                        | 1                               | *                        | *    |
| P O<br>00835       | 4130-981-6616                     | FAN ASSEMBLY, EVAPORATOR<br>(60532) FAN183  | ABC                  | EA                        | 1                               | *                        | *    |
| P O<br>00836       | 4130-951-0802                     | FAN ASSEMBLY, EVAPORATOR: 208V,<br>400 CYCLE, 3 PHASE<br>(60532) FAN290<br>(CE20VAL4) | DEF                  | EA                        | 1                               | *                        | *    |
| O<br>00837         | 5315-815-9499                     | KEY, MACHINE: CONDENSER FAN MTG   | ABCDEF               | EA                        | 1                               |                          |      |
| O<br>00838         | 5315-057-6608                     | KEY, MACHINE: EVAPORATOR FAN MTG  | ABCDEF               | EA                        | 1                               |                          |      |
| O<br>00840         | 5305-018-5671                     | SETSCREW: EVAPORATOR AND CONDENSER<br>FAN MTG   | ABC                  | EA                        | 4                               |                          |      |
| O<br>00841         | 5305-285-4619                     | SETSCREW, ALLEN HEAD: EVAPORATOR<br>AND CONDENSER FAN MTG<br>(00000) 583935           | DEF                  | EA                        | 4                               |                          |      |
| 00842              |                                   | 5244 - THERMOSTATIC CONTROLS  |                      |                           |                                 |                          |      |
| O<br>00850         | 5305-013-2688                     | SCREW, MACHINE: TUBE CLIP MTG   | ABC                  | EA                        | 1                               |                          |      |
| 00858              |                                   | 5245 - AIR FILTERS  |                      |                           |                                 |                          |      |
| P O<br>00859       | 4130-961-5552                     | FILTER, AIR CONDITIONER: FRESH<br>AIR INLET<br>(21585) A2059                          | A                    | EA                        | 1                               | *                        | *    |
| P O<br>00861       | 4130-981-6615                     | FILTER, AIR CONDITIONING: BLOWER<br>(97403) 13211E8224                                |                      | EA                        | 1                               | *                        | *    |
| X20<br>00861A      |                                   | SCREEN, LINT: CONDENSER COIL<br>GRILLE<br>(60532) SRN31                               | ABCDEF               | EA                        | 1                               |                          |      |
| 00872              |                                   | GROUP 95 - GENERAL USE<br>STANDARDIZED PARTS  |                      |                           |                                 |                          |      |
| 00873              |                                   | 9501 - BULK MATERIAL  |                      |                           |                                 |                          |      |
| P O<br>00875       | 4720-540-1778                     | HOSE, RUBBER  |                      | FT                        |                                 | *                        | *    |
| P O<br>00877       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR   |                      | FT                        |                                 | *                        | *    |
| P O<br>00886       | 6145-170-6869                     | WIRE, ELECTRICAL  |                      | FT                        |                                 | *                        | *    |
| P O<br>00887       | 6145-313-9429                     | WIRE, ELECTRICAL  |                      | FT                        |                                 | *                        | *    |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                      | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY G<br>ALLOWA |       |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|---------------------------|-------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                       | (b)   |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                      | 21-50 |
| 00001              |                                   | SECTION V - REPAIR PARTS FOR DS, AND<br>GS MAINTENANCE               |                             |                           |                                 |                                     |       |        |                           |       |
| 00001A             |                                   | GROUP 15 - FRAME   |                             |                           |                                 |                                     |       |        |                           |       |
| 00001B             |                                   | 1501 - FRAME ASSEMBLY  |                             |                           |                                 |                                     |       |        |                           |       |
| X2H<br>00002       |                                   | BASE ASSEMBLY: AIR CONDITIONER<br>(60532) BAS147                     | ABCDEF                      | EA                        | 1                               |                                     |       |        |                           |       |
| X20<br>00003       | 4130-981-6620                     | GUARD, FAN: CONDENSER<br>(60532) GRD65                               | AB                          | EA                        | 1                               |                                     |       |        |                           |       |
| H<br>00004         | 4730-196-1498                     | NIPPLE, PIPE: CONDENSATE DRAIN                                       | AB                          | EA                        | 1                               |                                     |       |        |                           |       |
| X2H<br>00005       | 4130-983-2337                     | NUT: BASE MTG<br>(78553) C7968-7614-541                              | ABCDEF                      | EA                        | 4                               |                                     |       |        |                           |       |
| O<br>00006         | 5310-188-7972                     | NUT, BLIND RIVET: CASING TO<br>BASE MTG<br>(25472) A8K160            | C                           | EA                        | 4                               |                                     |       |        |                           |       |
| H<br>00007         |                                   | NUT, BLIND RIVET: CASING TO<br>BASE MTG<br>(25472) A25K80            | ABCDEF                      | EA                        | 8                               |                                     |       |        |                           |       |
| H<br>00008         | 5310-188-7972                     | NUT, BLIND RIVET: CONDENSER COIL<br>GUARD<br>(96906) MS27130-18K     | CDEF                        | EA                        | 4                               |                                     |       |        |                           |       |
| O<br>00009         |                                   | PLUG, PIPE: BASE, FRONT<br>(60532) PLU118                            | CDEF                        | EA                        | 1                               |                                     |       |        |                           |       |
| O<br>00010         | 4730-289-5176                     | PLUG, PIPE: BASE, FRONT<br>(60532) PLU90                             | AB                          | EA                        | 3                               |                                     |       |        |                           |       |
| O<br>00011         |                                   | PLUG, PIPE: BASE, LH AND RH<br>(60532) PLU118                        | CDEF                        | EA                        | 2                               |                                     |       |        |                           |       |
| X2H<br>00012       |                                   | RING, RETAINER: SCREEN MTG<br>(79136) 500-87                         | AB                          | EA                        | 1                               |                                     |       |        |                           |       |
| H<br>00013         | 5305-068-0502                     | SCREW, CAP, HEXAGON HEAD: CASING<br>TO BASE MTG<br>(96906) MS35297-6 | ABCDEF                      | EA                        | 8                               |                                     |       |        |                           |       |
| O<br>00014         | 5305-984-6194                     | SCREW, MACHINE: CONDENSER<br>GUARD MTG<br>(96906) MS35206-246        | AB                          | EA                        | 8                               |                                     |       |        |                           |       |
| X2H<br>00015       |                                   | SCREEN, DRAIN: BASE<br>(60532) SRN21                                 | AB                          | EA                        | 1                               |                                     |       |        |                           |       |
| H<br>00016         | 5310-809-4058                     | WASHER, FLAT: BASE TO CASE MTG<br>(96906) MS27183-10                 |                             | EA                        | 15                              |                                     |       |        |                           |       |
| O<br>00017         | 5310-809-8544                     | WASHER, FLAT: CONDENSER GUARD MTG<br>(96906) MS27183-7               | AB                          | EA                        | 8                               |                                     |       |        |                           |       |
| H<br>00018         | 5310-804-4920                     | WASHER, LOCK: CASING TO BASE MTG<br>(96906) MS35339-44               | ABCDEF                      | EA                        | 8                               |                                     |       |        |                           |       |
| O<br>00019         | 5310-209-5309                     | WASHER, LOCK: CONDENSER GUARD MTG<br>(96906) MS35338-23              | AB                          | EA                        | 16                              |                                     |       |        |                           |       |
| 00020              |                                   | GROUP 18 - BODY, CAB, HOOD AND HULL                                  |                             |                           |                                 |                                     |       |        |                           |       |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                              | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS M<br>ALLOWANCE |       |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|---------------------------------|-------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                             | (b)   |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                            | 21-50 |
| X2H<br>00024       |                                   | BAFFLE: LOWER<br>(60532) BAF26   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00025       |                                   | BAFFLE, TOP: LH<br>(60532) BAF28   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00026       |                                   | BAFFLE, TOP: RH<br>(60532) BAF27   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00027       |                                   | BLOCKOFF: DRAIN TUBE THRU INTAKE<br>PANEL<br>(60532) B025                    | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00028       |                                   | BRACKET ASSEMBLY: BAFFLE MTG<br>(60532) BRK221                               | DEF                         | EA                        | 2                               |                                     |       |        |                                 |       |
| X1<br>00029        |                                   | BRACKET: BAFFLE MTG<br>(60532) BRK222  | DEF                         | EA                        | 2                               |                                     |       |        |                                 |       |
| X2H<br>00030       |                                   | CASE ASSEMBLY<br>(60532) CAS66   | ACDEF                       | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00031       |                                   | CASING ASSEMBLY<br>(60532) CAS63   | B                           | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00032       |                                   | CASING ASSEMBLY<br>(60532) CAS61   | A                           | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00033       |                                   | DUCT ASSEMBLY<br>(60532) DUC1  | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00034       |                                   | ANGLE: LH, DUCT TO DRAIN PAN<br>(60532) ANG11                                | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00035       |                                   | ANGLE: RH, DUCT TO DRAIN PAN<br>(60532) ANG12                                | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00036       |                                   | DUCT, LEFT HAND<br>(60532) DUC2  | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00037       |                                   | DUCT, RIGHT HAND<br>(60532) DUC3   | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00038       |                                   | PAN, DRAIN<br>(60532) PAN92  | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X1<br>00039        |                                   | PANEL, INTAKE<br>(60532) PNL1106   | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| X2H<br>00040       |                                   | PARTITION, PANEL<br>(60532) PNL1107  | AB                          | EA                        | 1                               |                                     |       |        |                                 |       |
| H<br>00041         |                                   | RIVET, POP: DUCT MTG<br>(61957) AD42BS                                       | AB                          | EA                        | 36                              |                                     |       |        |                                 |       |
| X20<br>00042       |                                   | CLIP, TUBE: TEMPERATURE CONTROL<br>TUBE MTG<br>(61864) 49444                 | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X2F<br>00043       |                                   | COVER, CONNECTOR HOLE: MIDDLE<br>PARTITION AND SIDE PANELS<br>(60532) COV236 | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                 |       |
| X20<br>00044       |                                   | COVER ASSEMBLY, CARBURETOR: FILTER<br>(60532) COV255                         | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |
| X20<br>00045       |                                   | COVER, CARBURETOR: FILTER<br>(60532) COV237                                  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                 |       |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY<br>ALLOW |     |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|------------------------|-----|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                    | (b) |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                   | 21- |
| X1<br>00050        | 5320-582-3304                     | FRAME, DOOR<br>(60532) FRM22  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                        |     |
| H<br>00051         |                                   | RIVET, BLIND: DAMPER BLADE<br>(96906) MS20600AD4W2  | ABCDEF                      | EA                        | 19                              |                                     |       |        |                        |     |
| X1<br>00052        |                                   | SHIM: HINGE TO DOOR<br>(60532) SHW33  | ABCDEF                      | EA                        | 4                               |                                     |       |        |                        |     |
| X2H<br>00053       |                                   | 4130-302-1415<br>SPRING, HINGE, DOOR: DAMPER<br>ASSEMBLY<br>(00644) 58-054                        | ABCDEF                      | EA                        | 2                               |                                     |       |        |                        |     |
| X1<br>00054        |                                   | SUPPORT, FILTER<br>(60532) SUP115   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                        |     |
| X1<br>00055        |                                   | SUPPORT, FILTER: LARGE, INNER<br>(60532) SUP116   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                        |     |
| X20<br>00056       |                                   | 4130-981-6622<br>CHAIN ASSEMBLY: DOOR CLOSING<br>(60532) CHN2                                     | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X20<br>00057       |                                   | 5340-835-1853<br>SPRING, HELICAL, EXTENSION:<br>DAMPER DOOR CLOSING<br>(73646) E7C                | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| M H<br>00058       |                                   | GASKET: DOOR SEALING, TOP AND<br>BOTTOM<br>(60532) GKT376<br>MANUFACTURE FROM:                    | ABCDEF                      | EA                        | 2                               |                                     |       |        |                        |     |
| P H<br>00058A      |                                   | 5330-505-6609<br>RUBBER SHEET, CELLULAR<br><br>(5/16 IN. X 2 1/4 IN.<br>REQUIRED FOR EACH GASKET) | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                        |     |
| M F<br>00059       | 5330-505-6609                     | SPONGE, STRIP: DOOR SEALING,<br>SIDES<br>(60532) GKT377<br>MANUFACTURE FROM:                      | ABCDEF                      | EA                        | 2                               |                                     |       |        |                        |     |
| P F<br>00059A      |                                   | RUBBER, SHEET, CELLULAR<br><br>(3 IN. X 13 IN. REQUIRED<br>FOR EACH SPONGE)                       | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                        |     |
| X2H<br>00060       |                                   | DUCT ASSEMBLY<br>(60532) DUC6   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00061       |                                   | ANGLE: LH, DUCT TO DRAIN PAN<br>(88044) ANG11   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00062       |                                   | ANGLE: RH, DUCT TO DRAIN PAN<br>(60532) ANG12   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00063       |                                   | DUCT: LH<br>(60532) DUC10   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00064       |                                   | DUCT: RH<br>(60532) DUC11   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00065       |                                   | PAN, DRAIN<br>(60532) PAN92   | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00066       |                                   | PANEL, INTAKE<br>(60532) PNL1538  | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |
| X2H<br>00067       |                                   | PARTITION<br>(60532) PNL1539  | CDEF                        | EA                        | 1                               |                                     |       |        |                        |     |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                               | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY<br>ALLO |       |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-----------------------|-------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                   | (b)   |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                  | 21-50 |
| M O<br>00071       | 5330-505-6609                     | GASKET: INTAKE COVER ASSEMBLY MTG<br>(60532) GKT371<br>MANUFACTURE FROM:      | ABCDEF                      | EA                        | 1                               |                                     |       |        |                       |       |
| P O<br>00072       |                                   | RUBBER, SHEET, CELLULAR<br>(3 IN. x 13 IN. REQUIRED)                          | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                       |       |
| X20<br>00073       |                                   | GRILLE, DISCHARGE: TOP, FRONT<br>(60532) GRL16                                | AB                          | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00074       |                                   | GRILLE, DISCHARGE: TOP, FRONT<br>(60532) GRL27                                | CDEF                        | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00075       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL17                                 | AB                          | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00076       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL22                                 | D                           | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00077       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL33                                 | CDEF                        | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00078       |                                   | GRILLE, INTAKE: FRONT CENTER<br>(60532) GRL29                                 | CDEF                        | EA                        | 1                               |                                     |       |        |                       |       |
| X2H<br>00079       |                                   | GRILLE, METAL: CONDENSER COIL<br>GUARD<br>(60532) GRD64                       | AB                          | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00080       |                                   | GRILLE, METAL: CONDENSER COIL<br>GUARD<br>(60532) GRL32                       | CDEF                        | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00081       | 5325-263-6632                     | GROMMET: TOP PARTITION PANEL,<br>EXPANSION VALVE TUBE<br>(75543) L4449-196    | ABCDEF                      | EA                        | 1                               |                                     |       |        |                       |       |
| X2H<br>00082       |                                   | GROMMET, RUBBER: GAS PIPE THROUGH<br>PARTITION PANEL<br>(88044) AN931-4-7     | ABCDEF                      | EA                        | 1                               |                                     |       |        |                       |       |
| X2H<br>00083       |                                   | HANDLE, DOOR: RH AND LH SIDE PANEL<br>(60532) HDL1                            | AB                          | EA                        | 2                               |                                     |       |        |                       |       |
| X2H<br>00084       |                                   | HANDLE, DOOR: RH AND LH SIDE PANEL<br>(60532) HDL2                            | CDEF                        | EA                        | 2                               |                                     |       |        |                       |       |
| M H<br>00085       | 4130-951-0837                     | INSULATION, RUBBER: BOTTOM<br>PARTITION<br>(60532) INS17<br>MANUFACTURE FROM: | ABCDEF                      | EA                        | 1                               |                                     |       |        |                       |       |
| P H<br>00086       |                                   | RUBBER, SHEET, CELLULAR<br>(3 3/8 IN. x 16 3/4 IN.<br>REQUIRED)               | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                       |       |
| M H<br>00087       |                                   | INSULATION, RUBBER: BOTTOM<br>PARTITION<br>(60532) INS18<br>MANUFACTURE FROM: | ABCDEF                      | EA                        | 1                               |                                     |       |        |                       |       |
| P H<br>00088       |                                   | RUBBER, SHEET, CELLULAR<br>(3 3/4 IN. x 16 3/16 IN.<br>REQUIRED)              | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                       |       |
| M H                | 5330-505-6610                     | INSULATION, RUBBER: COIL BLOCKOFF   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                       |       |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS<br>ALLOWANCE |       |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------|-------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                           | (b)   |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                          | 21-50 |
| M H<br>00091       |                                   | INSULATION, RUBBER: DRAIN PAN<br>(60532) INS28<br>MANUFACTURE FROM:                      | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00092       | 5330-505-6608                     | RUBBER, SHEET, CELLULAR<br><br>(3 7/8 IN. X 16 3/4 IN.<br>REQUIRED)                      | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00093       |                                   | INSULATION, RUBBER: EVAPORATION<br>SECTION<br>(60532) INS27<br>MANUFACTURE FROM:         | ABCDEF                      | EA                        | 2                               |                                     |       |        |                               |       |
| P H<br>00094       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(3 7/16 IN. X 13 3/8 IN.<br>REQUIRED FOR EACH INSULATION) | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00095       |                                   | INSULATION, RUBBER: LH DUCT<br>(60532) INS75<br>MANUFACTURE FROM:                        | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00096       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(9 7/16 IN. X 23 3/8 IN.<br>REQUIRED)                     | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00097       |                                   | INSULATION, RUBBER: LH DUCT<br>(60532) INS21<br>MANUFACTURE FROM:                        | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00098       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(3 IN. X 7 1/2 IN. REQUIRED)                              | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00099       |                                   | INSULATION, RUBBER: LH DUCT<br>(60532) INS72<br>MANUFACTURE FROM:                        | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00100       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(3 IN. X 18 5/8 IN.<br>REQUIRED)                          | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00101       |                                   | INSULATION, RUBBER: LOWER<br>PARTITION<br>(60532) INS73<br>MANUFACTURE FROM:             | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00102       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(11 IN. X 12 3/4 IN.<br>REQUIRED)                         | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00103       |                                   | INSULATION, RUBBER: LOWER<br>PARTITION<br>(60532) INS16<br>MANUFACTURE FROM:             | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |
| P H<br>00104       | 5330-505-6610                     | RUBBER, SHEET, CELLULAR<br><br>(5 1/2 IN. X 16 3/4 IN.<br>REQUIRED)                      | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                               |       |
| M H<br>00105       |                                   | INSULATION, RUBBER: RH DUCT<br>(60532) INS73<br>MANUFACTURE FROM:                        | ABCDEF                      | EA                        | 1                               |                                     |       |        |                               |       |

| (1)          | (2)                        | (3)  | (4)                           | (5)                | (6)                      |                              |              | (7)           |                              |              |               |  |
|--------------|----------------------------|--|-------------------------------|--------------------|--------------------------|------------------------------|--------------|---------------|------------------------------|--------------|---------------|--|
| SMR<br>CODE  | FEDERAL<br>STOCK<br>NUMBER | DESCRIPTION<br><br>REF NUMBER & MFR CODE   | USABLE<br>ON<br>CODE          | UNIT<br>OF<br>MEAS | QTY<br>INC<br>IN<br>UNIT | 30-DAY DS MAINT<br>ALLOWANCE |              |               | 30-DAY GS MAINT<br>ALLOWANCE |              |               |  |
|              |                            |  |                               |                    |                          | (a)<br>1-20                  | (b)<br>21-50 | (c)<br>51-100 | (a)<br>1-20                  | (b)<br>21-50 | (c)<br>51-100 |  |
| M H<br>00109 | 5330-505-6610              | INSULATION, RUBBER: RH DUCT<br>(60532) INS26<br>MANUFACTURE FROM:                  | ABCDEF                        | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P H<br>00110 |                            | RUBBER, SHEET, CELLULAR<br><br>(2 IN. x 18 5/8 IN.<br>REQUIRED)                    | ABCDEF                        | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M O<br>00111 |                            | INSULATION, RUBBER: TOP PANEL<br>(60532) INS42<br>MANUFACTURE FROM:                | CDEF                          | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P O<br>00112 |                            | RUBBER, SHEET, CELLULAR<br><br>(12 IN. x 17 IN. REQUIRED)                          | CDEF                          | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M H<br>00113 |                            | INSULATION, RUBBER: UPPER<br>PARTITION<br>(60532) INS76<br>MANUFACTURE FROM:       | ABCDEF                        | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P H<br>00114 |                            | RUBBER, SHEET, CELLULAR<br><br>(3 3/4 IN. x 16 7/8 IN.<br>REQUIRED)                | ABCDEF                        | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M H<br>00115 |                            | INSULATION, RUBBER: UPPER<br>PARTITION<br>(60532) INS13<br>MANUFACTURE FROM:       | ABCDEF                        | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P H<br>00116 |                            | RUBBER, SHEET, CELLULAR<br><br>(3 1/2 IN. x 5 1/4 IN.<br>REQUIRED)                 | ABCDEF                        | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M H<br>00117 |                            | INSULATION, RUBBER: UPPER<br>PARTITION<br>(60532) INS77<br>MANUFACTURE FROM:       | ABCDEF                        | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P H<br>00118 |                            | RUBBER, SHEET, CELLULAR<br><br>(10 1/16 IN. x 12 3/4 IN.<br>REQUIRED)              | ABCDEF                        | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M H<br>00119 |                            | INSULATION, RUBBER: UPPER<br>PARTITION<br>(60532) INS78<br>MANUFACTURE FROM:       | CDEF                          | EA                 | 2                        |                              |              |               |                              |              |               |  |
| P H<br>00120 |                            | RUBBER, SHEET, CELLULAR<br><br>(3 1/2 IN. x 5 IN. REQUIRED<br>FOR EACH INSULATION) | CDEF                          | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| M H<br>00121 |                            | INSULATION, RUBBER: UPPER<br>PARTITION<br>(60532) INS42<br>MANUFACTURE FROM:       | CDEF                          | EA                 | 1                        |                              |              |               |                              |              |               |  |
| P H<br>00122 |                            | RUBBER, SHEET, CELLULAR<br><br>(2 5/16 IN. x 2 1/2 IN.<br>REQUIRED)                | CDEF                          | FT                 |                          | SEE                          | GRP          | 9501          |                              |              |               |  |
| H            |                            |  | NIT. BLIND RIVETS: EACH PANEL | ABCDEF             | EA                       | 1                            |              |               |                              |              |               |  |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE  | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |          | 30-DAY<br>ALLOWANCE |  |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|-------|----------|---------------------|--|
|                    |                                   |   |                           |                                 | (a)                                 | (b)   | (c)      | (a)                 |  |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50 | 51-100   | 1-20                |  |
| 0<br>00127         |                                   | NUT, BLIND RIVET: INTAKE GRILLE<br>MTG, No. 8-32 THD SIZE<br>(61957) A8K160                     | AB                        | EA                              | 8                                   |       |          |                     |  |
| 0<br>00128         |                                   | NUT, BLIND RIVET: PANEL AND<br>GUARD MTG<br>(25472) A8K75                                       | AB                        | EA                              | 19                                  |       |          |                     |  |
| 0<br>00129         | 5310-188-7969                     | NUT, BLIND RIVET: PANEL, GRILLE<br>AND GUARD MTG, No. 8-32 THD SIZE,<br>(96906) MS27130-14K     | CDEF                      | EA                              | 54                                  |       |          |                     |  |
| 0<br>00130         |                                   | NUT, BLIND RIVET: SUPPORT AND<br>CONE ASSEMBLY MTG, No. 8-32<br>THD SIZE<br>(25472) A8K120      | A                         | EA                              | 8                                   |       |          |                     |  |
| 0<br>00131         | 5310-188-7969                     | NUT, BLIND RIVET: SUPPORT AND<br>CONE ASSEMBLY MTG, No. 8-32<br>THD SIZE<br>(96906) MS27130-14K | CDEF                      | EA                              | 8                                   |       |          |                     |  |
| H<br>00132         |                                   | NUT, BLIND RIVET: BACK PANEL<br>SUPPORT<br>(96906) MS27130-32K                                  | CDEF                      | EA                              | 1                                   |       |          |                     |  |
| 0<br>00133         | 5310-089-6304                     | NUT, SHEET, SPRING: HOLE COVER<br>MOUNTING<br>(94222) 12-11020-13                               | ABCDEF                    | EA                              | 6                                   |       |          |                     |  |
| 0<br>00134         | 5310-089-6304                     | NUT, SHEET, SPRING: LOWER FRONT<br>PANEL MTG<br>(94222) 12-11020-13                             |                           | EA                              | 6                                   |       |          |                     |  |
| X20<br>00135       |                                   | PANEL ASSEMBLY, ACCESS<br>(60532) PNL1532   | CDEF                      | EA                              | 1                                   |       |          |                     |  |
| X20<br>00136       |                                   | PANEL ASSEMBLY, COVER<br>(60532) PNL1503  | CDEF                      | EA                              | 1                                   |       |          |                     |  |
| X20<br>00137       |                                   | PANEL ASSEMBLY, FRONT<br>(60532) PNL1116  | AB                        | EA                              | 1                                   |       |          |                     |  |
| M O<br>00138       |                                   | GASKET: FRONT PANEL<br>(60532) GKT373<br>MANUFACTURE FROM:                                      | AB                        | EA                              | 2                                   |       |          |                     |  |
| P O<br>00139       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. x 16 IN.<br>REQUIRED FOR EACH<br>GASKET)                | AB                        | FT                              |                                     | SEE   | GRP 9501 |                     |  |
| X1<br>00140        |                                   | PANEL, FRONT<br>(60532) PNL1117   | AB                        | EA                              | 1                                   |       |          |                     |  |
| 0<br>00141         | 5305-984-7441                     | SCREW, PANEL FASTENER: FRONT<br>PANEL MTG<br>(94222) 12-11-613-12                               | AB                        | EA                              | 2                                   |       |          |                     |  |
| 0<br>00142         | 5310-836-9578                     | WASHER, FLAT: FRONT PANEL MTG<br>SCREW<br>(94222) 12-11014-11                                   | AB                        | EA                              | 2                                   |       |          |                     |  |
| X2H<br>00143       |                                   | PANEL, BACK<br>(60532) PNL1110  | AB                        | EA                              | 1                                   |       |          |                     |  |
| X2H<br>00144       |                                   | PANEL, BACK<br>(60532) PNL1531  | CDEF                      | EA                              | 1                                   |       |          |                     |  |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MA<br>ALLOWANCE |       |        |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|----------------------------------|-------|--------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                              | (b)   | (c)    |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                             | 21-50 | 51-100 |
| X2H<br>00149       |                                   | PANEL, SIDE: RH<br>(60532) PNL1308   | B                           | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2H<br>00150       |                                   | PANEL, SIDE: RH<br>(60532) PNL1500   | CDEF                        | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2H<br>00151       |                                   | PANEL, TOP<br>(60532) PNL1112  | A                           | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00152       |                                   | PANEL, TOP<br>(60532) PNL1309  | B                           | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2H<br>00153       |                                   | PARTITION, PANEL: TOP<br>(60532) PNL1108   | AB                          | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2H<br>00154       |                                   | PARTITION, PANEL: TOP<br>(60532) PNL1530   | CDEF                        | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00155       |                                   | PAULIN: UNIT COVER<br>(60532) COV312<br>(AS REQUIRED)  | ABCDEF                      | EA                        |                                 |                                     |       |        |                                  |       |        |
| X2O<br>00156       |                                   | PENDANT, BEAD CHAIN<br>(60532) CHN3  | CDEF                        | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00157       |                                   | PLUG, BUTTON: CENTER PARTITION<br>(60532) PLU83  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00158       |                                   | RETAINER ASSEMBLY, FILTER:<br>BLOWER<br>(60532) RTR18  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00159       |                                   | RETAINER, FILTER: BLOWER<br>(60532) RTR15  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                  |       |        |
| X2O<br>00160       | 5325-724-7655                     | STUD ASSEMBLY, TURNLOCK<br>FASTENER: RETAINER ASSEMBLY<br>MOUNTING<br>(71286) 12S1-9-1AA                                     | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                  |       |        |
| O<br>00161         | 5310-530-9963                     | WASHER, SPLIT: STUD TO RETAINER<br>MOUNTING<br>(71286) 5S3-1   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                  |       |        |
| X2O<br>00162       | 4130-983-2335                     | RETAINING RING ASSEMBLY: HOLE<br>COVER MTG<br>(78553) C6974-22-41  | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                  |       |        |
| X2O<br>00163       |                                   | RING, INLET: BLOWER INTAKE FAN<br>(60532) RNG177   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                  |       |        |
| H<br>00164         | 5320-582-3304                     | RIVET, BLIND: BACK PANEL MTG<br>(96906) MS20600AD4W2   | CDEF                        | EA                        | 44                              |                                     |       |        |                                  |       |        |
| H<br>00165         | 5320-582-3494                     | RIVET, BLIND: BACK PANEL SUPPORT<br>MOUNTING<br>(96906) MS20600AD4W4   | CDEF                        | EA                        | 6                               |                                     |       |        |                                  |       |        |
| H<br>00166         | 5320-582-3304                     | RIVET, BLIND: DUCT TO CASING,<br>PARTITION AND HANDLE TO SIDE<br>PANELS, FILTER SUPPORT TO<br>CASING<br>(96906) MS20600AD4W2 | CDEF                        | EA                        | 12                              |                                     |       |        |                                  |       |        |
| H<br>00167         | 5320-582-3304                     | RIVET, BLIND, ELECTRICAL: HEATER<br>SUPPORT MTG<br>(96906) MS20600AD4W2  | CDEF                        | EA                        | 8                               |                                     |       |        |                                  |       |        |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY<br>ALLO |       |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-----------------------|-------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                   | (b)   |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                  | 21-50 |
| H<br>00171         |                                   | RIVET, POP: EVAPORATOR SUPPORT<br>MOUNTING<br>(61957) AD42BS  | AB                          | EA                        | 4                               |                                     |       |        |                       |       |
| H<br>00172         |                                   | RIVET, POP: FRAME TO CASING,<br>FILTER SUPPORT TO INTAKE<br>PANEL, TOP AND LOWER BAFFLE<br>AND BLOCKOFF PLATE<br>(61957) AD42BS       | AB                          | EA                        | 29                              |                                     |       |        |                       |       |
| H<br>00173         | 5320-582-3304                     | RIVET, POP: FRAME TO CASING,<br>FILTER SUPPORT TO INTAKE PANEL,<br>TOP AND LOWER BAFFLE AND<br>BLOCKOFF PLATE<br>(96906) MS20600AD4W2 | CDEF                        | EA                        | 29                              |                                     |       |        |                       |       |
| X2H<br>00174       |                                   | SCREEN, METAL: CONDENSER COIL<br>GRILLE<br>(60532) SRN24  | AB                          | EA                        | 1                               |                                     |       |        |                       |       |
| X20<br>00175       | 4130-981-6621                     | SCREEN ASSEMBLY: FRESH AIR INLET<br>(60532) SRN23   | AB CDEF                     | EA                        | 1                               |                                     |       |        |                       |       |
| H<br>00176         | 5305-989-7434                     | SCREW, MACHINE: BAFFLE MTG, No.<br>8-32 THD SIZE, 1/2 IN. LG<br>(96906) MS35207-263   | DE                          | EA                        | 4                               |                                     |       |        |                       |       |
| H<br>00177         | 5305-013-3043                     | SCREW, MACHINE: BRACKET MTG,<br>1/4-20 THD SIZE, 3/4 IN. LG   | DEF                         | EA                        | 4                               |                                     |       |        |                       |       |
| O<br>00178         | 5305-984-6194                     | SCREW, MACHINE: FRESH AIR INLET<br>SCREEN MTG   |                             | EA                        | 19                              |                                     |       |        |                       |       |
| O<br>00179         | 5305-043-6642                     | SCREW, MACHINE: HOLE COVER MTG  | AB                          | EA                        | 10                              |                                     |       |        |                       |       |
| O<br>00180         | 5305-043-6642                     | SCREW, MACHINE: HOLE COVER MTG  | AB CDEF                     | EA                        | 10                              |                                     |       |        |                       |       |
| O<br>00181         |                                   | SCREW, MACHINE: INLET RING MTG<br>(88044) AN515-8-10  | AB                          | EA                        | 8                               |                                     |       |        |                       |       |
| O<br>00182         | 5305-984-6194                     | SCREW, MACHINE: INLET RING MTG<br>(96906) MS53206-246   | CDEF                        | EA                        | 16                              |                                     |       |        |                       |       |
| O<br>00183         |                                   | SCREW, MACHINE: INTAKE GRILLE,<br>CONDENSER GRILLE, DISCHARGE<br>GRILLE AND INTAKE COVER MTG<br>(88044) AN515-8-10                    | AB                          | EA                        | 25                              |                                     |       |        |                       |       |
| O<br>00184         | 5305-984-6194                     | SCREW, MACHINE: INTAKE GRILLE,<br>CONDENSER GRILLE, DISCHARGE<br>GRILLE AND INTAKE COVER MTG<br>(96906) MS53206-246                   |                             | EA                        | 34                              |                                     |       |        |                       |       |
| O<br>00185         | 5305-151-1564                     | SCREW, MACHINE: PAULIN MTG  | AB CDEF                     | EA                        | 14                              |                                     |       |        |                       |       |
| O<br>00186         | 5305-984-6194                     | SCREW, MACHINE: TOP PANEL MTG<br>(96906) MS35206-246  |                             | EA                        | 36                              |                                     |       |        |                       |       |
| O<br>00187         | 5305-984-7441                     | SCREW, PANEL, FASTENER: ACCESS<br>PANEL MTG<br>(94222) 12-11-613-12   | CDEF                        | EA                        | 2                               |                                     |       |        |                       |       |
| O<br>00188         | 5305-053-1114                     | SCREW, TAPPING, THREAD FORMING:<br>HOLE COVER MTG<br>(96906) MS24621-11   | CDEF                        | EA                        | 22                              |                                     |       |        |                       |       |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (9)<br>EQUIP<br>CAT<br>NO. | (10)<br>REPLACEMENT<br>ITEM NO. |       |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|----------------------------|---------------------------------|-------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |                            | (a)                             | (b)   |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |                            | 1-20                            | 21-50 |
| M O<br>00193       | 5330-505-6609                     | SPONGE STRIP: FRONT PANEL<br>(60532) GKT373<br>MANUFACTURE FROM:   | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 4                               | 20    |
| P O<br>00194       |                                   | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 16 IN. REQUIRED)   | CDEF                        | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |                            |                                 |       |
| M O<br>00195       |                                   | SPONGE STRIP, PANEL: LEFT AND<br>RIGHT SIDE<br>(60532) GKT410<br>MANUFACTURE FROM:   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |                            | 14                              | 2     |
| P O<br>00196       |                                   | RUBBER, SHEET, CELLULAR<br><br>(4 IN. REQUIRED FOR EACH<br>SPONGE)   | DEF                         | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |                            |                                 |       |
| M O<br>00197       | 5330-505-6610                     | SPONGE STRIP, PANEL: TOP AND<br>BOTTOM<br>(60532) GKT409<br>MANUFACTURE FROM:  | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |                            | 14                              | 3     |
| P O<br>00198       |                                   | RUBBER, SHEET, CELLULAR<br><br>(16 IN. REQUIRED FOR EACH<br>SPONGE)  | DEF                         | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |                            |                                 |       |
| X20<br>00199       |                                   | STUD, TURN BUTTON FASTENER:<br>PAULIN MFG<br>(61864) 408   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |                            |                                 |       |
| X2H<br>00200       |                                   | SUPPORT: ELECTRICAL HEATER MFG<br>(60532) SUP121   | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 8                               | 26    |
| X2H<br>00201       | 5325-067-9222                     | SUPPORT AND CONE ASSEMBLY: MOTOR<br>(90598) 8319-100   |                             | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 14                              | 1     |
| X2H<br>00202       |                                   | SUPPORT AND CONE ASSEMBLY:<br>ELECTRIC MOTOR<br>(60532) SUP119   | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 4                               | 5     |
| X2H<br>00203       |                                   | SUPPORT AND CONE ASSEMBLY:<br>ELECTRIC MOTOR<br>(60532) SUP169   | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 14                              | 1     |
| X2H<br>00204       |                                   | SUPPORT, ANGLE: CONTROL BOX AND<br>DEHYDRATOR MFG<br>(60532) SUP114  | AB                          | EA                        | 2                               |                                     |       |        |                                     |       |        |                            | 2                               | 35    |
| X2H<br>00205       |                                   | SUPPORT ASSEMBLY, FILTER: BLOWER<br>FILTER MFG<br>(60532) SUP113   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 2                               |       |
| X2F<br>00206       |                                   | RECEPTACLE, TURNLOCK: FILTER<br>MOUNTING<br>(71286) 12R1-1AA   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |                            | 1                               | 19    |
| F<br>00207         |                                   | RIVET, SOLID: RECEPTACLE MFG<br>(96906) MS20426AD2-3   | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |                            | 1                               | 18    |
| X1<br>00208        |                                   | SUPPORT: BLOWER FILTER MFG<br>(60532) SUP130   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 1                               | 17    |
| X2H<br>00209       |                                   | SUPPORT, BACK PANEL: TOP<br>(60532) SUP117   | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 2                               | 5     |
| X2H<br>00210       |                                   | SUPPORT, HEATER<br>(60532) SUP171  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |                            | 19                              | 22    |
| O<br>00211         | 5310-836-9578                     | WASHER, FLAT: ACCESS PANEL MFG<br>SCREW<br>(94222) 12-11014-11   | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |                            | 4                               | 30    |
| H<br>00212         | 5310-809-8546                     | WASHER, FLAT: BAFFLE MFG, No. 8<br>SCREW SIZE<br>(96906) MS27183-8   | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |                            | 15                              | 15    |
| O<br>00213         | 5310-809-8544                     | WASHER, FLAT: DISCHARGE GRILLE,<br>FRESH AIR INLET SCREEN, INTAKE<br>COVER, INTAKE GRILLE AND<br>CONDENSER GRILLE MFG<br>(96906) MS27183-7 |                             | EA                        | 52                              |                                     |       |        |                                     |       |        |                            | 4                               | 3     |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |               | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |              |               | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |                    |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|--|--------------------------|--------------------|
|                    |                                   |  |                      |                           |                                 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 |  | (a)<br>FIG.<br>NO.       | (b)<br>ITEM<br>NO. |
|                    |                                   |  |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| O<br>00214         | 5310-809-8544                     | WASHER, FLAT: INLET RING MTG<br>(96906) MS27183-7  |                      | EA                        | 16                              |                                     |              |               |                                     |              |               |  | 5                        | 10                 |
| O<br>00215         | 5310-011-4986                     | WASHER, FLAT: PAULIN MTG   | ABCDEF               | EA                        | 14                              |                                     |              |               |                                     |              |               |  |                          |                    |
| O<br>00216         | 5310-950-1310                     | WASHER, FLAT: TOP PANEL MTG  | ABCDEF               | EA                        | 18                              |                                     |              |               |                                     |              |               |  | 3                        | 4                  |
| H<br>00217         | 5310-551-6308                     | WASHER, LOCK: BAFFLE MTG, No. 8<br>SCREW SIZE<br>(96906) MS35339-43  | DEF                  | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 15                       | 14                 |
| H<br>00218         | 5310-045-3299                     | WASHER, LOCK: CONDENSER GRILLE<br>(96906) MS35338-42   | AB                   | EA                        | 8                               |                                     |              |               |                                     |              |               |  | 4                        | 2                  |
| O<br>00219         | 5310-209-5309                     | WASHER, LOCK: DISCHARGE GRILLE,<br>CONDENSER GRILLE, FRESH AIR<br>INLET SCREEN, INTAKE COVER,<br>INTAKE GRILLE AND CBR COVER MTG<br>(96906) MS35338-23 |                      | EA                        | 52                              |                                     |              |               |                                     |              |               |  | 4                        | 2                  |
| O<br>00220         |                                   | WASHER, LOCK: INLET RING MTG<br>(96906) MS35338-42   | AB                   | EA                        | 8                               |                                     |              |               |                                     |              |               |  | 5                        | 9                  |
| O<br>00221         | 5310-209-5309                     | WASHER, LOCK: INLET RING MTG<br>(96906) MS35338-23   | CDEF                 | EA                        | 16                              |                                     |              |               |                                     |              |               |  | 5                        | 9                  |
| O<br>00222         | 5310-045-3299                     | WASHER, LOCK: PAULIN MTG   | ABCDEF               | EA                        | 14                              |                                     |              |               |                                     |              |               |  |                          |                    |
| O<br>00223         | 5310-045-3299                     | WASHER, LOCK: TOP PANEL MTG<br>(96906) MS35338-42  | ABCDEF               | EA                        | 18                              |                                     |              |               |                                     |              |               |  | 3                        | 3                  |
| 00224              |                                   | GROUP 22 - BODY CHASSIS OR HULL,<br>AND ACCESSORY ITEMS  |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| 00224A             |                                   | 2202 - ACCESSORY ITEMS   |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00225       |                                   | BLOCKOFF PANEL ASSEMBLY: CONTROL<br>BOX TO REMOTE CONTROL<br>(97403) 13211E8392  |                      | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| P O<br>00226       | 4130-967-5979                     | CABLE ASSEMBLY, SPECIAL: CONTROL<br>BOX TO REMOTE CONTROL<br>(60532) CON25   |                      | EA                        | 1                               | *                                   | *            | 2             | *                                   | *            | 2             | 10   | 7                        | 33                 |
| 00227              |                                   | 2210 - DATA PLATES   |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| X2F<br>00228       |                                   | BAND, MARKER, CABLE<br>(61311) X38956  | ACD                  | EA                        | 2                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X2F<br>00229       |                                   | BAND, MARKER, CABLE<br>(61311) X38957  | ACD                  | EA                        | 2                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X2F<br>00230       |                                   | BAND, MARKER, CABLE<br>(61311) X38958  | ACD                  | EA                        | 2                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X2F<br>00231       |                                   | BAND, MARKER, CABLE<br>(61311) X39601  | ACD                  | EA                        | 2                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00232       |                                   | PLATE, DATA: ELECTRIC MOTOR<br>(61311) 405860  | B                    | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00233       |                                   | PLATE, DATA: ELECTRIC MOTOR<br>(61311) X36945  | A                    | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00234       |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(60532) PLT170  | BCDEF                | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00235       |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474881  | EF                   | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00236       |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474993  | EF                   | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X20<br>00237       |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474941<br>(CE20VAL6 ONLY)   | F                    | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE<br><br>REF NUMBER & MFR CODE   | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X20<br>00238       |                                   | PLATE, IDENTIFICATION: MODEL AND<br>SERIAL NUMBER<br>(60532) PLT196   | CDEF                      | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00239       |                                   | PLATE, IDENTIFICATION: TEMPERATURE<br>(60532) PLT152  | ABCDEF                    | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00240       |                                   | PLATE, IDENTIFICATION: WIRING<br>DIAGRAM, FRONT LOWER PANEL<br>(60532) PLT238   | CDEF                      | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00241       |                                   | PLATE, INDICATING: COLOR TAG<br>(60532) PLT222  | CDEF                      | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X1<br>00242        |                                   | PLATE, INSTRUCTION: CENTER<br>PARTITION, COMPRESSOR CIRCUIT<br>BREAKER<br>(60532) PLT157<br>(COMPONENT OF LINKAGE KIT,<br>STOCK NO. 4130-789-6526,<br>SEE GROUP 4011) | A                         | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X1<br>00243        |                                   | PLATE, INSTRUCTION: MOTOR<br>ROTATION<br>(61311) X78700<br>(COMPONENT OF PARTS KIT, STOCK<br>NO. 4130-961-8326, SEE GROUP<br>4000)                                    | ABCD                      | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00244       |                                   | PLATE, INSTRUCTION: MOTOR<br>ROTATION<br>(61311) X78700   | B                         | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00245       |                                   | PLATE, INSTRUCTION: PUSH TO<br>RESET<br>(60532) PLT239  | CDEF                      | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| X20<br>00246       |                                   | PLATE, NAME: CENTER PARTITION,<br>COMPRESSOR CIRCUIT BREAKER<br>(60532) PLT157  | B                         | EA                              | 1                                   |       |        |                                     |       |        |  |                          |             |
| O<br>00247         | 5305-175-3230                     | SCREW, DRIVE: ELECTRIC MOTOR<br>PLATE<br>(96906) MS21318-14   | AB                        | EA                              | 2                                   |       |        |                                     |       |        |  |                          |             |
| O<br>00248         | 5305-175-3230                     | SCREW, DRIVE: MOTOR ROTATION<br>PLATE MTG<br>(96906) MS21318-14   | CD                        | EA                              | 2                                   |       |        |                                     |       |        |  |                          |             |
| X1<br>00249        | 5320-899-0981                     | RIVET, BLIND: COMPRESSOR CIRCUIT<br>BREAKER PLATE MTG<br>(61957) AD42BS<br>(COMPONENT OF LINKAGE KIT,<br>STOCK NO. 4130-789-6526, SEE<br>GROUP 4011)                  | A                         | EA                              | 2                                   |       |        |                                     |       |        |  |                          |             |
| O<br>00250         | 5320-582-3304                     | RIVET, BLIND: TEMPERATURE PLATE<br>MOUNTING<br>(96906) MS20600AD4W2   | CDEF                      | EA                              | 6                                   |       |        |                                     |       |        |  |                          |             |
| O<br>00251         | 5320-582-3494                     | RIVET, BLIND: PLATES MTG<br>(96906) MS20600AD4W4  | CDEF                      | EA                              | 14                                  |       |        |                                     |       |        |  |                          |             |
| O<br>00252         | 5320-899-0981                     | RIVET, BLIND: WIRING DIAGRAM<br>PLATE MTG<br>(61957) AD42BS   | AB                        | EA                              | 8                                   |       |        |                                     |       |        |  |                          |             |
| 00253              |                                   | GROUP 40 - ELECTRIC MOTORS  |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| 00254              |                                   | 4000 - MOTOR ASSEMBLY   |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00255         |                                   | BOLT, SHOULDER: BLOWER MOTOR<br>MTG, BOTTOM<br>(60532) BLT72  | ABCDEF                    | EA                              | 2                                   |       |        |                                     |       |        |  | 15                       | 7           |
| X20<br>00256       |                                   | BUSHING, RUBBER: BLOWER MOTOR<br>MTG, BOTTOM<br>(60532) BUS53   | ABCDEF                    | EA                              | 2                                   |       |        |                                     |       |        |  | 15                       | 10          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                      |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                      |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X20<br>00257       |                                   | BUSHING, SLEEVE, RUBBER: BLOWER<br>MOTOR MTG, REAR<br>(60532) BUS54  | BCDEF                | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 15                       | 6           |
| X20<br>00258       |                                   | GASKET, FAN MOTOR: BLOWER MOTOR<br>MTG, REAR<br>(60532) GKT485   | ABCDEF               | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 5                        | 4           |
| P O R<br>00259     | 4130-302-1811                     | MOTOR ASSEMBLY, FAN: BLOWER, AC,<br>1.62 HP, 208v, 3800 RPM, 400<br>CYCLE<br>(61311) 405835<br>(ELECTRIC MOTORS AND REPAIR PARTS<br>ARE TO BE REQUISITIONED BY COMPLETE<br>IDENTIFYING NOMENCLATURE. COMPLETE<br>MOTOR AND FRAME NAME PLATE DATA<br>MUST BE SHOWN ON THE REQUISITION<br>TO INSURE SUPPLY OF THE PROPER<br>REPAIR PARTS OF THE MOTOR)<br>(THIS MOTOR IS INTERCHANGEABLE<br>WITH MOTOR, FSN 6105-949-8629)<br>(INCLUDES COMPONENTS OF PARTS<br>KIT, STOCK No. 4130-961-8326) | ACD                  | EA                        | 1                               | *                                   | 2     | 2      | *                                   | 2     | 2      | 22   | 5                        | 2           |
| P O R<br>00260     | 6105-955-5338                     | MOTOR, ELECTRIC: BLOWER, AC,<br>1.42 HP, 208v, 3450 RPM, 60<br>CYCLE<br>(61311) 405832<br>(ELECTRIC MOTORS AND REPAIR PARTS<br>ARE TO BE REQUISITIONED BY<br>COMPLETE IDENTIFYING NOMENCLATURE.<br>COMPLETE MOTOR AND FRAME NAME PLATE<br>DATA MUST BE SHOWN ON THE<br>REQUISITION TO INSURE SUPPLY OF<br>THE PROPER REPAIR PARTS)<br>(THIS MOTOR AS A COMPLETE UNIT<br>IS INTERCHANGEABLE WITH MOTOR,<br>FSN 6105-932-0793 AND FSN<br>6105-949-8627)                                      | B                    | EA                        | 1                               | *                                   | 2     | 2      | *                                   | 2     | 2      | 22   | 5                        | 2           |
| P O R<br>00261     | 6105-949-8629                     | MOTOR, FAN: BLOWER, AC, 208v,<br>400 CYCLE, 3700 RPM<br>(ELECTRIC MOTORS AND REPAIR<br>PARTS ARE TO BE REQUISITIONED<br>BY COMPLETE IDENTIFYING NOMENCLATURE.<br>COMPLETE MOTOR AND FRAME NAME<br>PLATE DATA MUST BE SHOWN ON THE<br>REQUISITION TO INSURE SUPPLY<br>OF THE PROPER PARTS OF THE MOTOR)<br>(THIS MOTOR AS A COMPLETE UNIT<br>IS INTERCHANGEABLE WITH MOTOR<br>ASSEMBLY, FSN 4130-302-1811)  | E                    | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 5                        | 2           |
| P O R<br>00262     | 6105-949-8627                     | MOTOR, FAN: BLOWER, 208v, 3<br>PHASE, 50/60 CYCLE, 3450 RPM<br>(64731) 4725-8<br>(ELECTRIC MOTORS AND REPAIR<br>PARTS ARE TO BE REQUISITIONED<br>BY COMPLETE IDENTIFYING<br>NOMENCLATURE. COMPLETE MOTOR<br>AND FRAME NAME PLATE DATA MUST<br>BE SHOWN ON THE REQUISITION TO<br>INSURE SUPPLY OF THE PROPER<br>REPAIR PARTS) (THIS MOTOR<br>AS A COMPLETE UNIT IS<br>INTERCHANGEABLE WITH MOTOR,<br>FSN 6105-932-0793 AND FSN<br>6105-955-5338)  | F                    | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 5                        | 2           |
| O<br>00263         | 5310-208-1919                     | NUT, SELF-LOCKING, HEXAGON:<br>BLOWER MOTOR MTG, REAR<br>(72962) 42NE040   | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 5                        | 3           |
| P H<br>00264       | 4130-961-8326                     | PARTS KIT, OVERHAUL: ELECTRIC<br>MOTOR<br>(61311) 407434   | ABCD                 | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   |                          |             |
| X1<br>00265        | 4130-996-3689                     | BEARING, BALL, ANNULAR: ROTOR<br>SHAFT TO END BELLS<br>(21335) P202KDDFS50160  | ABCD                 | EA                        | 2                               | SEE                                 | GRP   | 4005   |                                     |       |        |  |                          |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (9)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (10)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|---------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                       | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.               | ITEM<br>NO. |
| X1<br>00266        | 5935-801-6616                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL; MOTOR, 3 CONTACTS<br>(96906) MS3102R14S7P  | ABCD                        | EA                        | 1                               | SEE                                 | GRP   | 4018   |                                     |       |        |  |                           |             |
| X1<br>00267        |                                   | PLATE, INSTRUCTION: MOTOR<br>ROTATION<br>(61311) X78700  | ABCD                        | EA                        | 1                               | SEE                                 | GRP   | 2210   |                                     |       |        |  |                           |             |
| X1<br>00268        |                                   | SCREW, SELF-LOCKING: CONNECTOR<br>TO STATOR HOUSING MTG,<br>CADMIUM OR ZINC PLATED, No.<br>4-40 THD SIZE, 3/8 IN. LG<br>(03038) LL500-4-5        | ABCD                        | EA                        | 4                               | SEE                                 | GRP   | 4018   |                                     |       |        |  |                           |             |
| X1<br>00269        |                                   | SCREW, SELF-LOCKING: END BELL<br>MTG, CADMIUM OR ZINC PLATED,<br>1/4-20 THD SIZE, 3/4 IN. LG<br>(03038) LP500-416-12                             | ABCD                        | EA                        | 4                               | SEE                                 | GRP   | 4005   |                                     |       |        |  |                           |             |
| X1<br>00270        |                                   | SCREW, SELF-LOCKING: OVERLOAD<br>PROTECTOR COVER TO HOUSING,<br>CADMIUM OR ZINC PLATED, No.<br>8-32 THD SIZE, 1 3/4 IN. LG<br>(03038) LP500-8-28 | ABCD                        | EA                        | 4                               | SEE                                 | GRP   | 4005   |                                     |       |        |  |                           |             |
| X1<br>00271        | 5305-226-9268                     | SCREW, SELF-LOCKING: OVERLOAD<br>PROTECTOR MTG<br>(03038) LL500-6-6  | ABCD                        | EA                        | 2                               | SEE                                 | GRP   | 4006   |                                     |       |        |  |                           |             |
| X1<br>00272        | 5940-275-7802                     | TERMINAL, LUG; CONNECTOR<br>(78189) 2522-04-00-2041  | ABCD                        | EA                        | 1                               | SEE                                 | GRP   | 4018   |                                     |       |        |  |                           |             |
| X1<br>00273        | 5310-167-0816                     | WASHER, FLAT: OVERLOAD<br>PROTECTOR MTG<br>(88044) AN960-6   | ACD                         | EA                        | 4                               | SEE                                 | GRP   | 4006   |                                     |       |        |  |                           |             |
| X1<br>00274        |                                   | WASHER, SPRING: ROTOR THRUST<br>(60532) SP651  | ABCD                        | EA                        | 2                               | SEE                                 | GRP   | 4005   |                                     |       |        |  |                           |             |
| O<br>00275         |                                   | SCREW, MACHINE: BLOWER MOTOR MTG,<br>REAR<br>(60532) SCR338  | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 5                         | 5           |
| X20<br>00276       |                                   | SPACER, SLEEVE: BLOWER MOTOR MTG,<br>BOTTOM<br>(60532) SPC18   | BCDEF                       | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 15                        | 12          |
| O<br>00277         |                                   | WASHER, FLAT: BLOWER MOTOR MTG,<br>BOTTOM<br>(60532) WAS170  | BCDEF                       | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 15                        | 9           |
| O<br>00278         |                                   | WASHER, FLAT: BLOWER MOTOR MTG,<br>REAR<br>(60532) WAS172  | BCDEF                       | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 15                        | 5           |
| X20<br>00279       |                                   | WASHER, FLAT, RUBBER: BLOWER<br>MOTOR MTG, BOTTOM<br>(60532) WAS171  | BCDEF                       | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 15                        | 11          |
| O<br>00280         | 5310-013-1099                     | WASHER, LOCK: BLOWER MOTOR MTG,<br>BOTTOM<br>(96906) MS35339-27  | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 15                        | 8           |
| 00281              |                                   | 4001 - ROTOR ASSEMBLIES  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                           |             |
| P H<br>00282       | 6105-961-8343                     | ROTOR, MOTOR<br>(61311) 408266   | ACD                         | EA                        | 1                               |                                     |       |        | *                                   | *     | *      | 3  | 11                        | 8           |
| X1<br>00283        |                                   | BAR, ROTOR<br>(61311) 406889   | ACD                         | EA                        | 66                              |                                     |       |        |                                     |       |        |  |                           |             |
| X1<br>00284        |                                   | CORE, ROTOR<br>(61311) 405922-1  | ACD                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                           |             |
| X1<br>00285        |                                   | END RING<br>(61311) 406890   | ACD                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                           |             |
| X2H<br>00286       |                                   | PIN, GROOVED<br>(73957) GP1-093X188-12   | ACD                         | EA                        | 1                               | SEE                                 | GRP   | 4005   |                                     |       |        |  |                           |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE               | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |               | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |              |               | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |                    |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|--|--------------------------|--------------------|
|                    |                                   |   |                             |                           |                                 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 |  | (a)<br>FIG.<br>NO.       | (b)<br>ITEM<br>NO. |
|                    |                                   |   |                             |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00287        | 6105-961-8325                     | ROTOR PUNCHING: 2 1/8 IN.<br>(61311) 405653<br>(AS REQUIRED)  | ACD                         | EA                        |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00288        |                                   | SHAFT, ROTOR<br>(61311) 405936                                | ACD                         | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| P H<br>00289       |                                   | ROTOR, MOTOR<br>(61311) 408128                                | B                           | EA                        | 1                               |                                     |              |               | *                                   | *            | *             | 5  | 11                       | 8                  |
| X1<br>00290        |                                   | BAR, ROTOR<br>(61311) 406979-1                                | B                           | EA                        | 66                              |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00291        |                                   | CORE, ROTOR<br>(61311) 406198-3                               | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00292        |                                   | END RING<br>(61311) 407808                                    | B                           | EA                        | 2                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00293        |                                   | ROTOR PUNCHING (AS REQUIRED)<br>(61311) 406195                | B                           | EA                        |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00294        |                                   | SHAFT, ROTOR<br>(61311) 405932                                | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X2H<br>00295       |                                   | ROTOR, MOTOR<br>(64731) 951402                                | E                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 8                  |
| X2H<br>00296       | ROTOR, MOTOR<br>(64731) 951202    | F   | EA                          | 1                         |                                 |                                     |              |               |                                     |              |               | 11   | 8                        |                    |
| 00297              |                                   | 4002 - STATOR ASSEMBLIES                                      |                             |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| P H<br>00298       | 6105-014-8166                     | STATOR, MOTOR<br>(61311) 405946                               | ACD                         | EA                        | 1                               |                                     |              |               | *                                   | *            | *             | 3  |                          |                    |
| X1<br>00299        |                                   | HOUSING, STATOR<br>(61311) 405929                             | ACD                         | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 4                  |
| X1<br>00300        | 4130-961-8327                     | INSULATION, STATOR<br>(61311) 405310                          | ACD                         | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 11                       | 2                  |
| X1<br>00301        |                                   | PIN, GROOVED<br>(73957) GP1-093X188-12                        | ACD                         | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 16                 |
| X1<br>00302        | 4130-961-8324                     | STATOR, WOUND<br>(61311) 405920                               | ACD                         | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 3                  |
| X1<br>00303        |                                   | CORE, STATOR<br>(61311) 405919                                | ACD                         | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00304        |                                   | STATOR PUNCHING: 2 1/8 IN.<br>(61311) 406864<br>(AS REQUIRED) | ACD                         | EA                        |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| P H<br>00305       | 6115-010-4723                     | STATOR, MOTOR<br>(61311) 405935                               | B                           | EA                        | 1                               |                                     |              |               | *                                   | *            | *             | 5  |                          |                    |
| X1<br>00306        |                                   | HOUSING, STATOR<br>(61311) 405926                             | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 4                  |
| X1<br>00307        |                                   | INSULATION, STATOR<br>(61311) 405855                          | B                           | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 11                       | 2                  |
| X2H<br>00308       |                                   | PIN, GROOVED: 3/32 IN. DIA,<br>3/16 IN. LG<br>(61311) 401976  | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 16                 |
| X1<br>00309        | 6105-055-1560                     | STATOR, MOTOR<br>(61311) 405857                               | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 3                  |
| X1<br>00310        |                                   | CORE, STATOR<br>(61311) 407676                                | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X1<br>00311        |                                   | STATOR PUNCHING (AS REQUIRED)<br>(61311) 407008               | B                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  |                          |                    |
| X2H<br>00312       |                                   | STATOR, MOTOR<br>(64731) 951401                               | E                           | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 3                  |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2H<br>00313       | 4130-996-3689                     | STATOR, MOTOR<br>(64731) 951201   | F                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 3           |
| 00314              |                                   | 4005 - FRAME, SUPPORTS AND HOUSING  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X1<br>00315        |                                   | BEARING, BALL, ANNULAR: ROTOR<br>SHAFT TO END BELLS<br>(21335) P202KDDFS50160<br>(COMPONENTS OF PARTS KIT,<br>STOCK No. 4130-961-8326,<br>SEE GROUP 4000)   | ABCD                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 5           |
| X2H<br>00316       |                                   | BEARING, BALL, ANNULAR: ROTOR,<br>FRONT AND REAR<br>(64731) 524871  | EF                          | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 5           |
| X2F<br>00317       |                                   | COVER: OVERLOAD PROTECTOR<br>(64731) 908900   | EF                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 12          |
| X2H<br>00318       |                                   | COVER, STATOR HOUSING: TOP,<br>OVERLOAD PROTECTOR<br>(61311) 405939   | CD                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 12          |
| X2H<br>00319       |                                   | END BELL: HOUSING COVER<br>(61311) 405924   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 15          |
| X2H<br>00320       |                                   | END BELL: HOUSING MTS<br>(61311) 405925   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 14          |
| X2H<br>00321       |                                   | FAN, MOTOR<br>(61311) 405868  | A                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 6           |
| X2H<br>00322       |                                   | FAN, MOTOR<br>(61311) 403230  | B                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 6           |
| X2H<br>00323       | 3110-144-8900                     | PIN, GROOVED<br>(73957) GP1-093X188-12  | ACD                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 7           |
| X2H<br>00324       |                                   | PIN, GROOVED: FAN MTS<br>(61311) 97234  | B                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 7           |
| X1<br>00325        |                                   | SCREW, SELF-LOCKING: END BELL MTS,<br>CADMIUM OR ZINC PLATED, 1/4-20<br>THD SIZE, 3/4 IN. LG<br>(03038) LP500-416-12<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000)                             | ABCD                        | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 11                       | 13          |
| X1<br>00326        |                                   | SCREW, SELF-LOCKING: OVERLOAD<br>PROTECTOR COVER TO HOUSING,<br>CADMIUM OR ZINC PLATED, No.<br>8-32 THD SIZE, 1 3/4 IN. LG<br>(03038) LP500-8-28<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000) | ABCD                        | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 11                       | 11          |
| X1<br>00327        |                                   | WASHER, SPRING: ROTOR THRUST<br>(60532) SPG51<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000)  | ABCD                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 11                       | 1           |
| 00328              |                                   | 4006 - STARTING AND PROTECTIVE<br>DEVICES   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00329       |                                   | BRACKET, MOUNTING: OVERLOAD<br>PROTECTOR MTS<br>(04594) 183-1227  | C                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 19          |
| X2F<br>00330       |                                   | BRACKET, RETAINER: OVERLOAD<br>PROTECTOR MTS<br>(04594) 183-1233  | BF                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 4           |
| F<br>00331         | 5340-597-9399                     | CLAMP, LOOP: SURGE SUPPRESSOR MTS<br>(96906) MS21919H11   | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 25          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE<br><br>REF NUMBER & MFR CODE  | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |         |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|-------------------------------------|---------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                           |                                 | (a)                                 | (b)     | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                           |                                 | 1-20                                | 21-50   | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2F<br>00332       |                                   | COVER, PRESSURE SWITCH<br>(60532) COV314   | CDEF                      | EA                              | 1                                   |         |        |                                     |       |        |  | 18                       | 4           |
| X2F<br>00333       | 5325-281-4365                     | GROMMET, RUBBER: PRESSURE SWITCH<br>COVER<br>(70485) 374   | DEF                       | EA                              | 1                                   |         |        |                                     |       |        |  | 18                       | 8           |
| M F<br>00334       | 5330-224-4681                     | INSULATION, RUBBER, NEOPRENE:<br>SURGE SUPPRESSOR, 2 IN. X 1<br>IN., 1/16 IN. THK<br>MANUFACTURE FROM:   | ABC                       | EA                              | 1                                   |         |        |                                     |       |        |  | 7                        | 30          |
| P F<br>00335       | 5330-505-6611                     | RUBBER, SHEET, SOLID<br><br>(2 IN. X 1 IN. X 1/16 IN.<br>THK REQUIRED)   | SH                        |                                 |                                     | SEE GRP | 9501   |                                     |       |        |  |                          |             |
| F<br>00336         | 5310-889-2549                     | NUT, SELF-LOCKING, HEXAGON:<br>PRESSURE SWITCH COVER MTO<br>(96906) MS21045-08   | BCDEF                     | EA                              | 4                                   |         |        |                                     |       |        |  | 18                       | 6           |
| F<br>00337         | 5310-889-2544                     | NUT, SELF-LOCKING, HEXAGON:<br>RELAY MTO<br>(96906) MS21045-06   | DEF                       | EA                              | 4                                   |         |        |                                     |       |        |  | 16                       | 1           |
| F<br>00338         | 5310-877-5797                     | NUT, SELF-LOCKING, HEXAGON:<br>SURGE SUPPRESSOR MTO<br>(72962) 21M02   | ABC                       | EA                              | 1                                   |         |        |                                     |       |        |  | 7                        | 26          |
| X2F<br>00339       |                                   | PLATE, RETAINING: OVERLOAD<br>PROTECTOR MTO<br>(61311) 405938  | ABCD                      | EA                              | 1                                   |         |        |                                     |       |        |  | 11                       | 19          |
| P F<br>00340       | 4130-996-3698                     | PROTECTOR: MOTOR<br>(82467) MYA1263  | ACD                       | EA                              | 1                                   | *       | *      | 2                                   | *     | *      | 2  | 10                       | 11          |
| P F<br>00341       | 6105-856-8105                     | PROTECTOR, OVERLOAD: COMPRESSOR,<br>TOP<br>(04594) 1456-832  | AC                        | EA                              | 1                                   | *       | *      | *                                   | *     | *      | *  | 5                        | 12          |
| P F<br>00342       | 4120-961-5553                     | PROTECTOR, OVERLOAD: MOTOR<br>(82467) MYA1258  | B                         | EA                              | 1                                   | *       | *      | 2                                   | *     | *      | 2  | 10                       | 11          |
| P F<br>00343       | 5945-905-9222                     | RELAY, ARMATURE: PHASE SEQUENCE<br>(02289) 1410-1B   | DE                        | EA                              | 1                                   | 2       | 2      | 2                                   | 2     | 2      | 2  | 29                       | 16          |
| P F<br>00344       | 5945-958-2680                     | RELAY, ARMATURE: PHASE SEQUENCE<br>(02289) 1409-1B   | F                         | EA                              | 1                                   | 2       | 2      | 2                                   | 2     | 2      | 2  | 29                       | 16          |
| F<br>00345         |                                   | SCREW, MACHINE: BRACKET MTO<br>(04594) 240-216   | C                         | EA                              | 2                                   |         |        |                                     |       |        |  | 12                       | 3           |
| F<br>00346         | 5305-984-6194                     | SCREW, MACHINE: PRESSURE SWITCH<br>COVER MTO<br>(96906) MS35206-246  | BCDEF                     | EA                              | 4                                   |         |        |                                     |       |        |  | 18                       | 3           |
| F<br>00347         | 5305-889-3000                     | SCREW, MACHINE: RELAY MTO<br>(96906) MS35206-230   | DEF                       | EA                              | 4                                   |         |        |                                     |       |        |  | 16                       | 13          |
| F<br>00348         | 5305-989-7435                     | SCREW, MACHINE: SURGE SUPPRESSOR<br>MOUNTING<br>(16764) 453321   | ABC                       | EA                              | 1                                   |         |        |                                     |       |        |  | 7                        | 47          |
| F<br>00349         | 5305-590-3146                     | SCREW, MACHINE: SWITCH MTO<br>(88044) AN515-6-4  | BCDEF                     | EA                              | 2                                   |         |        |                                     |       |        |  | 18                       | 7           |
| X1<br>00350        | 5305-226-9268                     | SCREW, SELF-LOCKING: OVERLOAD<br>PROTECTOR MTO<br>(03038) LL500-6-6<br>(COMPONENT OF PARTS KIT, STOCK<br>NO. 4130-961-8326, SEE GROUP<br>4000) | ABCD                      | EA                              | 2                                   |         |        |                                     |       |        |  | 11                       | 21          |
| P F<br>00351       | 4130-955-5336                     | SWITCH, OVERLOAD: COMPRESSOR, TOP<br>(06853) 1456-833  | B                         | EA                              | 1                                   | *       | *      | 2                                   | *     | *      | 2  | 10                       | 12          |
| P F<br>00352       | 5930-275-7800                     | SWITCH, PRESSURE: CUTOFF<br>(60532) CNT197   | BCDEF                     | EA                              | 1                                   | *       | 2      | 2                                   | *     | 2      | 2  | 20                       | 18          |
| P F<br>00353       | 5960-073-8418                     | SUPPRESSOR, SURGE<br>(08771) 3A6RS20SG10H10  | ABC                       | EA                              | 1                                   | *       | *      | 2                                   | *     | *      | 2  | 10                       | 7           |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| F<br>00354         | 5310-809-8544                     | WASHER, FLAT: EVAPORATOR HEATER<br>THERMOSTAT MTG<br>(96906) MS27183-7   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 19                       | 21          |
| X1<br>00355        | 5310-167-0816                     | WASHER, FLAT: OVERLOAD PROTECTOR<br>MOUNTING<br>(88044) AN960-6<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000) | ABCD                        | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 11                       | 20          |
| F<br>00356         | 5310-809-8544                     | WASHER, FLAT: PRESSURE SWITCH<br>COVER MTG<br>(96906) MS27183-7  | BCDEF                       | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 18                       | 5           |
| F<br>00357         | 5310-082-1404                     | WASHER, FLAT: RELAY MTG<br>(96906) MS27183-6   | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 16                       | 2           |
| X2F<br>00358       |                                   | WASHER, NONMETALLIC: RELAY MTG<br>(60532) WAS189   | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 16                       | 16          |
| 00359              |                                   | 4009 - CONTROL PANELS, HOUSING,<br>CUBICLES  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00360       |                                   | BOX, JUNCTION<br>(60532) BOX81   | C                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 11          |
| X2F<br>00361       |                                   | CASE, CONTROL PANEL<br>(60532) CAS61   | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 6                        | 12          |
| F<br>00362         | 5340-543-4394                     | CLAMP, LOOP: TEMPERATURE<br>CONTROL TUBE<br>(96906) MS21919DG6   | ABCDEF                      | EA                        | 1                               | SEE GRP 5244                        |       |        |                                     |       |        |  |                          |             |
| X2F<br>00363       | 5935-721-0496                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: CONTROL PANEL TO<br>CONTROL BOX CONNECTOR, 19<br>CONTACTS<br>(96906) MS3102R22-14P                   | ABCDEF                      | EA                        | 1                               | SEE GRP 4018                        |       |        |                                     |       |        |  |                          |             |
| X2F<br>00364       | 5355-926-5289                     | KNOB: ROTARY SWITCH<br>(86797) RB175   | EA                          | 1                         | SEE GRP 4012                    |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00365       | 5355-926-5289                     | KNOB: TEMPERATURE CONTROL<br>(86797) RB175   | EA                          | 1                         | SEE GRP 5244                    |                                     |       |        |                                     |       |        |  |                          |             |
| M O<br>00366       |                                   | LEAD, ELECTRICAL: CIRCUIT<br>BREAKER TO MOTOR CONTACTOR<br>(60532) LED65<br>MANUFACTURE FROM:  | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00367         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00368       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(8 1/4 IN. REQUIRED FOR<br>EACH LEAD)  | CDEF                        | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                          |             |
| M O<br>00369       |                                   | LEAD, ELECTRICAL: HEATER<br>CONTACTOR TO MOTOR CONTACTOR<br>(60532) LED61<br>MANUFACTURE FROM:   | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00370         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00371       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(6 1/4 IN. REQUIRED)   | CDEF                        | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                          |             |
| M O<br>00372       |                                   | LEAD, ELECTRICAL: HEATER<br>CONTACTOR TO TERMINAL BOARD<br>(60532) LED57<br>MANUFACTURE FROM:  | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00373         | 5940-050-6207                     | TERMINAL, LUG  | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                      |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                      |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| P O<br>00374       | 6145-313-9429                     | WIRE, ELECTRICAL<br><br>(12 IN. REQUIRED)  | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00375       |                                   | LEAD, ELECTRICAL: HEATER No. 1<br>TO HEATER No. 6<br>(60532) LED62<br>MANUFACTURE FROM:        | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00376         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00377       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(14 5/8 IN. REQUIRED)  | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00378       |                                   | LEAD, ELECTRICAL: HEATER No. 2<br>TO HEATER No. 5<br>(60532) LED67<br>MANUFACTURE FROM:        | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00379         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00380       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(8 5/8 IN. REQUIRED)   | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00381       |                                   | LEAD, ELECTRICAL: HEATER No. 3<br>TO HEATER No. 4<br>(60532) LED69<br>MANUFACTURE FROM:        | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00382         | 5940-050-6386                     | TERMINAL, LUG<br>(60532) 40977   | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00383       | 6145-660-8933                     | WIRE, ELECTRICAL<br><br>(3 5/8 IN. REQUIRED)   | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00384       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO CIRCUIT BREAKER<br>(60532) LED60<br>MANUFACTURE FROM:  | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00385         | 5940-316-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00386       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(7 1/4 IN. REQUIRED)   | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00387       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO HEATER CONTACTOR<br>(60532) LED58<br>MANUFACTURE FROM: | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00388         | 5940-705-6702                     | TERMINAL, LUG<br>(78553) 19040016  | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00389       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(5 1/4 IN. REQUIRED)   | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00390       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO HEATER CONTACTOR<br>(60532) LED59<br>MANUFACTURE FROM: | CDEF                 | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00391         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016  | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00392       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 1/4 IN. REQUIRED)   | CDEF                 | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE  | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                           |                                 | (a)                                 | (b)          | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50        | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| M O<br>00393       |                                   | LEAD, ELECTRICAL: TERMINAL<br>BOARD, No. 1 TO HEATER<br>CONTACTOR<br>(60532) LED56<br>MANUFACTURE FROM: | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| O<br>00394         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| O<br>00395         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| P O<br>00396       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF                      | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| M O<br>00397       |                                   | LEAD, ELECTRICAL: TERMINAL<br>BOARD TO HEATER CONTACTOR<br>(60532) LED65<br>MANUFACTURE FROM:           | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| O<br>00398         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| O<br>00399         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| P O<br>00399A      | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF                      | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| F<br>00400         |                                   | NUT, SELF-LOCKING, HEXAGON:<br>PLATE TO CASING MTO<br>(96906) MS21045-08                                | ABCDEF                    | EA                              | 4                                   |              |        |                                     |       |        |  | 6                        | 7           |
| F<br>00401         | 5310-889-2549                     | NUT, SELF-LOCKING, HEXAGON:<br>TEMPERATURE CONTROL MTO<br>(96906) MS21045-08                            | CDEF                      | EA                              | 4                                   | SEE GRP 5244 |        |                                     |       |        |  |                          |             |
| F<br>00402         | 5310-275-6813                     | NUT, SHEET SPRING: COVER TO<br>BOX<br>(78553) C13853-1420   | ABCDEF                    | EA                              | 4                                   |              |        |                                     |       |        |  | 6                        | 11          |
| F<br>00403         | 5310-071-0241                     | NUT, SWAGED: PLATE TO BOX MTO<br>(56878) SN1032-4   | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 42          |
| X20<br>00404       |                                   | PANEL ASSEMBLY: CONTROL BOX<br>(60532) PNL1534  | CDEF                      | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| M O<br>00405       |                                   | GASKET: PANEL BOTTOM<br>(60532) GKT528<br>MANUFACTURE FROM:   | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 7                        | 36          |
| P O<br>00406       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 13 IN.<br>REQUIRED FOR EACH<br>GASKET)                        | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| M O<br>00407       |                                   | GASKET: PANEL SIDE<br>(60532) GKT529<br>MANUFACTURE FROM:   | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 7                        | 32          |
| P O<br>00408       | 5330-505-6609                     | RUBBER, SHEET, CELLULAR<br><br>(3/8 IN. X 5 1/2 IN.<br>REQUIRED FOR EACH<br>GASKET)                     | AB                        | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| X1<br>00409        |                                   | PANEL, CONTROL BOX: FRONT<br>(60532) COV306   | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 35          |
| O<br>00410         | 5305-959-5237                     | SCREW, PANEL FASTENER: PANEL<br>TO BOX MTO<br>(94222) 12-11-203-12                                      | ABCDEF                    | EA                              | 4                                   |              |        |                                     |       |        |  | 7                        | 34          |
| O<br>00411         | 5310-836-9538                     | WASHER, PANEL FASTENER: PANEL<br>SCREW RETAINING<br>(94222) 12-110104-11                                | ABCDEF                    | EA                              | 4                                   |              |        |                                     |       |        |  | 7                        | 41          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE<br><br>REF NUMBER & MFR CODE   | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |          | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|-------|----------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                           |                                 | (a)                                 | (b)   | (c)      | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50 | 51-100   | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X1<br>00412        |                                   | PANEL, CONTROL BOX: BOTTOM AND<br>SIDE<br>(60532) PNL1573   | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| X1<br>00413        |                                   | PANEL, CONTROL BOX: TOP AND<br>BACK<br>(60532) PNL1574  | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| X2F<br>00414       |                                   | PLATE, MOUNTING: CONTROL PANEL<br>(60532) PLT242  | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  | 6                        | 6           |
| X20<br>00415       |                                   | PLATE, IDENTIFICATION: TEMPERATURE<br>(60532) PLT152  | ABCDEF                    | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| X2F<br>00416       | 4130-983-2335                     | RETAINING, RING ASSEMBLY:<br>RECEPTACLE MTO<br>(78553) C6974-22-41  | ABCDEF                    | EA                              | 1                                   | SEE   | GRP 4018 |                                     |       |        |  |                          |             |
| X2F<br>00417       | 5320-582-3304                     | RIVET, BLIND: PANEL TO PANEL<br>MOUNTING.<br>(96906) MS20600AD4W2   | CDEF                      | EA                              | 20                                  |       |          |                                     |       |        |  |                          |             |
| O<br>00418         | 5320-582-3304                     | RIVET, BLIND: TEMPERATURE PLATE<br>MOUNTING<br>(96906) MS20600ADW2  | CDEF                      | EA                              | 6                                   | SEE   | GRP 2210 |                                     |       |        |  |                          |             |
| F<br>00419         | 5305-984-6193                     | SCREW, MACHINE: PLATE TO CABING<br>MOUNTING<br>(96906) MS35206-245  | ABCDEF                    | EA                              | 4                                   |       |          |                                     |       |        |  | 6                        | 3           |
| F<br>00420         | 5305-984-6193                     | SCREW, MACHINE: TEMPERATURE<br>CONTROL MTO<br>(96906) MS35206-245   | CDEF                      | EA                              | 4                                   | SEE   | GRP 5244 |                                     |       |        |  |                          |             |
| F<br>00421         | 5305-984-7814                     | SCREW, MACHINE: TUBE CLAMP MTO<br>(96906) MS35207-291   | CDEF                      | EA                              | 1                                   | SEE   | GRP 5244 |                                     |       |        |  |                          |             |
| F<br>00422         | 5305-053-1114                     | SCREW, TAPPING, THREAD FORMING:<br>RECEPTACLE MTO<br>(96906) MS24621-11   | CDEF                      | EA                              | 4                                   | SEE   | GRP 4018 |                                     |       |        |  |                          |             |
| P F<br>00423       | 5930-907-8948                     | SWITCH, ROTARY: HIGH-LOW HEAT<br>(15605) 8912K216   |                           | EA                              | 1                                   | SEE   | GRP 4012 |                                     |       |        |  |                          |             |
| P F<br>00424       | 4130-302-1818                     | THERMOSTAT, TEMPERATURE CONTROL<br>(92578) 229XC  |                           | EA                              | 1                                   | SEE   | GRP 5244 |                                     |       |        |  |                          |             |
| M O<br>00426       |                                   | WIRE, ELECTRICAL: TERMINAL<br>BOARD, No. 1 TO HEATER<br>CONTACTOR<br>(60532) LED54<br>MANUFACTURE FROM:   | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| O<br>00427         | 5940-705-6701                     | TERMINAL, LUG<br>(60532) 19040015   | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| O<br>00428         | 5940-705-6702                     | TERMINAL, LUG<br>(60532) 19040016   | CDEF                      | EA                              | 1                                   |       |          |                                     |       |        |  |                          |             |
| P O<br>00429       | 6145-316-9072                     | WIRE, ELECTRICAL<br><br>(4 IN. REQUIRED)  | CDEF                      | FT                              |                                     | SEE   | GRP 9501 |                                     |       |        |  |                          |             |
| X2F<br>00430       |                                   | BOX, JUNCTION<br>(60532) BOX47<br>(COMPONENT SAME AS BOX, JUNCTION,<br>STOCK No. (60532) BOX81, EXCEPT<br>WHERE INDIVIDUAL COMPONENTS<br>ARE SYMBOLIZED)            | A                         | EA                              | 1                                   |       |          |                                     |       |        |  | 7                        | 11          |
| X2F<br>00431       |                                   | BOX, JUNCTION<br>(60532) BOX75<br>(COMPONENTS SAME AS BOX,<br>JUNCTION, STOCK No. (60532)<br>BOX81, EXCEPT WHERE INDIVIDUAL<br>COMPONENTS ARE ANNOTATED)            | B                         | EA                              | 1                                   |       |          |                                     |       |        |  | 7                        | 11          |
| X2F<br>00432       |                                   | BOX, JUNCTION: 60 CYCLE<br>(60532) BOX88<br>(COMPONENTS SAME AS BOX,<br>JUNCTION, STOCK No. (60532)<br>BOX81, EXCEPT WHERE INDIVIDUAL<br>COMPONENTS ARE SYMBOLIZED) | F                         | EA                              | 1                                   |       |          |                                     |       |        |  | 7                        | 11          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE  | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |   |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|---|
|                    |                                   |   |                           |                                 | (a)                                 | (b)          | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |   |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50        | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |   |
| X2F<br>00433       |                                   | BOX, JUNCTION: 400 CYCLE<br>(60532) BOX80<br>(COMPONENTS SAME AS BOX,<br>JUNCTION, PART No. (60532)<br>BOX81, EXCEPT AS INDIVIDUALLY<br>SYMBOLIZED) | DE                        | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 11          |   |
| X20<br>00434       | 5935-577-8589                     | CAP, DUST: POWER SUPPLY<br>RECEPTACLE<br>(96906) MS25043-226  | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 16                       | 14          |   |
| F<br>00435         | 5340-726-9317                     | CLAMP, LOOP: HEATER WIRING HARNESS<br>MOUNTING<br>(96906) MS21919DG9  |                           | EA                              | 3                                   |              |        |                                     |       |        |  | 3                        | 18          |   |
| F<br>00436         | 5340-205-6301                     | CLAMP, LOOP: HOT GAS BY-PASS<br>WIRING HARNESS MTG<br>(96906) MS21919DG4  | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 3                        | 21          |   |
| X2F<br>00437       | 5935-899-6873                     | CONNECTOR, PLUG, ELECTRICAL:<br>CONTROL BOX TO HEATER<br>CONNECTION ASSEMBLY, 8 CONTACTS<br>(96906) MS3102A22-23S                                   | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 9           |   |
| P F<br>00438       | 5935-721-0490                     | CONNECTOR, RECEPTACLE<br>(96906) MS3102R22-14P  | C                         | EA                              | 1                                   | *            | *      | 2                                   | *     | *      | 2  | 10                       | 6           | 2 |
| X2F<br>00439       |                                   | CONNECTOR, RECEPTACLE, ELECTRICAL:<br>CONTROL BOX TO HEATER<br>(96906) MS3102R22-23S  | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 3                        | 17          |   |
| M F<br>00440       | 5935-726-0686                     | CONNECTOR, RECEPTACLE: HOT GAS<br>BY-PASS VALVE<br>(96906) MS3106R16S4S<br>MANUFACTURE FROM:  | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 9                        | 7           |   |
| F<br>00441         | 5935-805-4991                     | CONNECTOR, PLUG, ELECTRICAL:<br>2 CONTACTS<br>(96906) MS3106R14S7S  | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |   |
| F<br>00442         |                                   | GRIP, CABLE<br>(60532) GRP23  | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |   |
| P F<br>00443       | 6145-170-6869                     | WIRE, ELECTRICAL<br><br>(8 FT REQUIRED)   | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |   |
| X2F<br>00444       | 5935-814-4115                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: CONTROL BOX TO<br>SOLENOID VALVE CONNECTOR<br>ASSEMBLIES<br>(96906) MS3102R16S4S                              | ABCDEF                    | EA                              | 3                                   |              |        |                                     |       |        |  | 7                        | 8           |   |
| X2F<br>00445       | 5935-755-3688                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: CONTROL BOX TO<br>THERMOSTAT CONNECTOR<br>(96906) MS3102R14S7S  | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 7           |   |
| M F<br>00446       | 5935-814-4115                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: RH AND LH SOLENOID<br>VALVE<br>(96906) MS3102R16S4S<br>MANUFACTURE FROM:                                      | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 10                       | 2           |   |
| F<br>00447         | 5935-819-5887                     | CONNECTOR, PLUG, ELECTRICAL:<br>2 CONTACTS<br>(96906) MS3106R16S4P  | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  |                          |             |   |
| F<br>00448         |                                   | GRIP, CABLE<br>(60532) GRP21  | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  |                          |             |   |
| P F<br>00449       | 6145-170-6869                     | WIRE, ELECTRICAL<br><br>(5 FT REQUIRED FOR EACH<br>CONNECTOR RECEPTACLE)  | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |   |
| X2F<br>00450       | 5935-814-4115                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: CONTROL BOX TO<br>TEMPERATURE CONTROL<br>(96906) MS3102R16S4S   | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 2           |   |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE<br><br>REF NUMBER & MFR CODE                                 | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |    |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|----|
|                    |                                   |   |                           |                                 | (a)                                 | (b)          | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |    |
|                    |                                   |   |                           |                                 | 1-20                                | 21-50        | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |    |
| X20<br>00451       |                                   | CONNECTOR, WIRE: COMPRESSOR<br>HEATER THERMOSTAT LEAD TO<br>HEATER LEAD<br>(04594) BY10561                  | ABC                       | EA                              | 1                                   |              |        |                                     |       |        |  | 12                       | 9           |    |
| X2F<br>00452       | 5340-577-8589                     | COVER, ELECTRICAL CONNECTOR<br>(96906) MS25043-22C  | C                         | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |    |
| 00453              |                                   | 4010 - MASTER OR AUXILIARY<br>CONTROL ASSEMBLY  |                           |                                 |                                     |              |        |                                     |       |        |  |                          |             |    |
| P F<br>00454       | 6110-991-8258                     | CONTACTOR, MAGNETIC: COMPRESSOR<br>AND BLOWER MOTOR, 187/207V<br>DC COIL<br>(15605) 9565ED3                 |                           | EA                              | 2                                   | 2            | 2      | 5                                   | 2     | 2      | 5  | 58                       | 7           | 31 |
| P F<br>00455       | 4130-981-6619                     | CONTROL PANEL ASSEMBLY:<br>TEMPERATURE CONTROL RANGE<br>(60532) PNL1122                                     | AB                        | EA                              | 1                                   | *            | *      | 2                                   | *     | *      | 2  | 10                       |             |    |
| X2F<br>00456       |                                   | CASE, CONTROL: CONTROL PANEL<br>(60532) CAS54   | AB                        | EA                              | 1                                   |              |        |                                     |       |        |  | 6                        | 12          |    |
| X2F<br>00457       |                                   | PLATE, MOUNTING: CONTROL PANEL<br>(60532) PLT156  | AB                        | EA                              | 1                                   |              |        |                                     |       |        |  | 6                        | 6           |    |
| X2F<br>00458       |                                   | COVER: CONTROL BOX, CIRCUIT<br>BREAKER HOLE<br>(60532) COV264   | B                         | EA                              | 1                                   |              |        |                                     |       |        |  | 13                       | 4           |    |
| M F<br>00459       |                                   | GASKET: CIRCUIT BREAKER HOLE<br>COVER<br>(60532) GKT427<br>MANUFACTURE FROM:                                | B                         | EA                              | 1                                   |              |        |                                     |       |        |  | 13                       | 2           |    |
| P F<br>00460       | 5330-505-6611                     | RUBBER, SHEET, SOLID<br><br>(2 IN. x 2 5/8 IN.<br>REQUIRED)   | B                         | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |    |
| P F<br>00461       | 4130-961-8322                     | GASKET: CONTROL PANEL TO CONTROL<br>BOX HTG<br>(60532) GKT374   | ABCDEF                    | EA                              | 1                                   | *            | *      | 2                                   | *     | *      | 2  | 10                       | 6           | 13 |
| X20<br>00462       |                                   | GUARD, MOISTURE: CIRCUIT BREAKER<br>(60532) COV328  | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 16                       | 4           |    |
| X2F<br>00463       |                                   | GUARD, MOISTURE: CONTROL BOX,<br>CIRCUIT BREAKER<br>(60532) GRD66   | AB                        | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 19          |    |
| M O<br>00464       |                                   | LEAD, ELECTRICAL: CIRCUIT<br>BREAKER TO FUSE BLOCK<br>(60532) LED64<br>MANUFACTURE FROM:                    | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 16                       | 5           |    |
| O<br>00465         | 5940-504-5871                     | TERMINAL, LUG   | DEF                       | EA                              | 2                                   |              |        |                                     |       |        |  |                          |             |    |
| P O<br>00466       | 6145-238-3407                     | WIRE, ELECTRICAL<br><br>(5 IN. REQUIRED)  | DEF                       | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |    |
| M F<br>00467       |                                   | LEAD ASSEMBLY, ELECTRICAL:<br>COMPRESSOR CONTACTOR TO<br>CIRCUIT BREAKER, BLACK STRIPE<br>MANUFACTURE FROM: | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 7                        | 28          |    |
| F<br>00468         | 5940-173-8459                     | TERMINAL, LUG   | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  |                          |             |    |
| P F<br>00469       | 6145-548-2705                     | WIRE, ELECTRICAL<br><br>(9 IN. REQUIRED)  | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |    |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| M F<br>00470       |                                   | LEAD ASSEMBLY, ELECTRICAL:<br>COMPRESSOR CONTACTOR TO CIRCUIT<br>BREAKER, RED STRIPE<br>MANUFACTURE FROM:         | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 27          |
| F<br>00471         | 5940-173-8459                     | TERMINAL, LUG   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P F<br>00472       | 6145-243-0579                     | WIRE, ELECTRICAL<br><br>(9 IN. REQUIRED)  | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00473       |                                   | LEAD, ELECTRICAL: CONTROL BOX<br>GROUND TO FRAME GROUND<br>(60532) LED66<br>MANUFACTURE FROM:                     | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                       | 5           |
| O<br>00474         | 5940-504-5874                     | TERMINAL, LUG   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00475       | 6145-160-4774                     | WIRE, ELECTRICAL<br><br>(24 IN. REQUIRED)   | DEF                         | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M O<br>00476       |                                   | LEAD, ELECTRICAL: EVAPORATOR<br>HEATER THERMOSTAT TO HEATERS,<br>RED STRIPE<br>(60532) LED68<br>MANUFACTURE FROM: | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 1           |
| O<br>00477         | 5940-617-2896                     | TERMINAL, LUG   | CDEF                        | EA                        | 3                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00478       | 6145-170-6869                     | WIRE, ELECTRICAL<br><br>(7 IN. REQUIRED FOR EACH<br>LEAD)   | CDEF                        | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| X2F<br>00479       |                                   | LEAD, ELECTRICAL: JUNCTION BOX<br>GROUND TO FRAME GROUND<br>(60532) LED66   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                       | 5           |
| M O<br>00480       |                                   | LEAD, ELECTRICAL: MOTOR<br>CONTACTOR TO FUSE BLOCK<br>(60532) LED63<br>MANUFACTURE FROM:                          | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  |                          |             |
| O<br>00481         | 5940-504-5874                     | TERMINAL, LUG   | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00482       | 6145-160-4774                     | WIRE, ELECTRICAL<br><br>(7 IN. REQUIRED FOR EACH<br>LEAD)   | DEF                         | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| F<br>00483         | 5310-722-5284                     | NUT, PLAIN, HEXAGON: RECEPTACLE<br>MOUNTING   | ABC                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 13          |
| F<br>00484         | 5310-050-3238                     | NUT, SELF-LOCKING, HEXAGON:<br>CIRCUIT BREAKER HOLE COVER MTG   | B                           | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 13                       | 5           |
| F<br>00485         | 5310-061-7326                     | NUT, SELF-LOCKING, HEXAGON:<br>CONTACTOR MTG<br>(96906) MS21045-3   |                             | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 7                        | 5           |
| F<br>00486         | 5310-811-3494                     | NUT, SELF-LOCKING, HEXAGON:<br>COVER TO CONTROL BOX MTG<br>(96906) MS20365-832A                                   | AB                          | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 7                        | 43          |
| F<br>00487         | 5310-061-7326                     | NUT, SELF-LOCKING, HEXAGON:<br>JUNCTION BOX GROUND LEAD MTG<br>(96906) MS21045-3                                  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                       | 10          |
| F<br>00488         | 5310-088-0551                     | NUT, SELF-LOCKING, HEXAGON:<br>RECEPTACLE TO CONTROL BOX MTG<br>(96906) MS20365-440A                              |                             | EA                        | 16                              |                                     |       |        |                                     |       |        |  | 7                        | 44          |
| X2F<br>00489       |                                   | RECEPTACLE ASSEMBLY: COMPRESSOR,<br>TOP<br>(04594) 1541-1   | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |

| (1)<br>SHR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (9)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (10)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|---------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                       | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.               | ITEM<br>NO. |
| F<br>00490         | 5935-754-5638                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: 7 CONTACTS<br>(96906) MS3102R20-15P                | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                        | 34          |
| P F<br>00491       | 5935-599-9126                     | GASKET: RECEPTACLE MTG<br>(77820) 10-36675-20  | ABC                         | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 12                        | 33          |
| X2F<br>00492       | 4130-983-2335                     | RETAINING RING ASSEMBLY: HEATER<br>CONNECTION RECEPTACLE MTG<br>(78553) C6974-22-41      | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                         | 35          |
| F<br>00493         | 5320-083-5009                     | RIVET, BLIND: CLAMP MTG<br>(61957) AD43BS  | ABCDEF                      | EA                        | 5                               |                                     |       |        |                                     |       |        |  | 3                         | 19          |
| O<br>00494         |                                   | SCREW, CAP, HEXAGON HEAD:<br>FRAME GROUND LEAD MTG<br>(60532) SCR265                     | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                        | 8           |
| F<br>00495         | 5305-043-6665                     | SCREW, MACHINE: CIRCUIT<br>BREAKER HOLE COVER MTG  | B                           | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 13                        | 3           |
| F<br>00496         | 5305-989-7434                     | SCREW, MACHINE: CONTACTOR MTG<br>(96906) MS35207-263                                     |                             | EA                        |                                 |                                     |       |        |                                     |       |        |  | 7                         | 29          |
| F<br>00497         | 5305-988-1725                     | SCREW, MACHINE: CONTROL BOX MTG<br>(88044) AN515-416-12                                  |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 7                         | 14          |
| F<br>00498         | 5305-984-6193                     | SCREW, MACHINE: COVER TO CONTROL<br>BOX  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 7                         | 18          |
| F<br>00499         | 5305-928-9867                     | SCREW, MACHINE: JUNCTION BOX<br>GROUND LEAD MTG<br>(96906) MS35207-210                   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                        | 12          |
| F<br>00500         | 5305-013-2636                     | SCREW, MACHINE: RECEPTACLE MTG   | ABC                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                        | 35          |
| F<br>00501         | 5305-013-2636                     | SCREW, MACHINE: RECEPTACLE TO<br>CONTROL BOX MTG<br>(88044) AN515-4-6                    | ABCDEF                      | EA                        | 16                              |                                     |       |        |                                     |       |        |  | 7                         | 6           |
| F<br>00502         | 5305-959-5237                     | SCREW, PANEL FASTENER: CONTROL<br>PANEL TO CONTROL BOX MTG<br>(94222) 12-110203-12       | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 6                         | 14          |
| F<br>00503         | 5305-053-1113                     | SCREW, TAPPING, THREAD FORMING:<br>HEATER CONNECTION RECEPTACLE MTG<br>(88044) AN530-4R8 | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 7                         | 10          |
| F<br>00504         | 5310-082-1404                     | WASHER, FLAT: CLAMP MTG<br>(96906) MS27183-6   | ABCDEF                      | EA                        | 3                               |                                     |       |        |                                     |       |        |  | 3                         | 20          |
| H<br>00505         | 5310-262-6510                     | WASHER, FLAT: COMPRESSOR<br>TERMINALS MTG  | ABC                         | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 12                        | 12          |
| F<br>00506         | 5310-809-4058                     | WASHER, FLAT: CONTROL BOX MTG  |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 7                         | 12          |
| O<br>00507         | 5310-809-4058                     | WASHER, FLAT: FRAME GROUND LEAD<br>MOUNTING<br>(96906) MS27183-10                        | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 16                        | 7           |
| F<br>00508         | 5310-802-8544                     | WASHER, FLAT: JUNCTION BOX<br>GROUND LEAD MTG<br>(96906) MS15795-709                     | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 16                        | 11          |
| F<br>00509         | 5310-012-0380                     | WASHER, LOCK: CONTROL BOX MTG  |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 7                         | 13          |
| O<br>00510         |                                   | WASHER, LOCK: FRAME GROUND LEAD<br>MOUNTING<br>(60532) WAS112                            | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                        | 6           |
| F<br>00511         | 5310-551-6308                     | WASHER, LOCK: JUNCTION BOX<br>GROUND LEAD MTG<br>(96906) MS35339-43                      | CD                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                        | 9           |
| X2F<br>00512       |                                   | WIRING HARNESS: COMPRESSOR TO<br>CONTROL BOX<br>(60532) WIR74                            | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                         | 38          |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2F<br>00513       |                                   | WIRING HARNESS: ELECTRIC MOTOR<br>TO CONTROL BOX<br>(60532) WIR77                                       | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 4           |
| X2F<br>00514       |                                   | WIRING HARNESS: MAIN POWER SUPPLY<br>TO CONTROL BOX<br>(60532) WIR75                                    | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 1           |
| 00515              |                                   | 4C111 - CIRCUIT BREAKERS  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2H<br>00516       |                                   | BUSHING, SLEEVE: ROD THRU CENTER<br>PARTITION<br>(60532) BUS39  | A                           | EA                        |                                 |                                     |       |        |                                     |       |        |  | 4                        | 32          |
| P F<br>00517       | 5925-856-8103                     | CIRCUIT BREAKER, COMPRESSOR:<br>CONTROL BOX, 208V, 26.7 AMPS,<br>400 CYCLE, CURVE 15<br>(60594) 1453-36 | AC                          | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 7                        | 46          |
| P F<br>00518       | 5925-957-2462                     | CIRCUIT BREAKER, COMPRESSOR:<br>CONTROL BOX<br>(74193) AM33HK711791MG6                                  | F                           | EA                        | 1                               | *                                   | 2     | 2      | *                                   | 2     | 2      | 15   | 7                        | 46          |
| P F<br>00519       | 5925-925-5126                     | CIRCUIT BREAKER, COMPRESSOR:<br>CONTROL BOX<br>(74193) AM33HK71-179-2MG6<br>(C.E20VAL4 ONLY)            | DE                          | EA                        | 1                               | *                                   | 2     | 2      | *                                   | 2     | 2      | 22   | 7                        | 46          |
| X2F<br>00520       |                                   | CONNECTION, ROD END: CIRCUIT<br>BREAKER<br>(60532) CON47  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 14                       | 5           |
| X2F<br>00521       |                                   | KNOB: ROD<br>(60532) KNB10  | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 33          |
| P F<br>00522       | 4130-789-6526                     | LINKAGE KIT, CIRCUIT BREAKER:<br>LINKAGE CIRCUIT BREAKER TO<br>CENTER PARTITION<br>(60532) KIT80        | A                           | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  |                          |             |
| X1<br>00523        |                                   | BUSHING, SLEEVE: UPPER ROD THRU<br>CENTER PARTITION<br>(60532) BUS39                                    | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 32          |
| X1<br>00524        |                                   | CLAMP, ROD: LOWER ROD TO CIRCUIT<br>BREAKER CONNECTING<br>(60532) CMP32                                 | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 25          |
| X1<br>00525        |                                   | COUPLING, LINKAGE: LOWER TO<br>UPPER ROD CONNECTING<br>(60532) CPL81                                    | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 22          |
| X1<br>00526        |                                   | KNOB: UPPER ROD<br>(60532) KNB10  | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 33          |
| F<br>00527         | 5310-274-8887                     | NUT, SELF-LOCKING, HEXAGON:<br>LOWER ROD TO CIRCUIT<br>BREAKER MTG<br>(96936) MS20365-632A              | A                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 4                        | 26          |
| X1<br>00528        |                                   | PLATE, INSTRUCTION: CENTER<br>PARTITION, COMPRESSOR CIRCUIT<br>BREAKER<br>(60532) PLT157                | A                           | EA                        | 1                               | SEE GRP 2210                        |       |        |                                     |       |        |  |                          |             |
| X1<br>00529        | 5320-899-0981                     | RIVET, BLIND: COMPRESSOR<br>CIRCUIT BREAKER PLATE MTG<br>(61937) AD42B5                                 | A                           | EA                        | 2                               | SEE GRP 2210                        |       |        |                                     |       |        |  |                          |             |
| X1<br>00530        |                                   | ROD, LINKAGE: LOWER, CIRCUIT<br>BREAKER<br>(60532) ROD65  | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 24          |
| X1<br>00531        |                                   | ROD, LINKAGE: UPPER<br>(60532) ROD83  | A                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 21          |
| X1<br>00532        |                                   | SETS CREW: COUPLING<br>(60532) SCR304   | A                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 4                        | 23          |

| (1)          | (2)                        | (3)  | (4)                | (5)                      | (6)                          | (7)   | (8)      | (9)                          |       |        |   |                   |             |    |
|--------------|----------------------------|--|--------------------|--------------------------|------------------------------|-------|----------|------------------------------|-------|--------|---|-------------------|-------------|----|
| SMR<br>CODE  | FEDERAL<br>STOCK<br>NUMBER | DESCRIPTION<br><br>USABLE<br>ON<br>CODE<br><br>REF NUMBER & MFR CODE       | UNIT<br>OF<br>MEAS | QTY<br>INC<br>IN<br>UNIT | 30-DAY DS MAINT<br>ALLOWANCE |       |          | 30-DAY GS MAINT<br>ALLOWANCE |       |        | 1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | ILLUS-<br>TRATION |             |    |
|              |                            |  |                    |                          | (a)                          | (b)   | (c)      | (a)                          | (b)   | (c)    |   | (a)               | (b)         |    |
|              |                            |  |                    |                          | 1-20                         | 21-50 | 51-100   | 1-20                         | 21-50 | 51-100 |   | FIG.<br>NO.       | ITEM<br>NO. |    |
| F<br>00533   | 5310-176-7410              | WASHER, FLAT: CIRCUIT<br>BREAKER TO CONTROL BOX MTG                        | AC                 | EA                       | 4                            |       |          |                              |       |        |   |                   | 7           | 15 |
| F<br>00534   | 5310-045-4007              | WASHER, LOCK: CIRCUIT BREAKER TO<br>CONTROL BOX MTG<br>(96906) MS35338-41  | AC                 | EA                       | 4                            |       |          |                              |       |        |   |                   | 7           | 16 |
| X2F<br>00535 |                            | ROD, THREADED END: CIRCUIT<br>BREAKER<br>(60532) ROD93                     | DEF                | EA                       | 1                            |       |          |                              |       |        |   |                   | 14          | 4  |
| F<br>00536   | 5305-206-0513              | SCREW, MACHINE: CIRCUIT BREAKER<br>TO CONTROL BOX MTG<br>(88044) AN515-6-5 | A                  | EA                       | 4                            |       |          |                              |       |        |   |                   | 7           | 17 |
| 00537        |                            | 4012 - SWITCHES  |                    |                          |                              |       |          |                              |       |        |   |                   |             |    |
| M F<br>00538 |                            | BRACKET, EVAPORATOR THERMOSTAT<br>(60532) SUP132<br>MANUFACTURE FROM:      | ABCDEF             | EA                       | 1                            |       |          |                              |       |        |   |                   | 8           | 28 |
| P F<br>00539 | 9535-232-1851              | ALUMINUM SHEET<br><br>(2 1/2 IN. x 2 1/2 IN.<br>REQUIRED)                  | ABCDEF             | SH                       |                              | SEE   | GRP 5501 |                              |       |        |   |                   |             |    |
| P F<br>00540 | 4130-858-3081              | CUTOUT, HIGH TEMPERATURE<br>(96214) MWA1256                                |                    | EA                       | 1                            | 2     | 2        | 2                            | 2     | 2      | 2   | 25                | 8           | 3  |
| X2F<br>00541 | 4130-961-8323              | GASKET: OUTDOOR SWITCH TO REAR<br>CASING<br>(60532) GKT375                 | ABCDEF             | EA                       | 1                            |       |          |                              |       |        |   |                   | 4           | 16 |
| X2F<br>00542 | 5355-926-5289              | KNOB: ROTARY SWITCH<br>(86797) RB175                                       |                    | EA                       | 1                            |       |          |                              |       |        |   |                   | 6           | 15 |
| X2F<br>00543 |                            | LEAD, ELECTRICAL: THERMOSTAT MTG<br>(60532) LED11                          | ABCDEF             | EA                       | 3                            |       |          |                              |       |        |   |                   | 8           | 1  |
| H<br>00544   | 5310-655-6933              | NUT, PLAIN, HEXAGON: HEATER<br>THERMOSTAT<br>(96906) MS21045-3             | ABC                | EA                       | 1                            |       |          |                              |       |        |   |                   | 12          | 11 |
| F<br>00545   | 5310-889-2549              | NUT, SELF-LOCKING, HEXAGON:<br>HEATER THERMOSTAT<br>(96906) MS21045-08     | ABCDEF             | EA                       | 2                            |       |          |                              |       |        |   |                   | 8           | 27 |
| H<br>00546   | 5320-582-3304              | RIVET, BLIND: BRACKET MTG<br>(96906) MS20600AD4W2                          | ABCDEF             | EA                       | 2                            |       |          |                              |       |        |   |                   | 8           | 29 |
| F<br>00547   | 5305-984-6194              | SCREW, MACHINE: HEATER<br>THERMOSTAT<br>(96906) MS35206-246                | ABCDEF             | EA                       | 2                            |       |          |                              |       |        |   |                   | 8           | 2  |
| F<br>00548   | 5305-984-6194              | SCREW, MACHINE: PRESSURE SWITCH<br>COVER MTG<br>(96906) MS35206-246        | E                  | EA                       | 4                            |       |          |                              |       |        |   |                   | 18          | 3  |
| F<br>00549   |                            | SCREW, MACHINE: SWITCH MTG<br>(88044) AN515-6-4                            | E                  | EA                       | 2                            |       |          |                              |       |        |   |                   | 18          | 7  |
| X2H<br>00550 |                            | SUPPORT: ELECTRICAL HEATER MTG<br>(60532) SUP121                           | AB                 | EA                       | 1                            |       |          |                              |       |        |   |                   | 8           | 26 |
| P F<br>00551 | 5930-275-7800              | SWITCH, HIGH PRESSURE CUTOUT<br>(60532) CNT197                             | E                  | EA                       | 1                            | *     | *        | 2                            | *     | *      | 2   | 10                | 18          | 25 |
| P F<br>00552 | 5930-907-8948              | SWITCH, ROTARY: HIGH-LOW HEAT<br>(15605) 8912K216                          |                    | EA                       | 1                            | *     | 2        | 2                            | *     | 2      | 2   | 15                | 6           | 8  |
| F<br>00553   | 5310-809-8544              | WASHER, FLAT: PRESSURE SWITCH<br>COVER MTG<br>(96906) MS27183              | E                  | EA                       | 4                            |       |          |                              |       |        |   |                   | 18          | 5  |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |               | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |              |               | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |                    |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|--|--------------------------|--------------------|
|                    |                                   |  |                      |                           |                                 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 | (a)<br>1-20                         | (b)<br>21-50 | (c)<br>51-100 |  | (a)<br>FIG.<br>NO.       | (b)<br>ITEM<br>NO. |
|                    |                                   |  |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| 00554              |                                   | 4018 - TERMINAL BLOCKS   |                      |                           |                                 |                                     |              |               |                                     |              |               |  |                          |                    |
| F<br>00555         | 5935-721-0496                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: CONTROL PANEL TO<br>CONTROL BOX CONNECTOR, 19<br>CONTACTS<br>(96906) MS3102R22-14P   | ABCDEF               | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 6                        | 2                  |
| H<br>00556         | 5935-801-6616                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: MOTOR, 3 CONTACTS<br>(96906) MS3102R1457P  | BEF                  | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 10                 |
| X1<br>00557        | 5935-801-6616                     | CONNECTOR, RECEPTACLE,<br>ELECTRICAL: MOTOR, 3 CONTACTS<br>(96906) MS3102R1457P<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000)   | ABCD                 | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 11                       | 10                 |
| F<br>00558         | 5310-061-7326                     | NUT, SELF-LOCKING, HEXAGON: REAR<br>TERMINAL BOARD MTG<br>(96906) MS21045-3  |                      | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 7                        | 5                  |
| F<br>00559         | 5310-274-8887                     | NUT, SELF-LOCKING, HEXAGON:<br>TERMINAL BLOCK MTG<br>(96906) MS20365-632A  |                      | EA                        | 2                               |                                     |              |               |                                     |              |               |  | 7                        | 3                  |
| F<br>00560         | 5310-050-3250                     | NUT, SELF-LOCKING, HEXAGON:<br>TERMINAL BLOCK TO CONTROL BOX<br>MOUNTING   | B                    | EA                        | 2                               |                                     |              |               |                                     |              |               |  | 13                       | 1                  |
| X2F<br>00561       | 4130-983-2335                     | RETAINING RING ASSEMBLY:<br>RECEPTACLE MTG<br>(78553) C6974-22-41  |                      | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 6                        | 4                  |
| F<br>00562         | 5305-928-9867                     | SCREW, MACHINE: REAR TERMINAL<br>BLOCK<br>(96906) MS35207-210  |                      | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 7                        | 48                 |
| F<br>00563         | 5305-068-0506                     | SCREW, MACHINE: TERMINAL BLOCK<br>MOUNTING<br>(96906) MS90726-6  | ABCDEF               | EA                        | 2                               |                                     |              |               |                                     |              |               |  | 7                        | 40                 |
| F<br>00564         | 5305-995-3444                     | SCREW, MACHINE: TERMINAL BLOCK<br>TO REAR CONTROL BOX MTG  | B                    | EA                        | 2                               |                                     |              |               |                                     |              |               |  | 13                       | 7                  |
| X1<br>00565        |                                   | SCREW, SELF-LOCKING: CONNECTOR<br>TO STATOR HOUSING MTG, CADMIUM<br>OR ZINC PLATED, No. 4-40 THD<br>SIZE, 3/8 IN. LG<br>(03038) LL500-4-5<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000) | ABCD                 | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 11                       | 9                  |
| H<br>00566         |                                   | SCREW, SELF-LOCKING: CONNECTOR<br>TO STATOR HOUSING COVER MTG,<br>CADMIUM OR ZINC PLATED, No.<br>4-40 THD SIZE, 3/8 IN LG<br>(03038) LL500-4-5   | BEF                  | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 11                       | 9                  |
| F<br>00567         | 5305-053-1114                     | SCREW, TAPPING, THREAD FORMING:<br>RECEPTACLE MTG<br>(96906) MS24621-11  |                      | EA                        | 4                               |                                     |              |               |                                     |              |               |  | 6                        | 1                  |
| X2F<br>00568       |                                   | TERMINAL BLOCK: CONTACTOR LEADS,<br>2 TERMINAL<br>(60532) BLK27<br>(753)   | B                    | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 13                       | 6                  |
| X2F<br>00569       | 5940-275-7801                     | TERMINAL BLOCK: CONTROL BOX REAR,<br>16 TERMINALS<br>(71785) 355-31-08-001<br>(TS1)  | ABCDEF               | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 7                        | 45                 |
| X2F<br>00570       |                                   | TERMINAL BOARD<br>(75382) 699-7  | CDEF                 | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 7                        | 37                 |
| X2F<br>00571       |                                   | TERMINAL BOARD: CONTROL BOX,<br>LN SIDE, 6 TERMINALS<br>(75382) 699-6<br>(TS2)   | AB                   | EA                        | 1                               |                                     |              |               |                                     |              |               |  | 7                        | 37                 |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X1<br>00572        | 5940-275-7082                     | TERMINAL, LUG: CONNECTOR<br>(78189) 2522-04-00-2041<br>(COMPONENT OF PARTS KIT, STOCK<br>No. 4130-961-8326, SEE GROUP<br>4000) | ABCD                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 11                       | 17          |
| 00573              |                                   | GROUP 42 - ELECTRICAL EQUIPMENT  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| 00574              |                                   | 4203 - FUSE  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00575       | 5920-939-5442                     | FUSE, CARTRIDGE<br>(71400) KAW5  | DEF                         | EA                        | 2                               | 4                                   | 8     | 17     | 4                                   | 8     | 17     | 200  | 16                       | 19          |
| X20<br>00576       | 5920-142-7448                     | FUSEHOLDER<br>(71400) 4525   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                       | 20          |
| X20<br>00577       |                                   | INSULATOR PLATE: FUSE BOARD<br>(60532) INS79   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 16                       | 21          |
| O<br>00578         | 5310-889-2544                     | NUT, SELF-LOCKING: FUSE BOARD<br>MOUNTING<br>(96906) MS21045-06  | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 16                       | 3           |
| O<br>00579         |                                   | SCREW, MACHINE: FUSE BOARD MTG<br>(96906) MS24693-28   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 16                       | 18          |
| 00580              |                                   | 4213 - RECTIFIER   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00581       | 9535-231-8419                     | BACKET: RECTIFIER AND SURGE<br>SUPPRESSOR MTG  | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 7                        | 21          |
| F<br>00582         | 5310-274-8887                     | NUT, SELF-LOCKING, HEXAGON:<br>RECTIFIER MTG<br>(96906) MS20365-632A   | ABC                         | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 7                        | 3           |
| P F<br>00583       | 6130-878-5589                     | RECTIFIER: CONTROL BOX<br>(79500) 508C516090   | ABC                         | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 7                        | 20          |
| P F<br>00584       | 5961-913-1749                     | SEMICONDUCTOR DEVICE: CONTROL BOX<br>(58849) ERF21581  | DEF                         | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 16                       | 17          |
| F<br>00585         | 5305-043-6665                     | SCREW, MACHINE: RECTIFIER MTG<br>(88044) AN515-6-8   | ABC                         | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 7                        | 23          |
| F<br>00586         | 5310-082-1404                     | WASHER, FLAT: RECTIFIER MTG<br>(96906) MS15795-206   | ABC                         | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 7                        | 22          |
| 00587              |                                   | GROUP 47 - GAGES   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| 00588              |                                   | 4702 - GAGES   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2H<br>00589       |                                   | BACKET: INDICATOR TO CASING MTG<br>(60532) SRP24   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 45          |
| X2H<br>00590       |                                   | GASKET: INDICATOR MTG<br>(60532) GKT479  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 2           |
| P H<br>00591       | 4130-073-8404                     | INDICATOR, SIGHT, LIQUID<br>(78462) SAK13  | CDEF                        | EA                        | 1                               |                                     |       |        | *                                   | 2     | 2      | 20   | 9                        | 4           |
| X2H<br>00592       | 5310-889-2549                     | NUT, SELF-LOCKING, HEXAGON:<br>INDICATOR BRACKET MTG<br>(96906) MS21045-08   |                             | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 44          |
| H<br>00593         | 5305-984-6194                     | SCREW, MACHINE: INDICATOR<br>BRACKET MTG<br>(96906) MS36206-246  |                             | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 6           |
| P H<br>00594       | 4130-302-1417                     | SIGHT GLASS ASSEMBLY<br>(58553) 890STX2  | AB                          | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 9                        | 4           |
| X2H<br>00595       |                                   | SPACER: INDICATOR MTG<br>(60532) SPC17   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 1           |
| H<br>00596         | 5310-809-8544                     | WASHER, FLAT: INDICATOR BRACKET MTG<br>(96906) MS27183-7   |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 9                        | 5           |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| 00597              |                                   | GROUP 52 - REFRIGERATION AND AIR<br>CONDITIONING COMPONENTS  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| 00598              |                                   | 5200 - GAS COMPRESSOR ASSEMBLY   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| P H<br>00599       | 4130-856-8102                     | COMPRESSOR ASSEMBLY: 208v, 400<br>CYCLE, 3 PHASE<br>(04594) 1-2101                                     | AC                          | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 12                       | 30          |
| X2H<br>00600       |                                   | COVER ASSEMBLY, COMPRESSOR TOP<br>(04594) 1550-114   | AC                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 15          |
| X2H<br>00601       |                                   | GROMMET, RUBBER: COMPRESSOR TOP<br>(09278) 3030A   | AC                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 10          |
| H<br>00602         | 4730-011-3175                     | PLUG, PIPE: OIL LEVEL COMPRESSOR<br>(04594) 253-62   | AC                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 21          |
| H<br>00603         | 5305-044-7222                     | SCREW, TAPPING, THREAD CUTTING:<br>COVER MTG<br>(04594) BY11149  | AC                          | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 12                       | 14          |
| X2H<br>00604       |                                   | WASHER, NONMETALLIC: COVER MTG,<br>FIBER, 1/32 IN. ID, 7/16 IN.<br>OD, 3/32 IN. THK<br>(04594) 247-537 | AC                          | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 12                       | 16          |
| P H<br>00605       | 4130-955-5337                     | COMPRESSOR ASSEMBLY: 208v, 50/60<br>CYCLE, 3 PHASE<br>(04594) MYH700TA3-2159                           | B                           | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 12                       | 30          |
| X2H<br>00606       |                                   | COVER ASSEMBLY: COMPRESSOR TOP<br>(04594) 1550-114   | B                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 15          |
| X2H<br>00607       |                                   | GROMMET, RUBBER: COMPRESSOR<br>TOP<br>(04594) 248-5  | B                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 10          |
| H<br>00608         | 4730-011-3175                     | PLUG, PIPE: OIL LEVEL COMPRESSOR   | B                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 21          |
| H<br>00609         | 5305-044-1222                     | SCREW, TAPPING, THREAD CUTTING:<br>COVER MTG   | B                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 12                       | 14          |
| X2H<br>00610       |                                   | WASHER, NONMETALLIC: COVER MTG,<br>FIBER, 7/32 IN. ID, 7/16 IN.<br>OD, 3/32 IN. THK<br>(04594) 247-537 | B                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 12                       | 16          |
| P H<br>00611       | 4130-925-6627                     | COMPRESSOR ASSEMBLY: 208v, 50/60<br>CYCLE, 3 PHASE<br>(01479) WHP622H18-208-3                          | F                           | EA                        | 1                               |                                     |       |        | *                                   | *     | *      | 5  | 17                       | 9           |
| X2H<br>00612       |                                   | CLAMP: DESUPERHEATER MTG<br>(01479) 474873   | F                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 2           |
| X2H<br>00613       |                                   | COVER ASSEMBLY: COMPRESSOR TOP<br>(01479) 474882   | F                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 5           |
| X2H<br>00614       |                                   | DESUPERHEATER: COMPRESSOR<br>(01479) 474870  | F                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 7           |
| H<br>00615         |                                   | NUT, SELF-LOCKING, HEXAGON:<br>CLAMP AND SUPPORT MTG<br>(01479) 52LH3324-82                            | F                           | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 17                       | 4           |
| X2H<br>00616       |                                   | SCREW ASSEMBLY: CLAMP MTG<br>(01479) 487965  | F                           | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 1           |
| X2H<br>00617       |                                   | SCREW ASSEMBLY: SUPPORT MTG<br>(01479) 488096  | F                           | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 17                       | 10          |
| H<br>00618         |                                   | SCREW, TAPPING, THREAD CUTTING<br>(01479) 487249   | F                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 6           |
| X2H<br>00619       |                                   | SUPPORT: DESUPERHEATER<br>(01479) 474872   | F                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 3           |
| P H<br>00620       | 4130-914-9407                     | COMPRESSOR ASSEMBLY: 208v, 400<br>CYCLE, 3 PHASE<br>(01479) WPH422H18-208-3<br>(CE20VAL4 ONLY)         | DEF                         | EA                        | 1                               |                                     |       |        | *                                   | 2     | 2      | 22   | 17                       | 9           |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                      |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                      |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2H<br>00621       |                                   | CLAMP: DESUPERHEATER MTG<br>(01479) 474873  | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 2           |
| X2H<br>00622       |                                   | COVER ASSEMBLY: COMPRESSOR TOP<br>(01479) 474882  | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 5           |
| X2H<br>00623       |                                   | DESUPERHEATER: COMPRESSOR<br>(01479) 474870   | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 7           |
| X2H<br>00624       |                                   | SCREW ASSEMBLY: CLAMP MTG<br>(01479) 487965   | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 1           |
| H<br>00625         |                                   | NUT, SELF-LOCKING, HEXAGON:<br>CLAMP AND SUPPORT MTG<br>(01479) 52LH3324-82                           | DEF                  | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 17                       | 4           |
| X2H<br>00626       |                                   | SCREW ASSEMBLY: SUPPORT MTG<br>(01479) 488096   | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 10          |
| H<br>00627         |                                   | SCREW, TAPPING, THREAD CUTTING:<br>COVER MTG<br>(01479) 487249  | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 17                       | 6           |
| X2H<br>00628       |                                   | SUPPORT: DESUPERHEATER<br>(01479) 474872  | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 3           |
| X2H<br>00629       |                                   | MOUNT, RESILIENT: COMPRESSOR TO<br>BASE<br>(60532) MNT53  | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  |                          |             |
| H<br>00630         | 5306-225-8504                     | BOLT, MACHINE: RESILIENT MOUNT<br>(08288) MSS5306-6   | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 28          |
| X2H<br>00631       |                                   | BUSHING, ALUMINUM: COMPRESSOR<br>SIDE<br>(60532) BUS42  | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 24          |
| H<br>00632         | 5310-207-9053                     | NUT, SELF-LOCKING, HEXAGON:<br>COMPRESSOR MTG<br>(72962) 42NE058                                      | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 22          |
| H<br>00633         |                                   | WASHER, FLAT: ALUMINUM, 5/16<br>IN. ID, 1 1/2 IN. OD, 1/8<br>IN. THK<br>(60532) WAS126                | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 26          |
| H<br>00634         |                                   | WASHER, FLAT: ALUMINUM, 5/16<br>IN. ID, 1 3/4 IN. OD, 1/8<br>IN. THK<br>(60532) WAS125                | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 23          |
| X2H<br>00635       |                                   | WASHER, RUBBER: BASE SIDE<br>(60532) WAS127   | ABCDEF               | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 12                       | 25          |
| X2H<br>00636       |                                   | PLATE, IDENTIFICATION: COMPRESSOR<br>(01479) 474865<br>(CE20VAL6 ONLY)                                | F                    | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| H<br>00637         |                                   | WASHER, FLAT: COMPRESSOR<br>(04594) 239-340   | ABCDEF               | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 27          |
| 00638              |                                   | 5217 - REFRIGERANT PIPING   |                      |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| F<br>00639         | 4730-266-0532                     | ADAPTER, STRAIGHT: CHARGING<br>VALVE, DISCHARGE SIDE<br>(41947) A330                                  | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 12                       | 18          |
| X2F<br>00640       |                                   | ANGLE, BRACKET: DISCHARGE TUBE<br>CLAMP<br>(60532) BRK215<br>(BENDIX-WESTINGHOUSE COMPRESSOR<br>ONLY) | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 18          |
| F<br>00641         | 4730-275-6527                     | BUSHING, FLUSH: HIGH PRESSURE<br>CUTOUT   | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 13          |
| F<br>00642         | 4730-275-6527                     | BUSHING, REDUCER: PRESSURE<br>REGULATOR<br>(41947) WC417A7812   | CDEF                 | EA                        | 3                               |                                     |       |        |                                     |       |        |  | 19                       | 7           |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2F<br>00643       |                                   | CLAMP: SOLENOID VALVE TO<br>SUPPORT AND BASE MTG<br>(60532) CMP56   | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 10                       | 5           |
| X2F<br>00644       |                                   | CLAMP, DEHYDRATOR<br>(66295) C36H   | DEF                         | EA                        |                                 |                                     |       |        |                                     |       |        |  | 17                       | 11          |
| X2F<br>00645       | 5340-286-9441                     | CLAMP, INSULATED<br>(96906) MS2919H4  |                             | EA                        | 3                               |                                     |       |        |                                     |       |        |  |                          |             |
| F<br>00646         | 5340-598-0597                     | CLAMP, LOOP: DISCHARGE LINE<br>(96906) MS21919DG8   | DEF                         | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 19                       | 17          |
| F<br>00647         | 5340-543-4394                     | CLAMP, LOOP: EXPANSION VALVE<br>AND EVAPORATOR LINE<br>(96906) MS21919DG6   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                       | 22          |
| F<br>00648         | 5340-205-6301                     | CLAMP, LOOP: HIGH PRESSURE<br>CUTOUT LINE<br>(96906) MS21919DG4   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 11          |
| X2F<br>00649       | 5340-057-3102                     | STRAP, RETAINING: SOLENOID VALVE<br>(60532) CMP55   | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                       | 22          |
| F<br>00650         | 5340-726-9321                     | CLAMP, LOOP: PRESSURE REGULATOR<br>MOUNTING<br>(96906) MS21919DG20  | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 5           |
| X2F<br>00651       |                                   | CLAMP, CAPILLARY: SUCTION LINE<br>(60532) CMP55   | BCDEF                       | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 25          |
| F<br>00652         | 5340-598-0597                     | CLAMP, LOOP: SIGHT GLASS TO<br>SOLENOID VALVE<br>(96906) MS21919DG8   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 22          |
| F<br>00653         | 5340-543-4394                     | CLAMP, STRAP: TUBE HOLDING<br>(96906) MS21919DG8  | BCDEF                       | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 9                        | 22          |
| X2F<br>00654       |                                   | COUPLING: RH SOLENOID VALVE,<br>COPPER, 3/8 X 1/4 IN. SWEAT<br>JOINT<br>(60532) CPL73                                 | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 10                       | 8           |
| X2F<br>00655       |                                   | COUPLING, HALF UNION: HIGH<br>PRESSURE CUTOUT TUBE<br>(41947) WC400W1009  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                       | 26          |
| F<br>00656         |                                   | COUPLING, TUBE: CHARGING VALVE,<br>SUCTION SIDE, BRASS, SWEAT<br>JOINT, 1/4 IN. NPT<br>(60532) CPL79                  | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 31          |
| F<br>0657          | 4730-264-9154                     | COUPLING, TUBE: DISCHARGE SIDE,<br>CHARGING VALVE TEE TUBE, COPPER,<br>1/2 IN. X 1/2 IN. SWEAT JOINT<br>(60532) CPL75 | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 37          |
| X2F<br>00658       |                                   | CROSS, TUBE: HOT GAS BY-PASS,<br>SOLENOID TO CONDENSER LINE<br>(41947) FTG5   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 9           |
| F<br>00659         |                                   | ELBOW, TUBE: EVAPORATOR TO TEE,<br>90 DEGREE, 3/4 IN. X 3/4 IN.,<br>SWEAT JOINT, COPPER<br>(60532) ELL94              | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 8                        | 19          |
| F<br>00660         | 4730-254-6452                     | ELBOW, TUBE: SIGHT GLASS TO<br>EXPANSION VALVE TUBE<br>(41947) W2009  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 3           |
| F<br>00661         |                                   | ELBOW, TUBE: SUCTION LINE,<br>BOTTOM, 90 DEGREE, 3/4 X 3/4,<br>SWEAT JOINT, COPPER<br>(60532) ELL94                   | C                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 2           |
| F<br>00662         |                                   | FITTING, REDUCER: EXPANSION<br>VALVE, COPPER 3/8 IN. X 1/4<br>IN., SWEAT JOINT<br>(41947) WC403W1306                  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 19          |

| SWR<br>CODE  | FEDERAL<br>STOCK<br>NUMBER | DESCRIPTION<br><br>REF NUMBER & MFR CODE  | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------|----------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|              |                            |   |                      |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|              |                            |   |                      |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X2F<br>00663 |                            | FLANGE: EVAPORATOR FLANGE TO<br>SUCTION LINE<br>(60532) FLG71                                     | ABCDEF               | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 15          |
| M H<br>00664 |                            | INSULATION, TUBING: SUCTION LINE<br><br>MANUFACTURE FROM:   | ABCDEF               | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 17          |
| P H<br>00665 | 5330-505-6610              | RUBBER, SHEET, CELLULAR<br><br>(5 IN. X 7 FT REQUIRED)  | ABCDEF               | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| F<br>00666   | 5310-061-7326              | NUT, SELF-LOCKING, HEXAGON:<br>CLAMP MTG<br>(96906) MS21045-3                                     |                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 26          |
| F<br>00667   | 5310-208-1919              | NUT, SELF-LOCKING, HEXAGON:<br>DISCHARGE TUBE CLAMP MTG<br>(72962) 42NE040                        | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 19          |
| F<br>00668   | 5310-061-7326              | NUT, SELF-LOCKING, HEXAGON: HOT<br>GAS BY-PASS VALVE CLAMP MTG<br>(96906) MS21045-3               | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                       | 21          |
| P H<br>00669 | 4130-961-8321              | PACKING, PREFORMED: EVAPORATOR<br>TUBE FLANGE<br>(60532) RNG146                                   | ABCDEF               | EA                        | 1                               |                                     |       |        | *                                   | 2     | 2      | 20   | 8                        | 16          |
| M F<br>00670 |                            | PIPE, EXTENSION: BY-PASS VALVE,<br>3/8 IN. PIPE<br>MANUFACTURE FROM:                              | DF                   | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                       | 20          |
| P F<br>00671 | 4710-277-5527              | TUBE, COPPER<br><br>(2 15/16 IN. LG REQUIRED<br>FOR EACH PIPE)                                    | DF                   | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| H<br>00672   |                            | PLUG, PIPE: COMPRESSOR TOP<br>(41947) WCH16AH22   | ABC                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 32          |
| F<br>00673   | 5320-582-3305              | RIVET, BLIND: SUPPORT TO BASE MTG<br>(96906) MS20600AD4W3   | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 2                        | 2           |
| H<br>00674   | 5305-978-9385              | SCREW, CAP, SOCKET HEAD: FLANGE<br>MOUNTING<br>(96906) MS16997-62                                 |                      | EA                        | 3                               |                                     |       |        |                                     |       |        |  | 8                        | 13          |
| F<br>00675   | 5305-995-3441              | SCREW, MACHINE: CAPILLARY TUBE<br>AND HOT GAS BY-PASS TUBE CLAMP<br>(96906) MS35207-269           | DEF                  | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                       | 23          |
| F<br>00676   | 5305-984-6194              | SCREW, MACHINE: CLAMP MTG<br>(96906) MS35206-246  | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 23          |
| F<br>00677   | 5305-984-6194              | SCREW, MACHINE: CLAMP MTG<br>(96906) MS35206-246  |                      | EA                        | 16                              |                                     |       |        |                                     |       |        |  | 10                       | 3           |
| F<br>00678   | 5305-151-2769              | SCREW, MACHINE: DISCHARGE TUBE<br>CLAMP<br>(88044) AN520-10-12                                    | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 15          |
| F<br>00679   | 5305-989-7435              | SCREW, MACHINE: HOT GAS BY-PASS<br>SOLENOID VALVE MTG<br>(96906) MS35207-264                      |                      | EA                        | 5                               |                                     |       |        |                                     |       |        |  | 9                        | 48          |
| F<br>00680   | 5305-995-3441              | SCREW, MACHINE: PRESSURE<br>REGULATOR CLAMP<br>(96906) MS35207-269                                | DEF                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 1           |
| X2F<br>00681 |                            | SPACER: CAPILLARY TUBE, DISCHARGE<br>TUBE, DISCHARGE LINE AND<br>EXPANSION VALVE<br>(60532) SPC20 | DEF                  | EA                        | 5                               |                                     |       |        |                                     |       |        |  | 18                       | 12          |
| X2F<br>00682 |                            | SPACER: PRESSURE REGULATOR MTG<br>(60532) SPC33   | CDEF                 | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 19                       | 4           |
| P F<br>00683 | 4130-922-7033              | STRAINER: SUCTION LINE<br>(01422) 201060  | DEF                  | EA                        | 1                               | *                                   | 2     | 2      | *                                   | 2     | 2      | 10   | 17                       | 12          |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (9)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (10)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|---------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                       | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.               | ITEM<br>NO. |
| X2H<br>00684       |                                   | SUPPORT ASSEMBLY, CHANNEL:<br>SOLENOID VALVE MTG<br>(60532) SUP118  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 2                         | 33          |
| X2F<br>00685       |                                   | TEE, BENT: SUCTION LINE, TOP,<br>COPPER, 3/4 IN. X 1/2 IN. X<br>3/4 IN., SWEAT JOINT<br>(60532) TUB184        | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                         | 21          |
| F<br>00686         | 4730-278-8908                     | TEE, PIPE TO TUBE: DEHYDRATOR,<br>BOTTOM<br>(41947) WT602W4229  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 28          |
| H<br>00687         |                                   | TEE, TUBE: CHARGING VALVE<br>DISCHARGE SIDE, 1/2 IN. ID,<br>SWEAT JOINT, COPPER<br>(60532) TEE34              | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                        | 17          |
| F<br>00688         | 4730-203-4918                     | TEE, TUBE: DEHYDRATOR, TOP<br>(41947) WT600W4000  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 9           |
| X2F<br>00689       |                                   | TEE, TUBE: DISCHARGE LINE TO HIGH<br>PRESSURE CUTOFF SWITCH AND<br>HIGH PRESSURE CUTOFF<br>(41947) WT600W4015 | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                        | 19          |
| H<br>00690         | 4730-345-1106                     | TEE, TUBE: HOT GAS BY-PASS<br>SOLENOID VALVE LINE TO<br>CONDENSER LINE<br>(41947) WT600W4001                  | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 35          |
| X2F<br>00691       |                                   | TEE, TUBE: SUCTION LINE CENTER<br>(41947) WT600W4018  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 31          |
| X2F<br>00692       |                                   | TEE, TUBE: SUCTION LINE TO<br>EXPANSION VALVE<br>(41947) WT600W40350  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 24          |
| X2F<br>00693       |                                   | TEE, TUBE: SUCTION LINE TO<br>PRESSURE REGULATOR<br>(41947) WT600W4015  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 26          |
| M F<br>00694       |                                   | TUBE, BENT: DEHYDRATOR TO LH<br>SOLENOID VALVE<br>(60532) TUB72<br>MANUFACTURE FROM:                          | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 8           |
| P F<br>00695       | 4710-424-2693                     | TUBE, COPPER<br><br>(25 3/8 IN. REQUIRED)   | ABCDEF                      | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                           |             |
| X2F<br>00696       |                                   | TUBE, BENT: DISCHARGE,<br>COMPRESSOR TO CHARGING VALVE<br>(60532) TUB207<br>(WHIRLPOOL COMPRESSOR ONLY)       | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 16          |
| X2F<br>00697       |                                   | TUBE, BENT: DISCHARGE LINE, CROSS<br>TO HIGH PRESSURE CUTOFF TEE<br>(60532) TUB199                            | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                        | 18          |
| X2F<br>00698       |                                   | TUBE, BENT: DISCHARGE LINE TO<br>CHARGING VALVE<br>(60532) TUB201   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 30          |
| X2F<br>00699       |                                   | TUBE, BENT: EVAPORATOR TO TEE<br>(60532) TUB196   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 29          |
| M H<br>00700       |                                   | TUBE, BENT: EXPANSION VALVE TO<br>SIGHT GLASS<br>(60532) TUB202<br>MANUFACTURE FROM:                          | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 2           |
| P H<br>00701       | 4710-424-2693                     | TUBE, COPPER<br><br>(11 3/4 IN. REQUIRED)   | CDEF                        | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                           |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| M H<br>00702       |                                   | TUBE, BENT: EXPANSION VALVE TO<br>SUCTION TUBE<br>(60532) TUB202<br>MANUFACTURE FROM:                      | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 20          |
| P H<br>00703       | 4730-424-2692                     | TUBE, COPPER<br><br>(15 1/2 IN. REQUIRED)  | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| X2F<br>00704       |                                   | TUBE, BENT: EXPANSION VALVE TO<br>SUCTION LINE<br>(60532) TUB208   | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 27          |
| M F<br>00705       |                                   | TUBE, BENT: HOT GAS BY-PASS<br>SOLENOID VALVE TO CONDENSER<br>LINE<br>(60532) TUB198<br>MANUFACTURE FROM:  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 47          |
| P F<br>00706       | 4710-424-2694                     | TUBE, COPPER<br><br>(8 5/16 IN. REQUIRED)  | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| X2F<br>00707       |                                   | TUBE, BENT: PRESSURE REGULATOR<br>VALVE INLET<br>(60532) TUB210  | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 8           |
| X2F<br>00708       |                                   | TUBE, BENT: SUCTION, COMPRESSOR<br>TO CHARGING VALVE<br>(60532) TUB206<br>(WHIRLPOOL COMPRESSOR ONLY)      | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 17                       | 8           |
| X2F<br>00709       |                                   | TUBE, BENT: SUCTION LINE TO HOT<br>GAS BY-PASS VALVE<br>(60532) TUB182                                     | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 23          |
| M H<br>00710       |                                   | TUBE, COPPER: 1 TON EXPANSION<br>VALVE<br>(60532) TUB119<br>MANUFACTURE FROM:                              | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 6           |
| H<br>00711         | 4730-289-0583                     | NUT, TUBE COUPLING: 1/4 IN.<br>OD, TUBE, 7/16-20 THD SIZE<br>(30327) 641F5                                 | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| P H<br>00712       | 4710-424-2692                     | TUBE, COPPER<br><br>(31 11/16 IN. REQUIRED)  | ABC                         | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00713       |                                   | TUBE, COPPER: CHARGING VALVE<br>TEE, DISCHARGE SIDE<br>(60532) TUB82<br>MANUFACTURE FROM:                  | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 38          |
| P H<br>00714       | 4710-424-2694                     | TUBE, COPPER<br><br>(11 3/8 IN. REQUIRED)  | AB                          | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00715       |                                   | TUBE, COPPER: COMPRESSOR TO<br>CHARGING VALVE, SUCTION SIDE<br>(60532) TUB81<br>MANUFACTURE FROM:          | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 1           |
| P H<br>00716       | 4130-467-5156                     | TUBING, COPPER<br><br>(27 7/8 IN. REQUIRED)  | AB                          | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00717       |                                   | TUBE, COPPER: COMPRESSOR<br>TO CHARGING VALVE TEE,<br>DISCHARGE SIDE<br>(60532) TUB83<br>MANUFACTURE FROM: | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 20          |
| P H<br>00718       | 4710-424-2694                     | TUBE, COPPER<br><br>(6 3/4 IN. REQUIRED)   | ABC                         | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | 30-DAY DS MAINT<br>ALLOWANCE |       |        | 30-DAY GS MAINT<br>ALLOWANCE |       |        | 1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|------------------------------|-------|--------|------------------------------|-------|--------|---|-------------------|-------------|
|                    |                                   |   |                      |                           |                                 | (a)                          | (b)   | (c)    | (a)                          | (b)   | (c)    |   | (a)               | (b)         |
|                    |                                   |   |                      |                           |                                 | 1-20                         | 21-50 | 51-100 | 1-20                         | 21-50 | 51-100 |   | FIG.<br>NO.       | ITEM<br>NO. |
| M H<br>00719       | 4130-467-5156                     | TUBE, COPPER: COMPRESSOR SUCTION<br>(60532) TUB67<br>MANUFACTURE FROM:  | ABC                  | EA                        | 1                               |                              |       |        |                              |       |        |   | 8                 | 23          |
| P H<br>00720       |                                   | TUBING, COPPER<br>(6 FT REQUIRED)   | ABC                  | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00722       | 4710-4. 2694                      | TUBE, COPPER: CONDENSER LINE,<br>TOP SECTION<br>(60532) TUB71<br>MANUFACTURE FROM:  | AB                   | EA                        | 1                               |                              |       |        |                              |       |        |   | 9                 | 34          |
| P H<br>00723       |                                   | TUBE, COPPER<br>(21 15/16 IN. REQUIRED)   | AB                   | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00724       | 4710-424-2693                     | TUBE, COPPER: CONDENSER TO<br>DEHYDRATOR, BOTTOM<br>(60532) TUB74<br>MANUFACTURE FROM:                                    | ABCDEF               | EA                        | 1                               |                              |       |        |                              |       |        |   | 9                 | 29          |
| P H<br>00725       |                                   | TUBE, COPPER<br>(13 IN. REQUIRED)   | ABCDEF               | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M F<br>00726       | 4710-424-2693                     | TUBE, COPPER: DEHYDRATOR TO RH<br>SOLENOID VALVE<br>(60532) TUB63<br>MANUFACTURE FROM:                                    | ABCDEF               | EA                        | 1                               |                              |       |        |                              |       |        |   | 9                 | 10          |
| P F<br>00727       |                                   | TUBE, COPPER<br>(16 7/8 IN. REQUIRED)   | ABCDEF               | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M F<br>00728       | 4710-424-2693                     | TUBE, COPPER: DEHYDRATOR TOP AND<br>BOTTOM<br>(60532) T18182<br>MANUFACTURE FROM:   | ABCDEF               | EA                        | 2                               |                              |       |        |                              |       |        |   | 9                 | 11          |
| P F<br>00729       |                                   | TUBE, COPPER<br>(1 3/16 IN. REQUIRED FOR<br>EACH TUBE)  | ABCDEF               | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00730       | 4710-424-2694                     | TUBE, COPPER: DISCHARGE LINE,<br>CHARGING VALVE TEE TO HOT GAS<br>BY-PASS VALVE TEE<br>(60532) TUB70<br>MANUFACTURE FROM: | AB                   | EA                        | 1                               |                              |       |        |                              |       |        |   | 9                 | 36          |
| P H<br>00731       |                                   | TUBE, COPPER<br>(22 11/16 IN. REQUIRED)   | AB                   | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00732       | 4130-467-5156                     | TUBE, COPPER: EVAPORATOR FLANGE<br>TO ELBOW<br>MANUFACTURE FROM:  | ABC                  | EA                        | 1                               |                              |       |        |                              |       |        |   | 8                 | 18          |
| P H<br>00733       |                                   | TUBE, COPPER<br>(7 IN. REQUIRED)  | ABC                  | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00734       | 4710-424-2693                     | TUBE, COPPER: EXPANSION VALVE<br>TO SIGHT GLASS<br>(60532) TUB69<br>MANUFACTURE FROM:                                     | AB                   | EA                        | 1                               |                              |       |        |                              |       |        |   | 8                 | 31          |
| P H<br>00735       |                                   | TUBE, COPPER<br>(7 IN. REQUIRED)  | AB                   | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |
| M H<br>00736       | 4710-424-2694                     | TUBE, COPPER: EXPANSION VALVE TO<br>SUCTION LINE<br>(60532) TUB59<br>MANUFACTURE FROM:                                    | ABCDEF               | EA                        | 1                               |                              |       |        |                              |       |        |   | 8                 | 4           |
| P H<br>00737       |                                   | TUBE, COPPER<br>(18 3/16 IN. REQUIRED)  | ABCDEF               | FT                        |                                 | SEE GRP 9501                 |       |        |                              |       |        |   |                   |             |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF. NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| F<br>00738         |                                   | TUBE, COPPER: 1 TON EXPANSION<br>VALVE<br>(60532) TUB209  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 28          |
| M H<br>00739       |                                   | TUBE, COPPER: SIGHT GLASS TO<br>SOLENOID VALVE<br>MANUFACTURE FROM:                                 | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 46          |
| P H<br>00740       | 4710-424-2693                     | TUBE, COPPER<br><br>(3 FT 8 1/2 IN. REQUIRED)   | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00741       |                                   | TUBE, COPPER: SOLENOID VALVE TO<br>EXPANSION VALVE, CAPILLARY<br>(60532) TUB66<br>MANUFACTURE FROM: | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 21          |
| P H<br>00742       | 4710-424-2692                     | TUBE, COPPER<br><br>(4 FT 10 1/2 IN. REQUIRED)  | ABCDEF                      | EA                        | 1                               | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| F<br>00743         |                                   | TUBE, COPPER: SUCTION LINE<br>(60532) TUB181  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                       | 25          |
| M F<br>00744       |                                   | TUBE, COPPER: SUCTION LINE,<br>CENTER<br>(60532) TUB197<br>MANUFACTURE FROM:                        | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 22          |
| F<br>00745         | 4130-467-5156                     | TUBING, COPPER<br><br>(13 IN. REQUIRED)   | ABCDEF                      | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00746       |                                   | TUBE, COPPER: TEE TO EVAPORATOR<br>(60532) TUB60<br>MANUFACTURE FROM:                               | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 20          |
| P H<br>00747       | 4130-467-5156                     | TUBING, COPPER<br><br>(8 3/4 IN. REQUIRED)  | ABC                         | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| M H<br>00748       |                                   | TUBE, COPPER: TOP CONDENSER LINE<br>(60532) TUB62<br>MANUFACTURE FROM:                              | AB                          | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 39          |
| P H<br>00749       | 4710-424-2694                     | TUBE, COPPER<br><br>(10 1/2 IN. REQUIRED)   | AB                          | FT                        |                                 | SEE                                 | GRP   | 9501   |                                     |       |        |  |                          |             |
| P F<br>00750       | 4120-909-3717                     | VALVE: PRESSURE REGULATOR<br>(97403) 13211E3800   |                             | EA                        | 2                               | *                                   | *     | 2      | *                                   | *     | 2      | 12   | 19                       | 6           |
| P F<br>00751       | 4130-302-1412                     | VALVE, CHARGING<br>(41947) A15073   | ABC                         | EA                        | 2                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 12                       | 19          |
| P F<br>00752       | 4820-940-8105                     | VALVE, DIAPHRAGM, STOP: CHARGING,<br>SUCTION AND DISCHARGE<br>(58553) 5939X4                        | DEF                         | EA                        | 2                               | 2                                   | 2     | 2      | 2                                   | 2     | 2      | 29   | 12                       | 19          |
| P H<br>00753       | 4130-911-2249                     | VALVE, EXPANSION: 1/2 TON, TOP<br>BY-PASS<br>(70255) TLX200HW100                                    | CDEF                        | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 9                        | 16          |
| P H<br>00754       | 4130-988-0637                     | VALVE, EXPANSION, THERMAL: BY-PASS<br>(70255) TCL50H  | AB                          | EA                        | 1                               |                                     |       |        | *                                   | 2     | 2      | 22   | 9                        | 16          |
| P F<br>00755       | 4130-073-8405                     | VALVE, PRESSURE RELIEF<br>(97403) 13211E8369  |                             | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 12   | 18                       | 17          |
| P F<br>00756       | 4130-327-5095                     | VALVE, SOLENOID: BOTTOM, LH,<br>NORMALLY OPEN, 3/8 IN. OD<br>(97403) 13211E8311                     |                             | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 10                       | 1           |
| P F<br>00757       | 5950-858-3261                     | COIL, SOLENOID VALVE: 10W,<br>187V, DC  |                             | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 10                       | 9           |
| P F<br>00758       | 4130-911-2250                     | VALVE, SOLENOID: BOTTOM, RH,<br>NORMALLY OPEN<br>(60532) VAL573                                     | CDEF                        | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 10                       | 6           |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE   | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (7)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (8)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (9)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (10)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|---|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|---------------------------|-------------|
|                    |                                   |   |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                       | (b)         |
|                    |                                   |   |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.               | ITEM<br>NO. |
| P F<br>00759       | 5950-677-0567                     | COIL, SOLENOID VALVE: 10W,<br>187V, DC<br>(93781) 3MP23   | CDEF                        | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 10                        | 7           |
| P F<br>00760       | 4130-911-2250                     | VALVE, SOLENOID: HOT GAS BY-PASS,<br>1/2 IN. OD<br>(93781) 132  | ABCDEF                      | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 9                         | 50          |
| P F<br>00761       | 5950-677-0567                     | COIL SOLENOID VALVE<br>(60532) 3MP23  | ABCDEF                      | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 9                         | 51          |
| F<br>00762         | 5310-809-8546                     | WASHER, FLAT: CAPILLARY TUBE<br>CLAMP MTG<br>(96906) MS27183-8  | DEF                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 18                        | 10          |
| F<br>00763         | 5310-809-8546                     | WASHER, FLAT: CLAMP MTG, No. 10<br>SCREW SIZE<br>(96906) MS27183-8  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                         | 24          |
| F<br>00764         | 5310-809-8546                     | WASHER, FLAT: HOT GAS BY-PASS<br>VALVE MTG<br>(96906) MS27183-8   |                             | EA                        | 12                              |                                     |       |        |                                     |       |        |  | 9                         | 49          |
| F<br>00765         | 5310-809-8546                     | WASHER, FLAT: HOT GAS BY-PASS<br>VALVE CLAMP MTG<br>(96906) MS27183-8                                       | DEF                         | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 18                        | 24          |
| F<br>00766         | 5310-809-8546                     | WASHER, FLAT: PRESSURE<br>REGULATOR MTG<br>(96906) MS27183-8  | BCDEF                       | EA                        | 11                              |                                     |       |        |                                     |       |        |  | 19                        | 3           |
| F<br>00767         | 5310-010-0496                     | WASHER, LOCK: CLAMP MTG   | ABCDEF                      | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 10                        | 4           |
| F<br>00768         | 5310-013-1098                     | WASHER, LOCK: FLANGE MTG<br>(96906) MS35339-25  |                             | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 8                         | 14          |
| F<br>00769         | 5310-551-6308                     | WASHER, LOCK: PRESSURE<br>REGULATOR MTG<br>(96906) MS35339-43   | BCDEF                       | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 19                        | 2           |
| F<br>00770         | 5310-551-6308                     | WASHER, LOCK: PRESSURE SWITCH<br>TUBE HOT GAS BY-PASS AND<br>CAPILLARY TUBE CLAMP MTG<br>(96906) MS35339-43 | DEF                         | EA                        | 7                               |                                     |       |        |                                     |       |        |  | 18                        | 9           |
| 00771              |                                   | 5230 - CONDENSER  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                           |             |
| P H<br>00772       | 4130-858-3083                     | COIL CONDENSER<br>(60532) COL161  | AB                          | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 9                         | 40          |
| H<br>00773         | 4130-867-1097                     | CONDENSER ASSEMBLY<br>(60532) COL465  | CDEF                        | EA                        | 1                               |                                     |       |        | *                                   | *     | 2      | 10   | 9                         | 40          |
| H<br>00774         | 5310-550-4611                     | NUT, SELF-LOCKING, PLATE:<br>CONDENSER MTG  | ABCDEF                      | EA                        | 16                              |                                     |       |        |                                     |       |        |  | 9                         | 43          |
| H<br>00775         | 5320-117-6939                     | RIVET, SOLID: ANCHOR NUT MTG<br>(96906) MS20426AD3-5  | ABCDEF                      | EA                        | 32                              |                                     |       |        |                                     |       |        |  | 9                         | 42          |
| H<br>00776         | 5305-989-7434                     | SCREW, MACHINE: CONDENSER<br>ASSEMBLY MTG<br>(96906) MS35207-263  |                             | EA                        | 24                              |                                     |       |        |                                     |       |        |  | 9                         | 41          |
| 00777              |                                   | 5235 - HYDRATING EQUIPMENT  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                           |             |
| X2F<br>00778       |                                   | BRACKET: DEHYDRATOR MTG<br>(60532) BRK220   | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 13          |
| P F<br>00779       | 4130-302-1427                     | DEHYDRATOR<br>(78462) C0835   |                             | EA                        | 1                               | 2                                   | 2     | 2      | 2                                   | 2     | 2      | 25   | 9                         | 12          |
| F<br>00780         | 5310-188-7969                     | NUT, BLIND RIVET: BRACKET MTG<br>(96906) MS27130-14K  | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 33          |
| F<br>00781         | 5305-639-8115                     | SCREW, CAP, HEXAGON HEAD:<br>DEHYDRATOR BRACKET MTG<br>(96906) MS35297-6                                    | CDEF                        | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                         | 30          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| F<br>00782         | 5310-809-4058                     | WASHER, FLAT: DEHYDRATOR MTG<br>(96906) MS27183-10   | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 32          |
| H<br>00783         |                                   | WASHER, FLAT: ALUMINUM, 5/16 IN.<br>ID, 1 3/4 IN. OD, 1/8 IN. THK<br>(60532) WAS125                | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 12                       | 33          |
| F<br>00784         | 5310-013-1098                     | WASHER, LOCK: DEHYDRATOR MTG<br>(96906) MS35339-25   | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 31          |
| X2H<br>00785       |                                   | WASHER, RUBBER: BASE SIDE<br>(60532) WAS127  | ABCDEF                      | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 12                       | 25          |
| 00786              |                                   | 5241 - EVAPORATOR  |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2H<br>00787       |                                   | BLOCKOFF: 1 TON EXPANSION VALVE<br>(60532) B025  |                             | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 8                        | 32          |
| X2H<br>00788       |                                   | BRACKET, ANGLE: EXPANSION VALVE<br>MTG, 1/2 TON<br>(60532) BRK217                                  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 15          |
| F<br>00789         | 4730-542-3019                     | CLAMP, HOSE: BOTTOM DRAIN TUBES<br>(96906) MS35842-1   | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 3                        | 6           |
| F<br>00790         | 4730-542-3019                     | CLAMP, HOSE: BOTTOM DRAIN TUBES<br>(96906) MS35842-1   | CDEF                        | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 2                        | 15          |
| H<br>00791         | 5340-702-1424                     | CLIP, SPRING, TENSION: BOTTOM<br>DRAIN TUBES<br>(78553) C22146-017                                 | ABCDEF                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 3                        | 8           |
| H<br>00792         | 5340-702-1424                     | CLIP, SPRING, TENSION:<br>EVAPORATOR DRAIN TUBE<br>(78553) C22146-017                              | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 19                       | 11          |
| X2F<br>00793       | 4730-264-9151                     | COUPLING, TUBE<br>(96906) MS35927-2  |                             | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| F<br>00794         | 4730-264-9153                     | COUPLING, TUBE: TOP SIGHT GLASS<br>TUBE<br>(41947) WC400W1009                                      | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 9                        | 1           |
| P O<br>00795       | 4130-940-7868                     | ELIMINATOR, MIST: EVAPORATOR COIL<br>(97403) 13211E8248  |                             | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 6  | 8                        | 8           |
| P F<br>00796       | 4130-858-3082                     | EVAPORATOR ASSEMBLY<br>(60532) COL160  | AB                          | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 7  | 8                        | 7           |
| P F<br>00797       | 4130-867-1096                     | EVAPORATOR ASSEMBLY<br>(60532) COL464  | CDEF                        | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 8                        | 7           |
| M F<br>00798       |                                   | HOSE, RUBBER: BOTTOM DRAIN TUBES<br>(60532) HSE45<br>MANUFACTURE FROM:                             | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 2                        | 14          |
| P F<br>00799       | 4720-540-1778                     | HOSE, RUBBER<br><br>(1 1/2 IN. REQUIRED FOR<br>EACH HOSE)  | ABCDEF                      | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                          |             |
| M F<br>00800       |                                   | HOSE, RUBBER: BOTTOM DRAIN TUBES<br>(60532) HSE45<br>MANUFACTURE FROM:                             | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 3                        | 7           |
| P F<br>00801       | 4720-540-1778                     | HOSE, RUBBER<br><br>(1 1/2 IN. REQUIRED)   | ABCDEF                      | FT                        |                                 | SEE GRP 9501                        |       |        |                                     |       |        |  |                          |             |
| H<br>00802         | 5310-013-1245                     | NUT, SELF-LOCKING, HEXAGON:<br>BRACKET MTG   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 14          |
| F<br>00803         | 5310-550-4611                     | NUT, SELF-LOCKING, PLATE:<br>EVAPORATOR MTG  | ABCDEF                      | EA                        | 8                               |                                     |       |        |                                     |       |        |  | 8                        | 12          |
| F<br>00804         |                                   | NUT, SELF-LOCKING, PLATE:<br>EVAPORATOR MTG, TOP, No. 10-32<br>THD SIZE, 1 LUG<br>(96906) NAS1032P | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 8                        | 9           |


| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>USABLE<br>ON<br>CODE                         | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |              |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                           |                                 | (a)                                 | (b)          | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                           |                                 | 1-20                                | 21-50        | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| X20<br>00805       |                                   | PAD ASSEMBLY, MIST ELIMINATOR<br>(60532) PAD30                         | A                         | EA                              | 1                                   |              |        |                                     |       |        |  |                          |             |
| H<br>00806         | 5320-582-3304                     | RIVET, BLIND: BLOCKOFF MTG<br>(96906) MS20600AD4W2                     | CDEF                      | EA                              | 2                                   |              |        |                                     |       |        |  | 8                        | 29          |
| H<br>00807         | 5305-582-3275                     | RIVET, BLIND: BRACKET MTG<br>(96906) MS20601AD4W5                      | DEF                       | EA                              | 8                                   |              |        |                                     |       |        |  | 18                       | 14          |
| F<br>00808         | 5320-660-1292                     | RIVET, SOLID: PLATE NUT MTG<br>(96906) MS20426AD3-4                    | ABCDEF                    | EA                              | 20                                  |              |        |                                     |       |        |  | 8                        | 11          |
| H<br>00809         | 5320-083-5009                     | RIVET, POP: TUBE CLIP MTG<br>(61957) AD43BS                            | ABCDEF                    | EA                              | 8                                   |              |        |                                     |       |        |  | 3                        | 9           |
| H<br>00810         | 5305-068-0501                     | SCREW, CAP, HEXAGON HEAD:<br>BRACKET MTG                               | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 9                        | 18          |
| F<br>00811         | 5305-043-6750                     | SCREW, MACHINE: EVAPORATOR MTG   | ABCDEF                    | EA                              | 10                                  |              |        |                                     |       |        |  | 8                        | 10          |
| X2H<br>00812       |                                   | TUBE ASSEMBLY, DRAIN: LH BOTTOM<br>(60532) TUB191                      | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 10          |
| X2H<br>00813       |                                   | BEARING, BALL: DRAIN TUBE<br>(60532) BAL25                             | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 12          |
| H<br>00814         | 5315-058-3832                     | PIN, COTTER: DRAIN TUBE<br>(96906) MS24665-155                         | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 14          |
| X2H<br>00815       |                                   | SPRING, HELICAL: DRAIN TUBE<br>(60532) SPG55                           | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 13          |
| X2H<br>00816       |                                   | TUBE ASSEMBLY, DRAIN: RH BOTTOM<br>(60532) TUB190                      | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 10          |
| X2H<br>00817       |                                   | BEARING, BALL: DRAIN TUBE<br>(60532) BAL25                             | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 12          |
| H<br>00818         | 5315-234-1856                     | PIN, COTTER: DRAIN TUBE<br>(96906) MS24665-155                         | DEF                       | EA                              | 1                                   |              |        |                                     |       |        |  | 19                       | 14          |
| M H<br>00819       |                                   | TUBE, DRAIN: FRONT, LH CENTER<br>(60532) TUB75<br>MANUFACTURE FROM:    | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 2                        | 16          |
| P H<br>00820       | 4710-142-2999                     | TUBE, ALUMINUM<br><br>(18 1/16 IN. REQUIRED)                           | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| X2H<br>00821       |                                   | TUBE, DRAIN: LH, BOTTOM<br>(60532) TUB55                               | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 2                        | 19          |
| M H<br>00822       |                                   | TUBE, DRAIN: REAR, LH CENTER<br>(60532) TUB53<br>MANUFACTURE FROM:     | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 2                        | 17          |
| P H<br>00823       | 4710-142-2999                     | TUBE, ALUMINUM<br><br>(20 1/4 IN. REQUIRED)                            | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| X2H<br>00824       |                                   | TUBE, DRAIN: RH, BOTTOM<br>(60532) TUB56                               | ABCDEF                    | EA                              | 1                                   |              |        |                                     |       |        |  | 3                        | 10          |
| M H<br>00825       |                                   | TUBE, DRAIN: RH, CENTER<br>(60532) TUB118<br>MANUFACTURE FROM:         | ABCDEF                    | EA                              | 2                                   |              |        |                                     |       |        |  | 3                        | 5           |
| P H<br>00826       | 4710-142-2999                     | TUBE, ALUMINUM<br><br>(6 IN. REQUIRED)                                 | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| P H<br>00827       | 4710-142-2999                     | TUBE, ALUMINUM<br><br>(23 IN. REQUIRED)                                | ABCDEF                    | FT                              |                                     | SEE GRP 9501 |        |                                     |       |        |  |                          |             |
| P H<br>00828       | 4130-302-1802                     | VALVE, EXPANSION: 1 TON, TOP<br>CENTER, EVAPORATOR<br>(70255) DT9604-1 | ABCDEF                    | EA                              | 1                                   |              |        | *                                   | *     | 2      | 10   | 8                        | 30          |

| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE  | (4)<br>USABLE<br>ON<br>CODE | (5)<br>UNIT<br>OF<br>MEAS | (6)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                             |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                             |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| H<br>00829         | 5310-080-6004                     | WASHER, FLAT: EXPANSION VALVE MTG<br>(96906) MS27183-14  | DEF                         | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 18                       | 15          |
| H<br>00830         | 5310-186-7379                     | WASHER, FLAT: EXPANSION VALVE MTG  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 9                        | 17          |
| H<br>00831         | 5310-013-1099                     | WASHER, LOCK: EXPANSION VALVE MTG<br>(96906) MS35339-27  | DEF                         | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 18                       | 16          |
| 00832              |                                   | 5243 - BLOWER ASSEMBLY   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00833       | 6150-929-5561                     | FAN ASSEMBLY, CONDENSER<br>(60532) FAN291  | DEF                         | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 15                       | 2           |
| P O<br>00834       | 4130-981-6617                     | FAN ASSEMBLY CONDENSER<br>(60532) FAN184   | ABC                         | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 5                        | 1           |
| P O<br>00835       | 4130-981-6616                     | FAN ASSEMBLY, EVAPORATOR<br>(60532) FAN183   | ABC                         | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 5                        | 6           |
| P O<br>00836       | 4130-951-0802                     | FAN ASSEMBLY, EVAPORATOR: 208v,<br>400 CYCLE, 3 PHASE<br>(60532) FAN290<br>(CE20VAL4)                                | DEF                         | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 5                        | 6           |
| O<br>00837         | 5315-815-9499                     | KEY, MACHINE: CONDENSER FAN MTG  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 5                        | 17          |
| O<br>00838         | 5315-057-6608                     | KEY, MACHINE: EVAPORATOR FAN MTG   | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 5                        | 11          |
| O<br>00840         | 5305-018-5671                     | SETSCREW: EVAPOFATOR AND CONDENSER<br>FAN MTG  | ABC                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 5                        | 12          |
| O<br>00841         | 5305-285-4619                     | SETSCREW, ALLEN HEAD: EVAPORATOR<br>AND CONDENSER FAN MTG<br>(00000) 583935  | DEF                         | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 15                       | 1           |
| 00842              |                                   | 5244 - THERMOSTATIC CONTROLS   |                             |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00843       |                                   | BRACKET, MOUNTING: HEATER<br>THERMOSTAT MTG<br>(04594) 183-1288  | C                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 7           |
| F<br>00844         | 5340-543-4394                     | CLAMP, LOOP: TEMPERATURE CONTROL<br>TUBE<br>(96906) MS219190G6   | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 6                        | 9           |
| X2F<br>00845       | 5355-926-5289                     | KNOB: TEMPERATURE CONTROL<br>(86797) RB175   |                             | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 6                        | 15          |
| F<br>00846         | 5310-889-2549                     | NUT, SELF-LOCKING, HEXAGON:<br>TEMPERATURE CONTROL MTG<br>(96906) MS21045-08   |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 6                        | 7           |
| F<br>00847         | 5305-984-6193                     | SCREW, MACHINE: TEMPERATURE<br>CONTROL MTG<br>(96906) MS35206-245  |                             | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 6                        | 3           |
| F<br>00848         | 5305-984-6194                     | SCREW, MACHINE: THERMOSTATIC<br>SWITCH MTG<br>(96906) MS35206-246  | ABCDEF                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 4                        | 1           |
| F<br>00849         | 5305-964-7814                     | SCREW, MACHINE: TUBE CLAMP MTG<br>(96906) MS35207-291  | ABCDEF                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 6                        | 10          |
| O<br>00850         | 5305-013-2688                     | SCREW, MACHINE: TUBE CLIP MTG  | ABC                         | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 6                        | 10          |
| F<br>00851         |                                   | SCREW, TAPPING, THREAD CUTTING:<br>HEATER THERMOSTAT BRACKET MTG,<br>CADMIUM OR ZINC PLATED, No. 8<br>(04594) BY9128 | C                           | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 12                       | 6           |
| P F<br>00852       | 5930-981-6680                     | SWITCH, THERMOSTATIC: OUTDOOR,<br>REAR CASING<br>(93410) NTP25   |                             | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 4                        | 15          |



| (1)<br>SMR<br>CODE | (2)<br>FEDERAL<br>STOCK<br>NUMBER | (3)<br>DESCRIPTION<br><br>REF NUMBER & MFR CODE                            | USABLE<br>ON<br>CODE | (4)<br>UNIT<br>OF<br>MEAS | (5)<br>QTY<br>INC<br>IN<br>UNIT | (6)<br>30-DAY DS MAINT<br>ALLOWANCE |       |        | (7)<br>30-DAY GS MAINT<br>ALLOWANCE |       |        | (8)<br>1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | (9)<br>ILLUS-<br>TRATION |             |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------------------|-------------|
|                    |                                   |  |                      |                           |                                 | (a)                                 | (b)   | (c)    | (a)                                 | (b)   | (c)    |  | (a)                      | (b)         |
|                    |                                   |  |                      |                           |                                 | 1-20                                | 21-50 | 51-100 | 1-20                                | 21-50 | 51-100 |  | FIG.<br>NO.              | ITEM<br>NO. |
| P F<br>00853       | 4130-302-1818                     | THERMOSTAT, TEMPERATURE CONTROL<br>(92578) 229XC                           |                      | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 6                        | 5           |
| A F<br>00854       |                                   | THERMOSTAT ASSEMBLY<br>(97403) 13211E8156                                  |                      | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| P F<br>00855       | 5930-856-8104                     | THERMOSTAT: CRANKCASE HEATER<br>COMPRESSOR, TOP<br>(04594) 1454-10         | ABC                  | EA                        | 1                               | *                                   | *     | *      | *                                   | *     | *      | 5  | 12                       | 8           |
| F<br>00856         | 5310-809-8544                     | WASHER, FLAT: OUTDOOR SWITCH MTG<br>(96906) MS27183-7                      |                      | EA                        | 4                               |                                     |       |        |                                     |       |        |  | 4                        | 3           |
| F<br>00857         | 5310-209-5309                     | WASHER, LOCK: OUTDOOR SWITCH MTG<br>(96906) MS35338-23                     |                      | EA                        | 2                               |                                     |       |        |                                     |       |        |  | 4                        | 2           |
| 00858              |                                   | 5245 - AIR FILTERS   |                      |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| P O<br>00859       | 4130-961-5552                     | FILTER, AIR CONDITIONER: FRESH<br>AIR INLET<br>(21585) A2059               | A                    | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 10   | 4                        | 8           |
| P O<br>00861       | 4130-981-6615                     | FILTER, AIR CONDITIONING: BLOWER<br>(97403) 13211E8224                     |                      | EA                        | 1                               | *                                   | *     | 2      | *                                   | *     | 2      | 4  | 5                        | 15          |
| X20<br>00861A      |                                   | SCREEN, LINT: CONDENSER COIL<br>GRILLE<br>(60532) SRN31                    | ABCDEF               | EA                        | 1                               |                                     |       |        |                                     |       |        |  | 4                        | 19          |
| 00862              |                                   | 5247 - HEATING UNITS   |                      |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| X2F<br>00863       |                                   | CLAMP, HEATER: ELECTRICAL<br>HEATER MTG, TOP<br>(60532) CMP59              | CDEF                 | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 19                       | 32          |
| X2H<br>00864       | 4130-981-6614                     | CLIP, RETAINING: ELECTRICAL<br>HEATER MTG<br>(78553) 20744SS017-27         | ABC                  | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 8                        | 24          |
| X2H<br>00865       |                                   | CLIP, RETAINING: ELECTRICAL<br>HEATER MTG, TOP<br>(78553) 24690-025        | ABC                  | EA                        | 12                              |                                     |       |        |                                     |       |        |  | 8                        | 25          |
| P F<br>00866       | 4130-858-3084                     | HEATER, ELECTRICAL<br>(60532) HTR36  | ABC                  | EA                        | 6                               | *                                   | *     | 2      | *                                   | *     | 2      | 12   | 8                        | 33          |
| P H<br>00867       | 4130-856-8106                     | HEATER, CRANKCASE: COMPRESSOR<br>CRANKCASE<br>(04594) 1501-4               | ABC                  | EA                        | 1                               |                                     |       |        | *                                   | *     | *      | 2  | 12                       | 29          |
| 00868              |                                   | GROMMET<br>(04594) 248-5   | ABC                  | EA                        | 1                               |                                     |       |        |                                     |       |        |  |                          |             |
| P F<br>00869       | 4130-878-0103                     | HEATING ELEMENT, ELECTRICAL<br>(60532) HTR108                              | DEF                  | EA                        | 12                              | *                                   | 2     | 2      | *                                   | 2     | 2      | 12   | 19                       | 20          |
| F<br>00870         | 5305-984-7441                     | SCREW, PANEL FASTENER: HEATER<br>CLAMP MTG<br>(94222) 12-11-613-12         | CDEF                 | EA                        | 6                               |                                     |       |        |                                     |       |        |  | 19                       | 34          |
| F<br>00871         | 5310-010-6496                     | WASHER, LOCK: HEATER CLAMP MTG,<br>No. 8 SCREW SIZE<br>(94222) 12-11014-12 | DEF                  | EA                        | 18                              |                                     |       |        |                                     |       |        |  | 19                       | 33          |
| 00872              |                                   | GROUP 95 GENERAL USE<br>STANDARDIZED PARTS                                 |                      |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| 00873              |                                   | 9501 - BULK MATERIAL   |                      |                           |                                 |                                     |       |        |                                     |       |        |  |                          |             |
| P H<br>00874       | 9535-232-1851                     | ALUMINUM SHEET   | SH                   |                           |                                 |                                     |       |        | *                                   | *     | *      | *  |                          |             |
| P O<br>00875       | 4720-540-1778                     | HOSE, RUBBER   | FT                   |                           |                                 | *                                   | *     | *      | *                                   | *     | *      | *  |                          |             |

| (1)          | (2)                        | (3)                     | (4)                  | (5)                | (6)                      |                              |       | (7)    |                              |       | (8)    | (9)   |                   |             |
|--------------|----------------------------|-------------------------|----------------------|--------------------|--------------------------|------------------------------|-------|--------|------------------------------|-------|--------|---|-------------------|-------------|
| SMR<br>CODE  | FEDERAL<br>STOCK<br>NUMBER | DESCRIPTION             | USABLE<br>ON<br>CODE | UNIT<br>OF<br>MEAS | QTY<br>INC<br>IN<br>UNIT | 30-DAY DS MAINT<br>ALLOWANCE |       |        | 30-DAY GS MAINT<br>ALLOWANCE |       |        | 1-YR<br>ALW<br>PER<br>100<br>EQUIP<br>CNTGY | ILLUS-<br>TRATION |             |
|              |                            |                         |                      |                    |                          | (a)                          | (b)   | (c)    | (a)                          | (b)   | (c)    |   | (a)               | (b)         |
|              |                            | REF NUMBER & MFR CODE   |                      |                    |                          | 1-20                         | 21-50 | 51-100 | 1-20                         | 21-50 | 51-100 |   | FIG.<br>NO.       | ITEM<br>NO. |
| P H<br>00876 | 5330-505-6608              | RUBBER, SHEET, CELLULAR |                      | FT                 |                          |                              |       |        | *                            | *     | *      | *   |                   |             |
| P O<br>00877 | 5330-505-6609              | RUBBER, SHEET, CELLULAR |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P H<br>00878 | 5330-505-6610              | RUBBER, SHEET, CELLULAR |                      | FT                 |                          |                              |       |        | *                            | *     | *      | *   |                   |             |
| P F<br>00879 | 5330-505-6611              | RUBBER, SHEET, SOLID    | B                    | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P H<br>00880 | 4710-142-2999              | TUBE, ALUMINUM          |                      | FT                 |                          |                              |       |        | *                            | *     | *      | *   |                   |             |
| P F<br>00881 | 4710-277-5527              | TUBE, COPPER            |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P H<br>00882 | 4710-424-2692              | TUBE, COPPER            |                      | FT                 |                          |                              |       |        | *                            | *     | *      | *   |                   |             |
| P F<br>00883 | 4710-424-2693              | TUBE, COPPER            |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P F<br>00884 | 4710-424-2694              | TUBE, COPPER            |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P F<br>00885 | 4130-467-5156              | TUBING, COPPER          |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00886 | 6145-170-6869              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P F<br>00887 | 6145-243-0579              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00888 | 6145-313-9429              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00889 | 6145-316-9072              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P F<br>00890 | 6145-548-2705              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00891 | 6145-660-8933              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00892 | 6145-160-4774              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |
| P O<br>00893 | 6145-238-3407              | WIRE, ELECTRICAL        |                      | FT                 |                          | *                            | *     | *      | *                            | *     | *      | *   |                   |             |



ME 4120-222-25P/1

Figure No. 1 Insulation And Panels

LEGEND TO PARTS, FIGURE 1

| ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME  |
|----------|-------------|------------|----------|-------------|------------|----------|-------------|------------|
| 1        | 1801        | PANEL      | 13       | 1801        | INSULATION | 25       | 1801        | INSULATION |
| 2        | 1801        | INSULATION | 14       | 1801        | INSULATION | 26       | 1801        | INSULATION |
| 3        | 1801        | INSULATION | 15       | 1801        | RIVET      | 27       | 1801        | PAN        |
| 4        | 1801        | DUCT       | 16       | 1801        | PANEL      | 28       | 1801        | PANEL      |
| 5        | 1801        | INSULATION | 17       | 1801        | SUPPORT    | 29       | 1801        | INSULATION |
| 6        | 1801        | INSULATION | 18       | 1801        | RIVET      | 30       | 1801        | INSULATION |
| 7        | 1801        | NUT        | 19       | 1801        | RECEPTACLE | 31       | 1801        | ANGLE      |
| 8        | 1801        | INSULATION | 20       | 1801        | HANDLE     | 32       | 1801        | ANGLE      |
| 9        | 1801        | INSULATION | 21       | 1801        | DUCT       | 33       | 1801        | INSULATION |
| 10       | 1801        | INSULATION | 22       | 1801        | INSULATION | 34       | 1801        | INSULATION |
| 11       | 1801        | INSULATION | 23       | 1801        | INSULATION | 35       | 1801        | PLUG       |
| 12       | 1801        | INSULATION | 24       | 1801        | PARTITION  | 36       | 1801        | PARTITION  |





FIGURE NO. 2 CASE AND BASE

LEGEND TO PARTS, FIGURE 2

| ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME  |
|----------|-------------|----------------|----------|-------------|-----------|----------|-------------|------------|
| 1        | 1801        | BAFFLE         | 15       | 1801        | CLAMP     | 28       | 1801        | SCREW      |
| 2        | 1801        | RIVET          | 15       | 5241        | CLAMP     | 29       | 1801        | CLIP       |
| 2        | 5217        | RIVET          | 16       | 1801        | TUBE      | 30       | 1501        | NUT        |
| 3        | 1801        | BAFFLE         | 16       | 5241        | TUBE      | 30       | 1801        | NUT        |
| 4        | 1801        | BAFFLE         | 17       | 1801        | TUBE      | 31       | 1801        | GROMMET    |
| 5        | 1801        | SUPPORT        | 17       | 5241        | TUBE      | 32       | 1801        | NUT        |
| 6        | 1801        | CASE AY        | 18       | 1801        | FRAME     | 33       | 5217        | SUPPORT AY |
| 6        | 1801        | CASING AY      | 19       | 1801        | GASKET    | 34       | 1501        | NUT        |
| 7        | 1801        | NUT            | 19       | 1801        | SPONGE    | 34       | 1801        | NUT        |
| 8        | 1801        | RIVET          | 20       | 1801        | BLADE     | 35       | 1801        | SUPPORT    |
| 9        | 1501        | BASE AY        | 21       | 1801        | SHIM      | 36       | 1801        | ANGLE      |
| 10       | 1501        | PLUG           | 22       | 1801        | SUPPORT   | 36       | 1801        | BLOCKOFF   |
| 11       | 1801        | COVER          | 23       | 1801        | ANGLE     | 37       | 1801        | SPONGE     |
| 12       | 1801        | RETAINING RING | 24       | 1801        | PENDANT   | 38       | 1801        | SPRING     |
| 13       | 1801        | DRAIN CONNECTN | 25       | 1801        | CHAIN AY  | 39       | 1801        | SUPPORT    |
| 13       | 5241        | TUBE           | 26       | 1801        | SPRING    | 40       | 1501        | SCREW      |
| 14       | 1801        | HOSE           | 27       | 1801        | BLOCKOFF  | 41       | 1501        | WASHER     |
| 14       | 5241        | HOSE           | 27       | 1801        | PLATE     | 42       | 1501        | WASHER     |




MEC 4120-222-25P/3

FIGURE No. 3 CASE

LEGEND TO PARTS, FIGURE 3

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME  |
|----------|-------------|-----------|----------|-------------|------------|
| 1        | 1801        | PANEL     | 10       | 1801        | TUBE       |
| 1        | 1801        | PANEL AY  | 10       | 5241        | TUBE       |
| 1        | 1801        | TOP       | 11       | 1501        | RING       |
| 2        | 1801        | SCREW     | 12       | 1501        | SCREEN     |
| 3        | 1801        | WASHER    | 13       | 1501        | NIPPLE     |
| 4        | 1801        | WASHER    | 14       | 1501        | NUT        |
| 5        | 1801        | TUBE      | 15       | 1801        | SCREW      |
| 5        | 5241        | TUBE      | 16       | 1501        | PLUG       |
| 6        | 1801        | CLAMP     | 17       | 4009        | CONNECTOR  |
| 6        | 5241        | CLAMP     | 17       | 4010        | HARNESS AY |
| 7        | 1801        | HOSE      | 18       | 4009        | CLAMP      |
| 7        | 5241        | HOSE      | 19       | 4010        | RIVET      |
| 8        | 5241        | CLIP      | 20       | 4010        | WASHER     |
| 9        | 5241        | RIVET     | 21       | 4009        | CLAMP      |




ME 4120-222-25P/4

Figure No. 4 Grilles And Guards

LEGEND TO PARTS, FIGURE 4

| ITEM NO. | FUNCT GROUP | ITEM NAME    | ITEM NO. | FUNCT GROUP | ITEM NAME    | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|--------------|----------|-------------|--------------|----------|-------------|-----------|
| 1        | 1501        | SCREW        | 10       | 1801        | SCREW        | 21       | 4011        | ROD       |
| 1        | 1801        | SCREW        | 11       | 1801        | GASKET       | 22       | 4011        | COUPLING  |
| 1        | 5244        | SCREW        | 12       | 1801        | COVER        | 23       | 4011        | SETSCREW  |
| 2        | 1501        | WASHER       | 13       | 1801        | NUT          | 24       | 4011        | ROD       |
| 2        | 1801        | WASHER       | 14       | 1501        | GUARD        | 25       | 4011        | CLAMP     |
| 2        | 5244        | WASHER       | 15       | 5244        | SWITCH       | 25       | 4011        | CONNECTOR |
| 3        | 1501        | WASHER       | 16       | 4012        | GASKET       | 26       | 4011        | NUT       |
| 3        | 1801        | WASHER       | 16       | 5244        | GASKET       | 27       | 1801        | PANEL AY  |
| 3        | 5244        | WASHER       | 17       | 1801        | NUT          | 28       | 1801        | SCREW     |
| 4        | 1801        | GRILLE       | 18       | 1801        | GUARD        | 29       | 1801        | GRILLE    |
| 5        | 1801        | SUPPORT-CONE | 18       | 1801        | GRILLE       | 29       | 1801        | GRILLE AY |
| 6        | 1801        | PANEL        | 19       | 1801        | SCREEN       | 30       | 1801        | WASHER    |
| 7        | 1801        | RIVET        | 19       | 5245        | FILTER       | 31       | 1801        | NUT       |
| 8        | 5245        | FILTER       | 19       | 5245        | SCREEN       | 32       | 4011        | BUSHING   |
| 9        | 1801        | SCREEN       | 20       | 1801        | GASKET       | 32       | 4011        | SPACER    |
| 9        | 1801        | SCREEN AY    | 20       | 1801        | SPONGE STRIP | 33       | 4011        | KNOB      |




MEC 4120-222-25P/5

**FIGURE NO. 5 FAN AND MOTOR**

LEGEND TO PARTS, FIGURE 5

| ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME     |
|----------|-------------|----------------|----------|-------------|---------------|
| 1        | 5243        | FAN ASSEMBLY   | 8        | 1801        | SCREW         |
| 2        | 4000        | MOTOR          | 9        | 1801        | WASHER        |
| 2        | 4000        | MOTOR ASSEMBLY | 10       | 1801        | WASHER        |
| 3        | 4000        | NUT            | 11       | 5243        | KEY           |
| 4        | 4000        | GASKET         | 12       | 5243        | SETSCREW      |
| 4        | 4000        | ISOLATOR       | 13       | 1801        | STUD ASSEMBLY |
| 5        | 4000        | SCREW          | 14       | 1801        | WASHER        |
| 6        | 5243        | FAN            | 15       | 5245        | FILTER        |
| 6        | 5243        | FAN ASSEMBLY   | 16       | 1801        | RETAINER      |
| 7        | 1801        | RING           | 17       | 5243        | KEY           |



MEC 4120-222-25P/6

FIGURE NO. 6 CONTROL PANEL

LEGEND TO PARTS, FIGURE 6

| ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|----------------|----------|-------------|-----------|
| 1        | 4018        | SCREW          | 7        | 5244        | NUT       |
| 2        | 4009        | CONNECTOR      | 8        | 4012        | SWITCH    |
| 2        | 4018        | CONNECTOR      | 9        | 5244        | CLAMP     |
| 3        | 4009        | SCREW          | 10       | 5244        | SCREW     |
| 3        | 5244        | SCREW          | 11       | 4009        | NUT       |
| 4        | 4018        | NUT            | 11       | 4010        | NUT       |
| 4        | 4018        | RETAINING RING | 12       | 4009        | CASE      |
| 5        | 5244        | CONTROL        | 12       | 4010        | CASE      |
| 5        | 5244        | THERMOSTAT     | 13       | 4010        | GASKET    |
| 6        | 4009        | PLATE          | 14       | 4010        | SCREW     |
| 6        | 4010        | PLATE          | 15       | 4012        | KNOB      |
| 7        | 4009        | NUT            | 15       | 5244        | KNOB      |







FIGURE No. 7 CONTROL BOX

# LEGEND TO PARTS, FIGURE 7

| ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME       |
|----------|-------------|----------------|----------|-------------|----------------|----------|-------------|-----------------|
| 1        | 4010        | WIRING HARNESS | 15       | 4011        | WASHER         | 34       | 4009        | SCREW           |
| 2        | 4009        | CONNECTOR      | 16       | 4011        | WASHER         | 34       | 4009        | SCREW           |
| 2        | 5244        | CONNECTOR      | 17       | 4011        | SCREW          | 35       | 4009        | PANEL           |
| 3        | 4018        | NUT            | 18       | 4010        | SCREW          | 35       | 4010        | PANEL           |
| 3        | 4213        | NUT            | 19       | 4010        | GUARD          | 36       | 4009        | GASKET          |
| 4        | 4010        | WIRING HARNESS | 20       | 4213        | RECTIFIER      | 36       | 4010        | GASKET          |
| 5        | 4010        | NUT            | 21       | 4213        | BRACKET        | 37       | 4018        | TERMINAL BOARD  |
| 5        | 5018        | NUT            | 22       | 4213        | WASHER         | 38       | 4010        | WIRING HARNESS  |
| 6        | 4010        | SCREW          | 23       | 4213        | SCREW          | 39       | 4010        | RETAINING RING  |
| 7        | 4009        | CONNECTOR      | 24       | 4006        | SUPPRESSOR     | 40       | 4018        | SCREW           |
| 8        | 4009        | CONNECTOR      | 25       | 4006        | CLAMP          | 41       | 4009        | WASHER          |
| 9        | 4009        | CONNECTOR      | 26       | 4006        | NUT            | 41       | 4010        | NUT             |
| 10       | 4010        | SCREW          | 27       | 4010        | LEAD ASSEMBLY  | 42       | 4010        | NUT             |
| 11       | 4009        | BOX            | 28       | 4010        | LEAD ASSEMBLY  | 43       | 4010        | NUT             |
| 11       | 4009        | JUNCTION BOX   | 29       | 4010        | SCREW          | 44       | 4010        | NUT             |
| 11       | 4010        | JUNCTION BOX   | 30       | 4006        | INSULATION     | 45       | 4018        | TERMINAL BLOCK  |
| 12       | 4010        | WASHER         | 31       | 4010        | CONTACTOR      | 46       | 4011        | CIRCUIT BREAKER |
| 13       | 4010        | WASHER         | 32       | 4009        | GASKET         | 47       | 4006        | SCREW           |
| 14       | 4010        | SCREW          | 33       | 2202        | CABLE ASSEMBLY | 48       | 4018        | SCREW           |



MEC 4120-222-25P/8

FIGURE No. 8 EVAPORATOR, VALVES, AND LINES

LEGEND TO PARTS, FIGURE 8

| ITEM NO. | FUNCT GROUP | ITEM NAME       | ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------------|----------|-------------|------------|----------|-------------|-----------|
| 1        | 4010        | LEAD            | 12       | 5241        | NUT        | 24       | 5247        | CLIP      |
| 1        | 4012        | LEAD            | 13       | 5217        | SCREW      | 25       | 5247        | CLIP      |
| 1        | 4012        | WIRE ASSEMBLY   | 14       | 5217        | WASHER     | 26       | 1301        | SUPPORT   |
| 2        | 4012        | SCREW           | 15       | 5217        | FLANGE     | 26       | 4012        | SUPPORT   |
| 3        | 4012        | CUTOUT          | 15       | 5241        | FLANGE     | 27       | 4012        | NUT       |
| 3        | 4012        | SWITCH          | 16       | 5217        | GASKET     | 28       | 4012        | BRACKET   |
| 4        | 5217        | TUBE            | 16       | 5217        | PACKING    | 28       | 4012        | SUPPORT   |
| 5        | 1801        | GROMMET         | 17       | 5217        | INSULATION | 29       | 1801        | RIVET     |
| 6        | 5217        | TUBE            | 18       | 5217        | TUBE       | 29       | 4012        | RIVET     |
| 7        | 5241        | EVAPORATOR ASSY | 19       | 5217        | ELBOW      | 29       | 5241        | RIVET     |
| 8        | 5241        | ELIMINATOR      | 20       | 5217        | TUBE       | 30       | 5241        | VALVE     |
| 9        | 5241        | NUT             | 21       | 5217        | TEE        | 31       | 5217        | TUBE      |
| 10       | 5241        | SCREW           | 22       | 5217        | TUBE       | 32       | 5241        | BLOCKOFF  |
| 11       | 5241        | RIVET           | 23       | 5217        | TUBE       | 33       | 5247        | HEATER    |




FIGURE No. 9 CONDENSER AND VALVES

LEGEND TO PARTS, FIGURE 9

| ITEM NO. | FUNCT GROUP | ITEM NAME        | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME      |
|----------|-------------|------------------|----------|-------------|-----------|----------|-------------|----------------|
| 1        | 5241        | COUPLING         | 18       | 5241        | SCREW     | 35       | 5217        | TEE            |
| 2        | 5217        | TUBE             | 19       | 5217        | FITTING   | 36       | 5217        | TUBE           |
| 3        | 5217        | ELBOW            | 20       | 5217        | TUBE      | 37       | 5217        | COUPLING       |
| 4        | 4702        | INDICATOR        | 21       | 5217        | TUBE      | 38       | 5217        | TUBE           |
| 4        | 4702        | SIGHT GLASS ASSY | 22       | 5217        | CLAMP     | 39       | 5217        | TUBE           |
| 5        | 4702        | WASHER           | 23       | 5217        | SCREW     | 40       | 5230        | COIL           |
| 6        | 4702        | SCREW            | 24       | 4010        | WASHER    | 40       | 5230        | CONDENSER ASSY |
| 7        | 4009        | CONNECTOR        | 24       | 5217        | WASHER    | 41       | 5230        | SCREW          |
| 8        | 5217        | TUBE             | 25       | 5217        | CLAMP     | 42       | 5230        | RIVET          |
| 9        | 5217        | TEE              | 26       | 5217        | NUT       | 43       | 5230        | NUT            |
| 10       | 5217        | TUBE             | 27       | 5217        | NOT APPL  | 44       | 4702        | NUT            |
| 11       | 5217        | TUBE             | 28       | 5217        | TEE       | 45       | 4702        | BRACKET        |
| 12       | 5235        | DEHYDRATOR       | 29       | 5217        | TUBE      | 46       | 5217        | TUBE           |
| 13       | 5235        | BRACKET          | 30       | 5235        | SCREW     | 47       | 5217        | TUBE           |
| 14       | 5241        | NUT              | 31       | 5235        | WASHER    | 48       | 5217        | SCREW          |
| 15       | 5241        | BRACKET          | 32       | 5235        | WASHER    | 49       | 5217        | WASHER         |
| 16       | 5217        | VALVE            | 33       | 5235        | NUT       | 50       | 5217        | VALVE          |
| 17       | 5241        | WASHER           | 34       | 5217        | TUBE      | 51       | 5217        | COIL           |





FIGURE No. 10 SOLENOID VALVES

LEGEND TO PARTS, FIGURE 10

| ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|
| 1        | 5217        | VALVE     |
| 2        | 4009        | CONNECTOR |
| 2        | 5217        | CONNECTOR |
| 3        | 5217        | SCREW     |
| 4        | 5217        | WASHER    |
| 5        | 5217        | CLAMP     |
| 6        | 5217        | VALVE     |
| 7        | 5217        | COIL      |
| 8        | 5217        | COUPLING  |
| 9        | 5217        | COIL      |




MEC 4120-222-25P/11

**FIGURE No. 11 FAN MOTOR**

**LEGEND TO PARTS, FIGURE 11**

| ITEM NO. | FUNCT GROUP | ITEM NAME   | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-------------|----------|-------------|-----------|
| 1        | 4005        | LOAD SPRING | 12       | 4005        | COVER     |
| 1        | 4005        | WASHER      | 13       | 4005        | SCREW     |
| 2        | 4002        | INSULATION  | 14       | 4005        | ENDBELL   |
| 3        | 4002        | STATOR      | 14       | 4005        | FLANGE    |
| 4        | 4002        | FIELD SHELL | 15       | 4005        | ENDBELL   |
| 4        | 4002        | HOUSING     | 16       | 4002        | PIN       |
| 5        | 4005        | BEARING     | 17       | 4018        | TERMINAL  |
| 6        | 4005        | FAN         | 18       | 4006        | PROTECTOR |
| 7        | 4005        | PIN         | 19       | 4006        | BRACKET   |
| 8        | 4001        | ROTOR       | 19       | 4006        | PLATE     |
| 9        | 4018        | SCREW       | 20       | 4006        | WASHER    |
| 10       | 4018        | CONNECTOR   | 21       | 4006        | SCREW     |
| 11       | 4005        | SCREW       |          |             |           |




MEC 4120-222-25P/12

FIGURE No. 12 COMPRESSOR

LEGEND TO PARTS, FIGURE 12

| ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME       |
|----------|-------------|------------|----------|-------------|------------|----------|-------------|-----------------|
| 1        | 5217        | TUBE       | 13       | 4010        | NUT        | 25       | 5200        | WASHER          |
| 2        | 5217        | ELBOW      | 14       | 5200        | SCREW      | 25       | 5235        | WASHER          |
| 3        | 4006        | SCREW      | 15       | 5200        | COVER ASSY | 26       | 5200        | WASHER          |
| 4        | 4006        | BRACKET    | 16       | 5200        | WASHER     | 27       | 5200        | WASHER          |
| 5        | 4006        | PROTECTOR  | 17       | 5217        | TEE        | 28       | 5200        | BOLT            |
| 5        | 4006        | SWITCH     | 18       | 5217        | ADAPTER    | 28       | 5200        | SCREW           |
| 6        | 5200        | SCREW      | 19       | 5217        | VALVE      | 29       | 5247        | HEATER          |
| 6        | 5244        | SCREW      | 20       | 5217        | TUBE       | 30       | 5200        | COMPRESSOR ASSY |
| 7        | 5244        | BRACKET    | 21       | 5200        | PLUG       | 31       | 5217        | COUPLING        |
| 8        | 5244        | THERMOSTAT | 22       | 5200        | NUT        | 32       | 5217        | PLUG            |
| 9        | 4009        | CONNECTOR  | 23       | 5200        | WASHER     | 33       | 4010        | GASKET          |
| 10       | 5200        | GROMMET    | 23       | 5235        | WASHER     | 34       | 4010        | CONNECTOR       |
| 11       | 4012        | NUT        | 24       | 5200        | BUSHING    | 35       | 4010        | SCREW           |
| 12       | 4010        | WASHER     |          |             |            |          |             |                 |




MEC 4120-222-25P/13.

FIGURE NO. 13 TERMINAL BLOCK AND CIRCUIT BREAKER COVER

LEGEND TO PARTS, FIGURE 13

| ITEM NO. | FUNCT GROUP | ITEM NAME      |
|----------|-------------|----------------|
| 1        | 4018        | NUT            |
| 2        | 4010        | GASKET         |
| 3        | 4010        | SCREW          |
| 4        | 4010        | COVER          |
| 5        | 4010        | NUT            |
| 6        | 4018        | TERMINAL BLOCK |
| 7        | 4018        | SCREW          |






MEC 4120-222-25P/14

FIGURE No. 14 GRILLES AND GUARDS

LEGEND TO PARTS, FIGURE 14

| ITEM<br>NO. | FUNCT<br>GROUP | ITEM<br>NAME     |
|-------------|----------------|------------------|
| 1           | 1801           | SUPPORT AND CONE |
| 2           | 1801           | SPONGE STRIP     |
| 3           | 1801           | SPONGE STRIP     |
| 4           | 4011           | ROD              |
| 5           | 4011           | CONNECTION       |
| 6           | 1801           | ATTENUATOR       |




MEC 4120-222-25P/15

FIGURE No. 15 FAN MOTOR


LEGEND TO PARTS, FIGURE 15

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|----------|-------------|-----------|----------|-------------|-----------|
| 1        | 5243        | SETSCREW  | 6        | 4000        | BUSHING   | 12       | 4000        | SPACER    |
| 2        | 5243        | FAN       | 7        | 4000        | BOLT      | 13       | 1801        | SCREW     |
| 2        | 5243        | FAN ASSY  | 8        | 4000        | WASHER    | 14       | 1801        | WASHER    |
| 3        | 1801        | SCREW     | 9        | 4000        | WASHER    | 15       | 1801        | WASHER    |
| 4        | 1801        | BRACKET   | 10       | 4000        | BUSHING   | 16       | 1801        | BAFFLE    |
| 5        | 4000        | WASHER    | 11       | 4000        | WASHER    |          |             |           |




LEGEND TO PARTS, FIGURE 16

| ITEM NO. | FUNCT GROUP | ITEM NAME       |
|----------|-------------|-----------------|
| 1        | 4006        | NUT             |
| 2        | 4006        | WASHER          |
| 3        | 4023        | NUT             |
| 4        | 4010        | GUARD           |
| 4        | 4011        | COVER           |
| 5        | 4010        | LEAD            |
| 6        | 4010        | WASHER          |
| 7        | 4010        | WASHER          |
| 8        | 4010        | SCREW           |
| 9        | 4010        | WASHER          |
| 10       | 4010        | NUT             |
| 11       | 4010        | WASHER          |
| 12       | 4010        | SCREW           |
| 18       | 4006        | SCREW           |
| 14       | 4009        | CAP             |
| 14       | 4010        | COVER           |
| 15       | 4006        | RELAY           |
| 16       | 4006        | WASHER          |
| 17       | 4213        | SEMICONDUCTOR   |
| 18       | 4208        | SCREW           |
| 19       | 4208        | FUSE            |
| 20       | 4208        | FUSEHOLDER      |
| 21       | 4208        | INSULATOR PLATE |



MEC 4120-222-25P/16

FIGURE No. 16 CONTROL BOX




MEC 4120-222-25P/17

FIGURE No. 17 COMPRESSOR

LEGEND TO PARTS, FIGURE 17

| ITEM NO. | FUNCT GROUP | ITEM NAME  | ITEM NO. | FUNCT GROUP | ITEM NAME       |
|----------|-------------|------------|----------|-------------|-----------------|
| 1        | 5200        | SCREW ASSY | 7        | 5200        | DESUPERHEATER   |
| 2        | 5200        | CLAMP      | 8        | 5217        | TUBE            |
| 3        | 5200        | SUPPORT    | 9        | 5200        | COMPRESSOR ASSY |
| 4        | 5200        | NUT        | 10       | 5200        | SCREW ASSY      |
| 5        | 5200        | COVER ASSY | 11       | 5217        | CLAMP           |
| 6        | 5200        | SCREW      | 12       | 5217        | STRAINER        |




MEC 4120-222-25P/18

FIGURE No. 18 CONDENSER AND VALVES

LEGEND TO PARTS, FIGURE 18

| ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME | ITEM NO. | FUNCT GROUP | ITEM NAME |
|----------|-------------|-----------|----------|-------------|-----------|----------|-------------|-----------|
| 1        | 4702        | SPACER    | 8        | 4006        | GROMMET   | 17       | 5217        | VALVE     |
| 2        | 4702        | GASKET    | 9        | 5217        | WASHER    | 18       | 5217        | TUBE      |
| 3        | 4006        | SCREW     | 10       | 5217        | WASHER    | 19       | 5217        | TEE       |
| 3        | 4012        | SCREW     | 11       | 4012        | STRAP     | 20       | 5217        | PIPE      |
| 4        | 4006        | COVER     | 11       | 5217        | CLAMP     | 21       | 5217        | NUT       |
| 4        | 4012        | ENCLOSURE | 12       | 5217        | SPACER    | 22       | 5217        | STRAP     |
| 5        | 4006        | WASHER    | 13       | 4012        | BUSHING   | 23       | 5217        | SCREW     |
| 5        | 4012        | WASHER    | 13       | 5217        | BUSHING   | 24       | 5217        | WASHER    |
| 6        | 4006        | NUT       | 14       | 5241        | RIVET     | 25       | 4006        | SWITCH    |
| 6        | 4012        | NUT       | 15       | 5241        | WASHER    | 25       | 4012        | SWITCH    |
| 7        | 4006        | SCREW     | 16       | 5241        | WASHER    | 26       | 5217        | COUPLING  |
| 7        | 4012        | SCREW     |          |             |           |          |             |           |



ME 4120-222-25P/19

Figure No. 19 Evaporator, Valves And Lines

LEGEND TO PARTS, FIGURE 19

| ITEM NO. | FUNCT GROUP | ITEM NAME      | ITEM NO. | FUNCT GROUP | ITEM NAME       |
|----------|-------------|----------------|----------|-------------|-----------------|
| 1        | 5217        | SCREW          | 16       | 5217        | TUBE            |
| 2        | 5217        | WASHER         | 17       | 5217        | CLAMP           |
| 3        | 5217        | WASHER         | 18       | 5217        | ANGLE           |
| 4        | 5217        | SPACER         | 19       | 5217        | NUT             |
| 5        | 5217        | CLAMP          | 20       | 5247        | HEATING ELEMENT |
| 6        | 5217        | VALVE          | 21       | 4006        | WASHER          |
| 7        | 5217        | BUSHING        | 22       | 1801        | SUPPORT         |
| 8        | 5217        | TUBE           | 23       | 5217        | TUBE            |
| 9        | 5217        | CROSS          | 24       | 5217        | TEE             |
| 10       | 1801        | DRAIN CONNECTN | 25       | 5217        | TUBE            |
| 11       | 5241        | CLIP           | 26       | 5217        | TEE             |
| 12       | 1801        | BALL           | 27       | 5217        | TUBE            |
| 12       | 5241        | BEARING        | 28       | 5217        | TUBE            |
| 13       | 1801        | SPRING         | 29       | 5217        | TUBE            |
| 13       | 5241        | SPRING         | 30       | 5217        | TUBE            |
| 14       | 1801        | PIN            | 31       | 5217        | TEE             |
| 14       | 5241        | PIN            | 32       | 5247        | CLAMP           |
| 15       | 5217        | SCREW          | 33       | 5247        | WASHER          |
|          |             |                | 34       | 5247        | SCREW           |

- Section . VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| STOCK NUMBER  | INDEX NUMBER | STOCK NUMBER   | INDEX NUMBER | STOCK NUMBER  | INDEX NUMBER |
|---------------|--------------|----------------|--------------|---------------|--------------|
| 3110-144-8900 | 00324        | 4710-424-26 93 | 00735        | 5305-984-6194 | 00547        |
| 4120-909-3717 | 00316        |                | 00740        |               | 00548        |
| 4120-961-5553 | 00750        |                | 00883        |               | 00593        |
| 4130-073-8404 | 00342        | 4710-424-2694  | 00706        |               | 00676        |
| 4130-073-8405 | 00591        |                | 00714        |               | 00677        |
| 4130-302-1412 | 00755        |                | 00718        |               | 00848        |
| 4130-302-1415 | 00751        |                | 00723        | 5305-984-7441 | 00141        |
| 4130-302-1417 | 00053        |                | 00731        |               | 00187        |
| 4130-302-1427 | 00594        |                | 00737        |               | 00870        |
| 4130-302-1802 | 00779        |                | 00749        | 5305-988-1725 | 00497        |
| 4130-302-1811 | 00828        |                | 00884        | 5305-989-7434 | 00176        |
| 4130-302-1818 | 00259        | 4720-540-1778  | 00799        |               | 00496        |
|               | 00424        |                | 00801        |               | 00776        |
|               | 00853        |                | 00875        | 5305-989-7435 | 00348        |
| 4130-327-5095 | 00756        | 4730-011-31 75 | 00602        |               | 00679        |
| 4130-467-5156 | 00716        |                | 00608        | 5305-995-3441 | 00675        |
|               | 00720        | 4730-196-14 98 | 00004        |               | 00680        |
|               | 00733        | 4730-203-4918  | 00688        | 5305-995-3444 | 00564        |
|               | 00745        | 4730-254-64 52 | 00660        | 5306-225-8504 | 00630        |
|               | 00747        | 4730-264-9151  | 00793        | 5310-010-6496 | 00767        |
|               | 00885        | 4730-264-91 53 | 00794        |               | 00871        |
| 4130-789-6526 | 00522        | 4730-264-9154  | 00657        | 5310-011-4986 | 00215        |
| 4130-856-8102 | 00599        | 4730-266-0532  | 00639        | 5310-012-0380 | 00509        |
| 4130-856-8106 | 00867        | 4730-275-6527  | 00641        | 5310-013-1098 | 00768        |
| 4130-858-3081 | 00540        |                | 00642        |               | 00784        |
| 4130-858-3082 | 00796        | 4730-278-8908  | 00686        | 5310-013-1099 | 00280        |
| 4130-858-3083 | 00772        | 4730-289-05 83 | 00711        |               | 00831        |
| 4130-858-3084 | 00866        | 4730-289-5176  | 00010        | 5310-013-1245 | 00802        |
| 4130-867-1096 | 00797        | 4730-345-11 06 | 00690        | 5310-045-3299 | 00218        |
| 4130-867-1097 | 00773        | 4730-424-2692  | 00703        |               | 00222        |
| 4130-878-0103 | 00869        | 4730-542-3019  | 00789        |               | 00223        |
| 4130-911-2249 | 00753        |                | 00790        | 5310-045-4007 | 00534        |
| 4130-911-2250 | 00758        | 4820-940-81 05 | 00752        | 5310-050-3238 | 00484        |
|               | 00760        | 5305-013-2636  | 00500        | 5310-050-3250 | 00560        |
|               | 00620        |                | 00501        | 5310-061-7326 | 00485        |
| 4130-914-9407 | 00683        | 5305-013-2688  | 00850        |               | 00487        |
| 4130-922-7033 | 00611        | 5305-013-3043  | 00177        |               | 00558        |
| 4130-925-6627 | 00795        | 5305-018-5671  | 00840        |               | 00666        |
| 4130-940-7868 | 00836        | 5305-043-6642  | 00179        |               | 00668        |
| 4130-951-0802 | 00084        |                | 00180        | 5310-071-0241 | 00403        |
| 4130-951-0837 | 00351        | 5305-043-6665  | 00495        | 5310-080-6004 | 00829        |
| 4130-955-5336 | 00605        |                | 00585        | 5310-082-1404 | 00357        |
| 4130-955-5337 | 00859        | 5305-043-6750  | 00811        |               | 00504        |
| 4130-961-5552 | 00669        | 5305-044-1222  | 00609        |               | 00586        |
| 4130-961-8321 | 00461        | 5305-044-72 22 | 00603        | 5310-088-0551 | 00488        |
| 4130-961-8322 | 00541        | 5305-053-1113  | 00503        | 5310-089-6304 | 00133        |
| 4130-961-8323 | 00302        | 5305-053-1114  | 00188        |               | 00134        |
| 4130-961-8324 | 00264        |                | 00189        | 5310-167-0816 | 00273        |
| 4130-961-8326 | 00300        |                | 00422        |               | 00355        |
| 4130-961-8327 | 00226        |                | 00567        | 5310-176-7410 | 00533        |
| 4130-967-5979 | 00864        | 5305-068-0501  | 00810        | 5310-186-7379 | 00830        |
| 4130-981-6614 | 00861        | 5305-068-0502  | 00013        | 5310-188-7969 | 00125        |
| 4130-981-6615 | 00835        | 5305-068-0506  | 00563        |               | 00129        |
| 4130-981-6616 | 00834        | 5305-151-1564  | 00185        |               | 00131        |
| 4130-981-6617 | 00455        | 5305-151-2769  | 00678        |               | 00780        |
| 4130-981-6619 | 00003        | 5305-175-3230  | 00247        | 5310-188-7972 | 00006        |
| 4130-981-6620 | 00175        |                | 00248        |               | 00008        |
| 4130-981-6621 | 00056        | 5305-206-0513  | 00536        | 5310-207-9053 | 00632        |
| 4130-981-6622 | 00162        | 5305-226-9268  | 00271        | 5310-208-1919 | 00263        |
| 4130-983-2335 | 00416        |                | 00350        |               | 00667        |
|               | 00492        | 5305-285-4619  | 00841        | 5310-209-5309 | 00019        |
|               | 00561        | 5305-582-3275  | 00807        |               | 00219        |
| 4130-983-2337 | 00005        | 5305-590-3146  | 00349        |               | 00221        |
| 4130-988-0637 | 00754        | 5305-639-8115  | 00781        |               | 00857        |
| 4130-996-3689 | 00265        | 5305-889-3000  | 00347        | 5310-262-6510 | 00505        |
|               | 00315        | 5305-928-9867  | 00499        | 5310-274-8887 | 00527        |
| 4130-996-3698 | 00340        |                | 00562        |               | 00559        |
| 4710-142-2999 | 00820        | 5305-959-5237  | 00410        |               | 00582        |
|               | 00823        |                | 00502        | 5310-275-6813 | 00402        |
|               | 00826        | 5305-964-7814  | 00421        | 5310-530-9963 | 00161        |
|               | 00827        |                | 00849        | 5310-550-4611 | 00774        |
| 4710-277-5527 | 00880        | 5305-978-9385  | 00674        |               | 00803        |
|               | 00671        | 5305-984-61 93 | 00419        | 5310-551-6308 | 00217        |
|               | 00881        |                | 00420        |               | 00511        |
| 4710-424-2692 | 00712        |                | 00498        |               | 00769        |
|               | 00742        |                | 00847        |               | 00770        |
|               | 00882        | 5305-984-61 94 | 00014        | 5310-576-5813 | 00126        |
| 4710-424-2693 | 00695        |                | 00178        | 5310-655-6933 | 00544        |
|               | 00701        |                | 00182        | 5310-722-5284 | 00483        |
|               | 00725        |                | 00184        | 5310-802-8544 | 00508        |
|               | 00727        |                | 00186        | 5310-804-4920 | 00018        |
|               | 00729        |                | 00346        | 5310-809-4058 | 00016        |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> | <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> | <u>STOCK NUMBER</u> | <u>INDEX NUMBER</u> |
|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 5310-809-4058       | 00506               | 5330-505-6610       | 00108               | 5940-705-6702       | 00370               |
|                     | 00507               |                     | 00110               |                     | 00388               |
|                     | 00782               |                     | 00112               |                     | 00391               |
| 5310-809-8544       | 00017               |                     | 00114               |                     | 00395               |
|                     | 00213               |                     | 00116               |                     | 00399               |
|                     | 00214               |                     | 00118               |                     | 00428               |
|                     | 00354               |                     | 00120               | 5945-905-9222       | 00343               |
|                     | 00356               |                     | 00122               | 5945-958-2680       | 00344               |
|                     | 00553               |                     | 00196               | 5950-677-0567       | 00759               |
|                     | 00596               |                     | 00198               |                     | 00761               |
|                     | 00856               |                     | 00665               | 5950-858-3261       | 00757               |
| 5310-809-8546       | 00212               |                     | 00878               | 5960-073-8418       | 00353               |
|                     | 00762               | 5330-505-6611       | 00335               | 5961-913-1749       | 00584               |
|                     | 00763               |                     | 00460               | 6105-014-8166       | 00298               |
|                     | 00764               |                     | 00879               | 6105-055-1560       | 00309               |
|                     | 00765               | 5340-057-3102       | 00649               | 6105-856-8105       | 00341               |
|                     | 00766               | 5340-205-6301       | 00436               | 6105-949-8627       | 00262               |
| 5310-811-3494       | 00486               |                     | 00648               | 6105-949-8629       | 00261               |
| 5310-836-9538       | 00411               | 5340-286-9441       | 00645               | 6105-955-5338       | 00260               |
| 5310-836-9578       | 00142               | 5340-543-4394       | 00362               | 6105-961-8325       | 00289               |
|                     | 00211               |                     | 00647               | 6105-961-8343       | 00282               |
| 5310-877-5797       | 00338               |                     | 00653               | 6110-991-8258       | 00454               |
| 5310-889-2544       | 00337               |                     | 00844               | 6115-010-4723       | 00305               |
|                     | 00578               | 5340-577-8589       | 00452               | 6130-878-5589       | 00583               |
| 5310-889-2549       | 00336               | 5340-597-9399       | 00331               | 6145-160-4774       | 00475               |
|                     | 00401               | 5340-598-0597       | 00646               |                     | 00482               |
|                     | 00545               |                     | 00652               |                     | 00892               |
|                     | 00592               | 5340-702-1424       | 00791               | 6145-170-6869       | 00443               |
|                     | 00846               |                     | 00792               |                     | 00449               |
| 5310-950-1310       | 00216               | 5340-726-9317       | 00435               |                     | 00478               |
| 5315-057-6608       | 00838               | 5340-726-9321       | 00650               |                     | 00886               |
| 5315-058-3832       | 00814               | 5340-835-1853       | 00057               | 6145-238-3407       | 00466               |
| 5315-234-1856       | 00818               | 5355-926-5289       | 00364               |                     | 00893               |
| 5315-815-9499       | 00837               |                     | 00365               | 6145-243-0579       | 00472               |
| 5320-083-5009       | 00493               |                     | 00542               |                     | 00887               |
|                     | 00809               |                     | 00845               | 6145-313-9429       | 00374               |
| 5320-117-6010       | 00207               | 5920-142-7448       | 00576               |                     | 00888               |
| 5320-117-6939       | 00775               | 5920-939-5442       | 00575               | 6145-316-9072       | 00368               |
| 5320-582-3304       | 00051               | 5925-856-8103       | 00517               |                     | 00371               |
|                     | 00068               | 5925-925-5126       | 00519               |                     | 00386               |
|                     | 00164               | 5925-957-2462       | 00518               |                     | 00389               |
|                     | 00166               | 5930-275-7800       | 00352               |                     | 00392               |
|                     | 00167               |                     | 00551               |                     | 00396               |
|                     | 00173               | 5930-856-8104       | 00855               |                     | 00399               |
|                     | 00250               | 5930-907-8948       | 00423               |                     | 00429               |
|                     | 00417               |                     | 00552               |                     | 00889               |
|                     | 00418               | 5930-981-6680       | 00852               | 6145-548-2705       | 00469               |
|                     | 00546               | 5935-577-8589       | 00434               |                     | 00890               |
|                     | 00806               | 5935-599-9126       | 00491               | 6145-660-8933       | 00377               |
| 5320-582-3305       | 00673               | 5935-721-0490       | 00438               |                     | 00380               |
| 5320-582-3494       | 00165               | 5935-721-0496       | 00363               |                     | 00383               |
|                     | 00251               |                     | 00555               |                     | 00891               |
| 5320-660-1292       | 00808               | 5935-726-0686       | 00440               | 6150-929-5561       | 00833               |
| 5320-899-0981       | 00249               | 5935-754-5638       | 00490               | 9535-231-8419       | 00581               |
|                     | 00252               | 5935-755-3688       | 00445               | 9535-232-1851       | 00539               |
|                     | 00529               | 5935-801-6616       | 00266               |                     | 00874               |
|                     | 00206               |                     | 00556               |                     |                     |
| 5325-067-9222       | 00082               |                     | 00557               |                     |                     |
| 5325-263-6632       | 00333               | 5935-805-4991       | 00441               |                     |                     |
| 5325-281-4365       | 00160               | 5935-814-4115       | 00444               |                     |                     |
| 5325-724-7655       | 00334               |                     | 00446               |                     |                     |
| 5330-224-4681       | 00090               |                     | 00450               |                     |                     |
| 5330-505-6608       | 00092               | 5935-819-5887       | 00447               |                     |                     |
|                     | 00876               | 5935-899-6873       | 00437               |                     |                     |
| 5330-505-6609       | 00058               | 5940-050-6207       | 00373               |                     |                     |
|                     | 00059               | 5940-050-6386       | 00376               |                     |                     |
|                     | 00070               |                     | 00379               |                     |                     |
|                     | 00072               |                     | 00382               |                     |                     |
|                     | 00139               | 5940-173-8459       | 00468               |                     |                     |
|                     | 00194               |                     | 00471               |                     |                     |
|                     | 00406               | 5940-275-7082       | 00572               |                     |                     |
|                     | 00408               | 5940-275-7801       | 00569               |                     |                     |
|                     | 00877               | 5940-275-7802       | 00272               |                     |                     |
| 5330-505-6610       | 00086               | 5940-316-6702       | 00385               |                     |                     |
|                     | 00088               | 5940-504-5871       | 00465               |                     |                     |
|                     | 00094               | 5940-504-5874       | 00474               |                     |                     |
|                     | 00095               |                     | 00481               |                     |                     |
|                     | 00098               | 5940-617-2896       | 00477               |                     |                     |
|                     | 00100               | 5940-705-6701       | 00394               |                     |                     |
|                     | 00102               |                     | 00398               |                     |                     |
|                     | 00104               |                     | 00427               |                     |                     |
|                     | 00106               | 5940-705-6702       | 00367               |                     |                     |



Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No.     | MEQ CODE | INDEX No. | REFERENCE No.  | MEQ CODE | INDEX No. |
|-------------------|----------|-----------|----------------|----------|-----------|
| AU42B5            | 61957    | 00041     | CMP50          | 60532    | 00643     |
|                   |          | 00168     | CMP59          | 60532    | 00863     |
|                   |          | 00170     | CNT197         | 60532    | 00352     |
|                   |          | 00171     |                |          | 00551     |
|                   |          | 00172     | CUL160         | 60532    | 00796     |
|                   |          | 00249     | CUL161         | 60532    | 00772     |
|                   |          | 00252     | CUL464         | 60532    | 00797     |
|                   |          | 00529     | CUL465         | 60532    | 00773     |
| AU43B5            | 61957    | 00169     | CUN25          | 60532    | 00226     |
|                   |          | 00493     | CUN47          | 60532    | 00520     |
|                   |          | 00809     | CUV236         | 60532    | 00043     |
| AM33HK71-179-2M66 | 74193    | 00519     | CUV237         | 60532    | 00045     |
| AM33HK711791M66   | 74193    | 00518     | CUV255         | 60532    | 00044     |
| ANG11             | 60532    | 00034     | CUV264         | 60532    | 00458     |
|                   | 88044    | 00061     | CUV306         | 60532    | 00409     |
| ANG12             | 60532    | 00035     | CUV312         | 60532    | 00155     |
|                   |          | 00062     | CUV314         | 60532    | 00332     |
| ANG13             | 60532    | 00048     | CUV328         | 60532    | 00462     |
| ANG14             | 60532    | 00021     | CPL73          | 60532    | 00654     |
| AN515-4-6         | 88044    | 00501     | CPL75          | 60532    | 00657     |
| AN515-416-12      | 88044    | 00497     | CPL79          | 60532    | 00656     |
| AN515-6-4         | 88044    | 00349     | CPL81          | 60532    | 00525     |
|                   |          | 00549     | C0835          | 78462    | 00779     |
| AN515-6-5         | 88044    | 00536     | C13853-1420    | 78553    | 00402     |
| AN515-6-8         | 88044    | 00585     | C22146-017     | 78553    | 00791     |
| AN515-8-10        | 88044    | 00181     |                |          | 00792     |
|                   |          | 00183     | C36H           | 66295    | 00644     |
| AN520-10-12       | 88044    | 00678     | C4690-025      | 78553    | 00865     |
| AN530-4K8         | 88044    | 00503     | C6974-22-41    | 78553    | 00162     |
| AN931-4-7         | 88044    | 00082     |                |          | 00416     |
| AN960-6           | 88044    | 00273     |                |          | 00492     |
|                   |          | 00355     |                |          | 00561     |
| A15073            | 41947    | 00751     | C7968-7614-541 | 78553    | 00005     |
| A2059             | 21585    | 00859     | DMF34          | 60532    | 00046     |
| A25KH0            | 25472    | 00007     | DMF6           | 60532    | 00049     |
| A31K125           | 25472    | 00123     | DT9604-1       | 70255    | 00828     |
| A330              | 41947    | 00639     | UUC1           | 60532    | 00033     |
| ABK120            | 25472    | 00130     | UUC10          | 60532    | 00063     |
| ABK160            | 25472    | 00006     | UUC11          | 60532    | 00064     |
|                   | 61957    | 00127     | UUC2           | 60532    | 00036     |
| ABK75             | 25472    | 00124     | UUC3           | 60532    | 00037     |
| ABK75             | 25472    | 00128     | UUC6           | 60532    | 00060     |
| BAF26             | 60532    | 00024     | EC1126         | 76381    | 00192     |
| BAF27             | 60532    | 00026     | EC800          | 76381    | 00190     |
| BAF28             | 60532    | 00025     | ELL94          | 60532    | 00659     |
| BAF37             | 60532    | 00023     |                |          | 00661     |
| BAL25             | 60532    | 00813     | ERF215B1       | 58849    | 00584     |
|                   |          | 00817     | E7C            | 73646    | 00057     |
| BA5147            | 60532    | 00002     | FAN183         | 60532    | 00835     |
| BLJ6              | 60532    | 00047     | FAN184         | 60532    | 00834     |
| BLK27             | 60532    | 00568     | FAN290         | 60532    | 00836     |
| BLT72             | 60532    | 00255     | FAN291         | 60532    | 00833     |
| BUX47             | 60532    | 00430     | FLG71          | 60532    | 00663     |
| BUX75             | 60532    | 00431     | FRM22          | 60532    | 00030     |
| BUX80             | 60532    | 00433     | FTG5           | 41947    | 00658     |
| BUX81             | 60532    | 00360     | GKT371         | 60532    | 00069     |
| BUX88             | 60532    | 00432     |                |          | 00071     |
| BU25              | 60532    | 00787     | GKT373         | 60532    | 00138     |
| BKK215            | 60532    | 00640     |                |          | 00193     |
| BKK217            | 60532    | 00788     | GKT374         | 60532    | 00461     |
| BKK220            | 60532    | 00778     | GKT375         | 60532    | 00541     |
| BKK221            | 60532    | 00028     | GKT376         | 60532    | 00058     |
| BKK222            | 60532    | 00029     | GKT377         | 60532    | 00059     |
| BUS39             | 60532    | 00516     | GKT409         | 60532    | 00197     |
|                   |          | 00523     | GKT410         | 60532    | 00195     |
| BUS42             | 60532    | 00631     | GKT427         | 60532    | 00459     |
| BUS53             | 60532    | 00256     | GKT474         | 60532    | 00590     |
| BUS54             | 60532    | 00257     | GKT485         | 60532    | 00598     |
| BY10561           | 04594    | 00451     | GKT528         | 60532    | 00405     |
| BY11149           | 04594    | 00603     | GKT529         | 60532    | 00407     |
| BY9128            | 04594    | 00851     | GP1-093X188-12 | 73957    | 00286     |
| B025              | 60532    | 00027     |                |          | 00301     |
| CAS54             | 60532    | 00456     |                |          | 00323     |
| CAS61             | 60532    | 00032     | GRD64          | 60532    | 00079     |
|                   |          | 00361     | GRD65          | 60532    | 00003     |
| CAS63             | 60532    | 00031     | GRD66          | 60532    | 00463     |
| CAS66             | 60532    | 00030     | GRL16          | 60532    | 00073     |
| CME2              | 60532    | 00056     | GRL17          | 60532    | 00075     |
| CME3              | 60532    | 00156     | GRL22          | 60532    | 00076     |
| CMP32             | 60532    | 00524     | GRL27          | 60532    | 00074     |
| CMP35             | 60532    | 00649     | GRL29          | 60532    | 00078     |
|                   |          | 00651     | GRL32          | 60532    | 00080     |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| <u>REFERENCE No.</u> | <u>MFG CODE</u> | <u>INDEX No.</u> | <u>REFERENCE No.</u> | <u>MFG CODE</u> | <u>INDEX No.</u> |
|----------------------|-----------------|------------------|----------------------|-----------------|------------------|
| GKL33                | 60532           | 00077            | MS20600AD4W2         | 96906           | 00417            |
| GKP21                | 60532           | 00448            |                      |                 | 00546            |
| GKP23                | 60532           | 00442            |                      |                 | 00806            |
| HUL1                 | 60532           | 00083            | MS20600AD4W3         | 96906           | 00673            |
| HUL2                 | 60532           | 00084            | MS20600AD4W4         | 96906           | 00165            |
| HSE45                | 60532           | 00798            |                      |                 | 00251            |
|                      |                 | 00800            | MS20601AD4W5         | 96906           | 00807            |
| HTR108               | 60532           | 00869            | MS21045-06           | 96906           | 00337            |
| HTR36                | 60532           | 00866            |                      |                 | 00578            |
| INS13                | 60532           | 00115            | MS21045-08           | 96906           | 00336            |
| INS16                | 60532           | 00103            |                      |                 | 00400            |
| INS17                | 60532           | 00085            |                      |                 | 00401            |
| INS18                | 60532           | 00087            |                      |                 | 00545            |
| INS21                | 60532           | 00097            |                      |                 | 00592            |
| INS24                | 60532           | 00107            |                      |                 | 00846            |
| INS26                | 60532           | 00109            | MS21045-3            | 96906           | 00485            |
| INS27                | 60532           | 00093            |                      |                 | 00487            |
| INS28                | 60532           | 00091            |                      |                 | 00544            |
| INS29                | 60532           | 00089            |                      |                 | 00558            |
| INS42                | 60532           | 00111            |                      |                 | 00666            |
|                      |                 | 00121            |                      |                 | 00668            |
| INS72                | 60532           | 00099            | MS21318-14           | 96906           | 00247            |
| INS73                | 60532           | 00101            |                      |                 | 00248            |
|                      |                 | 00105            | MS21919UG20          | 96906           | 00650            |
| INS75                | 60532           | 00095            | MS21919UG4           | 96906           | 00436            |
| INS76                | 60532           | 00113            |                      |                 | 00648            |
| INS77                | 60532           | 00117            | MS21919UG6           | 96906           | 00362            |
| INS78                | 60532           | 00119            |                      |                 | 00647            |
| INS79                | 60532           | 00577            |                      |                 | 00844            |
| KAH5                 | 71400           | 00575            | MS21919UG8           | 96906           | 00646            |
| KIT80                | 60532           | 00522            |                      |                 | 00652            |
| KNB10                | 60532           | 00521            |                      |                 | 00653            |
|                      |                 | 00526            | MS21919UG9           | 96906           | 00435            |
| LED11                | 60532           | 00543            | MS21919H11           | 96906           | 00331            |
| LED54                | 60532           | 00426            | MS24621-11           | 96906           | 00188            |
| LED56                | 60532           | 00393            |                      |                 | 00189            |
| LED57                | 60532           | 00372            |                      |                 | 00422            |
| LED58                | 60532           | 00387            |                      |                 | 00567            |
| LED59                | 60532           | 00390            | MS24665-155          | 96906           | 00814            |
| LED60                | 60532           | 00384            |                      |                 | 00818            |
| LED61                | 60532           | 00369            | MS24693-28           | 96906           | 00579            |
| LED62                | 60532           | 00375            | MS25043-22C          | 96906           | 00452            |
| LED63                | 60532           | 00480            | MS25043-226          | 96906           | 00434            |
| LED64                | 60532           | 00464            | MS27130-14K          | 96906           | 00125            |
| LED65                | 60532           | 00366            |                      |                 | 00129            |
|                      |                 | 00397            |                      |                 | 00131            |
| LED66                | 60532           | 00473            |                      |                 | 00780            |
|                      |                 | 00479            | MS27130-18K          | 96906           | 00008            |
| LED67                | 60532           | 00378            | MS27130-32K          | 96906           | 00132            |
| LED68                | 60532           | 00476            | MS27183              | 96906           | 00553            |
| LED69                | 60532           | 00381            | MS27183-10           | 96906           | 00016            |
| LL500-4-5            | 03038           | 00268            |                      |                 | 00507            |
|                      |                 | 00565            |                      |                 | 00782            |
|                      |                 | 00566            | MS27183-14           | 96906           | 00829            |
| LL500-6-6            | 03038           | 00271            | MS27183-6            | 96906           | 00357            |
|                      |                 | 00350            |                      |                 | 00504            |
| LP500-416-12         | 03038           | 00269            | MS27183-7            | 96906           | 00017            |
|                      |                 | 00325            |                      |                 | 00213            |
| LP500-8-28           | 03038           | 00270            |                      |                 | 00214            |
|                      |                 | 00326            |                      |                 | 00354            |
| L4449-196            | 75543           | 00081            |                      |                 | 00356            |
| MNT53                | 60532           | 00629            |                      |                 | 00596            |
| MSS5306-6            | 08288           | 00630            |                      |                 | 00856            |
| MS15795-206          | 96906           | 00586            | MS27183-8            | 96906           | 00212            |
| MS15795-709          | 96906           | 00508            |                      |                 | 00762            |
| MS16997-62           | 96906           | 00674            |                      |                 | 00763            |
| MS20365-440A         | 96906           | 00488            |                      |                 | 00764            |
| MS20365-632A         | 96906           | 00527            |                      |                 | 00765            |
|                      |                 | 00559            |                      |                 | 00766            |
|                      |                 | 00582            | MS2919H4             | 96906           | 00645            |
| MS20365-832A         | 96906           | 00486            | MS3102A22-23S        | 96906           | 00437            |
| MS20426AU2-3         | 96906           | 00207            | MS3102R1457P         | 96906           | 00266            |
| MS20426AU3-4         | 96906           | 00808            |                      |                 | 00556            |
| MS20426AU3-5         | 96906           | 00775            |                      |                 | 00557            |
| MS20600ADW2          | 96906           | 00418            | MS3102R1457S         | 96906           | 00445            |
| MS20600AD4W2         | 96906           | 00051            | MS3102R1654S         | 96906           | 00444            |
|                      |                 | 00068            |                      |                 | 00446            |
|                      |                 | 00164            |                      |                 | 00450            |
|                      |                 | 00166            | MS3102R20-15P        | 96906           | 00490            |
|                      |                 | 00167            | MS3102R22-14P        | 96906           | 00363            |
|                      |                 | 00173            |                      |                 | 00438            |
|                      |                 | 00250            |                      |                 | 00555            |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No.  | Meq. Code | INDEX No. | REFERENCE No.  | Meq. Code | INDEX No. |
|----------------|-----------|-----------|----------------|-----------|-----------|
| MS3102K22-23S  | 96906     | 00439     | PNL1108        | 60532     | 00153     |
| MS3106K1457S   | 96906     | 00441     | PNL1110        | 60532     | 00143     |
| MS3106K1654P   | 96906     | 00447     | PNL1112        | 60532     | 00151     |
| MS3106K1654S   | 96906     | 00440     | PNL1116        | 60532     | 00137     |
| MS35206-230    | 96906     | 00347     | PNL1117        | 60532     | 00140     |
| MS35206-245    | 96906     | 00419     | PNL1122        | 60532     | 00455     |
|                |           | 00420     | PNL1307        | 60532     | 00146     |
|                |           | 00847     | PNL1308        | 60532     | 00149     |
| MS35206-246    | 96906     | 00014     | PNL1309        | 60532     | 00152     |
|                |           | 00182     | PNL1499        | 60532     | 00147     |
|                |           | 00184     | PNL1500        | 60532     | 00150     |
|                |           | 00186     | PNL1503        | 60532     | 00136     |
|                |           | 00346     | PNL1530        | 60532     | 00154     |
|                |           | 00547     | PNL1531        | 60532     | 00144     |
|                |           | 00548     | PNL1532        | 60532     | 00135     |
|                |           | 00676     | PNL1534        | 60532     | 00404     |
|                |           | 00677     | PNL1538        | 60532     | 00066     |
|                |           | 00848     | PNL1539        | 60532     | 00067     |
| MS35207-210    | 96906     | 00499     | PNL1573        | 60532     | 00412     |
|                |           | 00562     | PNL1574        | 60532     | 00413     |
| MS35207-263    | 96906     | 00170     | P202K00F550160 | 21335     | 00265     |
|                |           | 00496     |                |           | 00315     |
|                |           | 00770     | RB175          | 86797     | 00364     |
|                |           | 00679     |                |           | 00365     |
| MS35207-264    | 96906     | 00675     |                |           | 00542     |
| MS35207-269    | 96906     | 00680     |                |           | 00845     |
|                |           | 00421     | KNG146         | 60532     | 00669     |
| MS35207-291    | 96906     | 00849     | KNG177         | 60532     | 00163     |
|                |           | 00013     | KOU65          | 60532     | 00530     |
| MS35297-6      | 96906     | 00781     | KOU83          | 60532     | 00531     |
|                |           | 00019     | KOU93          | 60532     | 00535     |
| MS35338-23     | 96906     | 00219     | RTR15          | 60532     | 00159     |
|                |           | 00221     | RTR18          | 60532     | 00158     |
|                |           | 00857     | SAK13          | 78462     | 00591     |
| MS35338-41     | 96906     | 00534     | SCR265         | 60532     | 00494     |
| MS35338-42     | 96906     | 00218     | SCR304         | 60532     | 00532     |
|                |           | 00220     | SCR338         | 60532     | 00275     |
|                |           | 00223     | SHK33          | 60532     | 00052     |
| MS35339-25     | 96906     | 00768     | SN1032-4       | 56878     | 00403     |
|                |           | 00784     | SPC17          | 60532     | 00595     |
| MS35339-27     | 96906     | 00280     | SPC18          | 60532     | 00276     |
|                |           | 00831     | SPC20          | 60532     | 00681     |
| MS35339-43     | 96906     | 00217     | SPC33          | 60532     | 00682     |
|                |           | 00511     | SPG51          | 60532     | 00274     |
|                |           | 00769     |                |           | 00327     |
|                |           | 00770     | SPG55          | 60532     | 00815     |
| MS35339-44     | 96906     | 00018     | SRN21          | 60532     | 00015     |
| MS35342-1      | 96906     | 00789     | SRN23          | 60532     | 00175     |
|                |           | 00790     | SRN24          | 60532     | 00174     |
|                |           | 00793     | SRN31          | 60532     | 00861     |
| MS353927-2     | 96906     | 00593     | SKP24          | 60532     | 00589     |
| MS36206-246    | 96906     | 00563     | SUP113         | 60532     | 00205     |
| MS90726-6      | 96214     | 00540     | SUP114         | 60532     | 00204     |
| MYA1250        | 82467     | 00342     | SUP115         | 60532     | 00054     |
| MYA1258        | 82467     | 00340     | SUP116         | 60532     | 00055     |
| MYA1263        | 04594     | 00605     | SUP117         | 60532     | 00209     |
| MYH700TA3-2159 | 76381     | 00191     | SUP118         | 60532     | 00684     |
| MB244          | 96906     | 00804     | SUP119         | 60532     | 00202     |
| NAS1032P       | 93410     | 00852     | SUP121         | 60532     | 00200     |
| NTP25          | 60532     | 00805     |                |           | 00550     |
| PAU30          | 60532     | 00038     | SUP130         | 60532     | 00208     |
| PAN92          | 60532     | 00065     | SUP132         | 60532     | 00538     |
|                |           | 00239     | SUP169         | 60532     | 00203     |
| PLT152         | 60532     | 00415     | SUP171         | 60532     | 00210     |
|                |           | 00457     | TCL50M         | 70255     | 00754     |
| PLT156         | 60532     | 00242     | Tee34          | 60532     | 00687     |
| PLT157         | 60532     | 00246     | TLX2004W100    | 70255     | 00753     |
|                |           | 00528     | TUB118         | 60532     | 00825     |
| PLT170         | 60532     | 00234     | TUB119         | 60532     | 00710     |
| PLT196         | 60532     | 00238     | TUB181         | 60532     | 00743     |
| PLT222         | 60532     | 00241     | TUB182         | 60532     | 00709     |
| PLT238         | 60532     | 00240     | TUB184         | 60532     | 00685     |
| PLT239         | 60532     | 00245     | TUB190         | 60532     | 00816     |
| PLT242         | 60532     | 00414     | TUB191         | 60532     | 00812     |
| PLU118         | 60532     | 00009     | TUB196         | 60532     | 00699     |
|                |           | 00011     | TUB197         | 60532     | 00744     |
| PLU83          | 60532     | 00157     | TUB198         | 60532     | 00705     |
| PLU90          | 60532     | 00010     | TUB199         | 60532     | 00697     |
| PNL1104        | 60532     | 00145     | TUB201         | 60532     | 00698     |
| PNL1105        | 60532     | 00148     | TUB202         | 60532     | 00700     |
| PNL1106        | 60532     | 00039     |                |           | 00702     |
| PNL1107        | 60532     | 00040     | TUB206         | 60532     | 00708     |

Section VII. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| REFERENCE No.   | Mem Code | INDEX No. | REFERENCE No.   | Mem Code | INDEX No. |
|-----------------|----------|-----------|-----------------|----------|-----------|
| TUB207          | 60532    | 00696     | 13211E8369      | 97403    | 00755     |
| TUB208          | 60532    | 00704     | 13211E8392      | 97403    | 00225     |
| TUR209          | 60532    | 00738     | 1409-18         | 02289    | 00344     |
| TUR210          | 60532    | 00707     | 1410-18         | 02289    | 00343     |
| TUB53           | 60532    | 00822     | 1453-36         | 04594    | 00517     |
| TUB55           | 60532    | 00821     | 1454-10         | 04594    | 00855     |
| TUB56           | 60532    | 00824     | 1456-832        | 04594    | 00341     |
| TUB59           | 60532    | 00736     | 1456-833        | 06853    | 00351     |
| TUB60           | 60532    | 00746     | 1501-4          | 04594    | 00867     |
| TUB62           | 60532    | 00748     | 1541-1          | 04594    | 00489     |
| TUB63           | 60532    | 00726     | 1550-114        | 04594    | 00600     |
| TUB66           | 60532    | 00741     |                 |          | 00606     |
| TUB67           | 60532    | 00719     | 183-1227        | 04594    | 00329     |
| TUB69           | 60532    | 00734     | 183-1233        | 04594    | 00330     |
| TUR70           | 60532    | 00730     | 183-1288        | 04594    | 00843     |
| TUR71           | 60532    | 00722     | 19040015        | 60532    | 00394     |
| TUR72           | 60532    | 00694     |                 |          | 00398     |
| TUR74           | 60532    | 00724     |                 |          | 00427     |
| TUR75           | 60532    | 00819     | 19040016        | 60532    | 00367     |
| TUR81           | 60532    | 00715     |                 |          | 00370     |
| TUR82           | 60532    | 00713     |                 |          | 00385     |
| TUR83           | 60532    | 00717     |                 |          | 00391     |
| TUR82           | 60532    | 00728     |                 |          | 00395     |
| VAL573          | 60532    | 00758     |                 |          | 00399     |
| WAS112          | 60532    | 00510     |                 |          | 00428     |
| WAS125          | 60532    | 00634     |                 | 78553    | 00388     |
|                 |          | 00783     | 201060          | 01422    | 00683     |
| WAS126          | 60532    | 00633     | 207445 SU17-27  | 78553    | 00864     |
| WAS127          | 60532    | 00635     | 21MO2           | 72962    | 00338     |
|                 |          | 00785     | 229XC           | 92578    | 00424     |
| WAS170          | 60532    | 00277     |                 |          | 00853     |
| WAS171          | 60532    | 00279     | 239-340         | 04594    | 00637     |
| WAS172          | 60532    | 00278     | 240-216         | 04594    | 00345     |
| WAS189          | 60532    | 00358     | 247-337         | 04594    | 00604     |
| WC400W1009      | 41947    | 00655     |                 |          | 00610     |
|                 |          | 00794     | 248-5           | 04594    | 00607     |
| WC403W1306      | 41947    | 00662     |                 |          | 00868     |
| WC416AH22       | 41947    | 00672     | 2522-04-00-2041 | 78189    | 00272     |
| WC417A7812      | 41947    | 00642     |                 |          | 00572     |
| WHP622H18-2UR-3 | 01479    | 00611     | 253-62          | 04594    | 00602     |
| WIR74           | 60532    | 00512     | 3A6KS 20SG10H10 | 08771    | 00353     |
| WIR75           | 60532    | 00514     | 3MP23           | 60532    | 00761     |
| WIR77           | 60532    | 00513     |                 | 93781    | 00759     |
| WPH422H18-2UR-3 | 01479    | 00620     | 3030A           | 09278    | 00601     |
| WT600W4000      | 41947    | 00688     | 355-31-08-001   | 71785    | 00569     |
| WT600W4001      | 41947    | 00690     | 374             | 70485    | 00333     |
| WT600W4015      | 41947    | 00689     | 401976          | 61311    | 00308     |
|                 |          | 00693     | 403230          | 61311    | 00322     |
| WT600W4018      | 41947    | 00691     | 405310          | 61311    | 00300     |
| WT600W40350     | 41947    | 00692     | 405653          | 61311    | 00287     |
| WT602W4224      | 41947    | 00686     | 405832          | 61311    | 00260     |
| W2009           | 41947    | 00660     | 405835          | 61311    | 00259     |
| X36945          | 61311    | 00233     | 405855          | 61311    | 00307     |
| X38956          | 61311    | 00228     | 405857          | 61311    | 00309     |
| X38957          | 61311    | 00229     | 405860          | 61311    | 00232     |
| X38958          | 61311    | 00230     | 405868          | 61311    | 00321     |
| X39601          | 61311    | 00231     | 405919          | 61311    | 00303     |
| X78700          | 61311    | 00243     | 405920          | 61311    | 00302     |
|                 |          | 00244     | 405922-         | 61311    | 00284     |
|                 |          | 00267     | 405924          | 61311    | 00319     |
| 1-2101          | 04594    | 00599     | 405925          | 61311    | 00320     |
| 10-36675-20     | 77820    | 00491     | 405926          | 61311    | 00306     |
| 12-11-203-12    | 94222    | 00410     | 405929          | 61311    | 00299     |
| 12-11-013-12    | 94222    | 00141     | 405932          | 61311    | 00294     |
|                 |          | 00187     | 405935          | 61311    | 00305     |
|                 |          | 00870     | 405936          | 61311    | 00288     |
| 12-110104-11    | 94222    | 00411     | 405938          | 61311    | 00339     |
| 12-11014-11     | 94222    | 00142     | 405939          | 61311    | 00318     |
|                 |          | 00211     | 405946          | 61311    | 00298     |
| 12-11014-12     | 94222    | 00871     | 406195          | 61311    | 00293     |
| 12-11020-13     | 94222    | 00133     | 406198-3        | 61311    | 00291     |
|                 |          | 00134     | 406864          | 61311    | 00304     |
| 12-110203-12    | 94222    | 00502     | 406889          | 61311    | 00283     |
| 12K1-1AA        | 71286    | 00206     | 406890          | 61311    | 00285     |
| 12S1-9-1AA      | 71286    | 00160     | 406979-1        | 61311    | 00290     |
| 132             | 93781    | 00760     | 407008          | 61311    | 00311     |
| 13211E3798      | 97403    | 00022     | 407434          | 61311    | 00264     |
| 13211E3800      | 97403    | 00750     | 407676          | 61311    | 00310     |
| 13211E8156      | 97403    | 00854     | 407808          | 61311    | 00292     |
| 13211E8224      | 97403    | 00861     | 408             | 61864    | 00199     |
| 13211E8248      | 97403    | 00795     | 408128          | 61311    | 00289     |
| 13211E8311      | 97403    | 00756     | 408266          | 61311    | 00282     |

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

| <u>REFERENCE No.</u> | <u>MFG CODE</u> | <u>INDEX No.</u>        |
|----------------------|-----------------|-------------------------|
| 40977                | 60532           | 00376<br>00379<br>00382 |
| 42NE040              | 72962           | 00263<br>00667<br>00632 |
| 42NE058              | 72962           | 00576                   |
| 4525                 | 71400           | 00348                   |
| 453321               | 16764           | 00262                   |
| 4725-8               | 64731           | 00636                   |
| 474865               | 01479           | 00614<br>00623<br>00619 |
| 474870               | 01479           | 00628                   |
| 474872               | 01479           | 00612<br>00621          |
| 474873               | 01479           | 00235<br>00613          |
| 474881               | 01479           | 00622                   |
| 474882               | 01479           | 00237<br>00236          |
| 474941               | 01479           | 00618                   |
| 474993               | 01479           | 00627                   |
| 487249               | 01479           | 00624<br>00617<br>00626 |
| 487965               | 01479           | 00042                   |
| 488096               | 01479           | 00161                   |
| 49444                | 61864           | 00012                   |
| 553-1                | 71286           | 00583                   |
| 500-87               | 79136           | 00615<br>00625          |
| 508C516G90           | 79500           | 00316                   |
| 52LH3324-82          | 01479           | 00053<br>00841          |
| 524871               | 64731           | 00752                   |
| 58-054               | 00644           | 00711                   |
| 583935               | 00000           | 00571                   |
| 5939XA               | 58553           | 00570                   |
| 641FS                | 30327           | 00201                   |
| 699-6                | 75382           | 00594                   |
| 699-7                | 75382           | 00423<br>00552          |
| 8319-100             | 90598           | 00317                   |
| 890STX2              | 58553           | 00616                   |
| 8912K216             | 15605           | 00313                   |
| 908900               | 64731           | 00296                   |
| 9487965              | 01479           | 00312                   |
| 951201               | 64731           | 00295                   |
| 951202               | 64731           | 00454                   |
| 951401               | 64731           | 00324                   |
| 951402               | 64731           |                         |
| 9565EU3              | 15605           |                         |
| 97234                | 61311           |                         |

By Order of the Secretary of the Army:

Official:

W. C. WESTMORELAND,  
*General, United States Army,*  
*Chief of Staff.*

KENNETH G. WICKHAM,  
*Major General, United States Army,*  
*The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Sec III (qty rqr Block #542), Organizational maintenance requirements for Air Conditioners, 18,000 BTU, Compact.

☆ U.S. GOVERNMENT PRINTING OFFICE : 1990 O 261-872 (20405)